



---

Project:  
Project #: 609

Issue Date: 03 FEB 2017  
Revision Date: 29 NOV 2016 (1)

---

ITEM TYPES

- Carpet
- Tile
- Paint
- Solid Surface
- Stain
- Wallbase
- Wallcovering

Project:  
Project #: 609

Issue Date: 03 FEB 2017  
Revision Date: 29 NOV 2016 (1)

FINISH SPECIFICATIONS





### NOTICE ON SPECIFICATIONS

1. MANUFACTURER TO NOTIFY TBEA OF ANY ERROR OR CONFLICT IN SPECIFICATIONS AS INDICATED.
2. IMAGE MAY NOT REFLECT CORRECT COLOR
3. SEND FINISH SAMPLE(S) TO TBEA FOR APPROVAL PRIOR TO INSTALLATION / PURCHASING
4. UPHOLSTERY FOAM OR CUSHIONING MUST BE CERTIFIED TO MEET OR EXCEED CAL 117E AND CMHR BARRIER WRAP AS REQUIRED  
BY LOCAL AND STATE FIRE CODES FOR USE IN HOTELS & OTHER PUBLIC SPACES
5. ALL EXPOSED WOOD TO BE SELECT KILN-DRIED HARDWOOD. ALL STRESS JOINTS TO BE CORNER BLOCKED, GLUED, DOUBLE-DOWELLED OR SCREWED. CONSTRUCTION AND FRAMING MUST BE CONTRACT QUALITY.
6. VERIFY QUANTITY AND COM YARDAGE REQUIREMENT PRIOR TO PURCHASING
7. SUPPLIED BY: REFER TO MATRIX
8. INSTALLED BY: REFER TO MATRIX





Finishes Report

Project:

Project #: 609

Issue Date: 03 FEB 2017

By Item Type

Control #	Description	Area / Location	Mfr / Vendor	Special Instructions	Image
<b>Carpet</b>					
CR-1.H	<p>Guestroom Carpet Description: Carpet</p> <p>Colors: A:5253D; B: 5829D; C: 5223D</p> <p>Sample Number: X750D - 0</p> <p>Style Name: AF0251</p> <p>Dimensions: 15'W</p> <p>Pattern Repeat: 144" X 214.4"</p> <p>Weight: 32 oz/yd</p> <p>Pile Height: 0.197</p> <p>Stitches: 10/in</p> <p>Construction: Multi Full Repeat Tip Sheared</p> <p>Fiber: NSP Eco Sol Q Nylon</p> <p>Backing: Classicbac</p> <p>Pad Recommendation: EcoFiber Touch 6' or 12'</p> <p>Secondary Backing: Ultraloc</p> <p>Soil Resistance: ssp Shaw Soil Protection</p> <p>Static Control: Less than 3.5k</p> <p>Flammability: Class 1</p>		<p>Shaw Hospitality Group P.O. Drawer 2128 Dalton, GA 30722-2128 USA P 800-257-7429 Contact Default</p> <p>Tim Peniston USA P 314-202-3042 Contact Default</p>		
CR-2.H	<p>Hotel Corridor Carpet Description: Corridor Carpet</p> <p>Style Name: PN27738</p> <p>Sample Number: TBD</p> <p>Base: ECO WEAVE 36</p> <p>Colors: 1:K56; 2:G42; 3:L54; 4:E49; 5:L54; 6: I16</p> <p>Pattern Repeat: 72" X 108"</p> <p>Dimensions: See Seaming Diagram</p> <p>Thickness / Gauge: 1/10"</p> <p>Production Weight: 36 oz./sq. yd</p> <p>Density: 4,966 oz/yd</p> <p>Dye Method: Dye Injection Method</p> <p>Construction: Textured Cut/Loop</p> <p>Fiber: Eco Solution Q</p> <p>Primary Backing: Polypropylene</p> <p>Secondary Backing: Classicbac</p> <p>Pad Recommendation: Duratech V HF100</p> <p>Flooring Radiant Panel: (ASTM E-648) Class 1</p> <p>Smoke Density: (ASTM E-662): Less than 450</p> <p>Methenamine Pill Test: (DOC FF-1-70) Passes</p> <p>ADA Compliance : This product meets the guidelines set forth in the Americans with Disability Act for Minimum Static Coefficient of Friction for 0.5 for Accessible Routes</p> <p>Electronic Propensity: Less than 3.5 KV</p> <p>Installation Method: Glue Down</p> <p>Soil Resistance: Stain &amp; Bleach Resistance</p>		<p>Shaw Hospitality Group P.O. Drawer 2128 Dalton, GA 30722-2128 USA P 800-257-7429 Contact Default</p> <p>Tim Peniston USA P 314-202-3042 Contact Default</p>		






Finishes Report

Project:

Project #: 609

Issue Date: 03 FEB 2017

By Item Type

Control #	Description	Area / Location	Mfr / Vendor	Special Instructions	Image
<b>Tile</b>					
CT-1.H	<p>Guestroom Bath Wall &amp; Floor Tile Description: Wall &amp; Floor Tile</p> <p>Collection: Travertini AI Contro</p> <p>Color: Bianco AI Contro</p> <p>Material: Color Body Porcelain</p> <p>Model #: IRG1224112</p> <p>Thickness: &lt;0.04</p> <p>Tile Pattern: Running Bond (Subway)</p> <p>Finish: Matte</p> <p>Dimensions: 12" x 24"</p> <p>Grout:: Laticrete Spectralock Pro Grout - 24 Natural Grey</p> <p>Grout Joints: 3/32"</p> <p>Coefficient of Friction: Wet &gt;0.60</p> <p>Breaking Strength: &gt; 350 LBF</p> <p>MOH: &gt;7</p> <p>Variation: V2</p>		<p>Sunderland Brothers Company</p> <p>49 Cassens Ct Fenton, MO 63026 USA P 636-680-2250 Contact Default</p> <p>Amy Ellis Sunderland Brothers Company</p> <p>Fenton, MO 63026 USA P 314-560-3090 Contact Default</p>	* Manufacturer Recommends a Maximum of 33% Offset for Running Bond Pattern Installation	
CT-2.H	<p>Guestroom Bath Shower Floor Tile Description: Shower Floor Tile</p> <p>Collection: Keystones</p> <p>Material: Porcelain Mosaic</p> <p>Model #: D201</p> <p>Tile Pattern: Straight Joint Mosaic</p> <p>Finish: Unglazed</p> <p>Tile Size: 1" X 1" Mosaic</p> <p>Dimensions: &amp;#x0D; 11 7/8" x 23 7/8" Sheet</p> <p>Grout:: Laticrete Spectralock Pro Grout - 24 Natural Grey</p> <p>Grout Joints: 1/8" Approximately</p> <p>Tile Thickness: 1/4"</p> <p>D.C.O.F: Wet &gt;0.60</p> <p>Moisture Absorption: &lt;0.5%</p> <p>MOH: 7.0-8.0</p> <p>Breaking Strength: &gt;300 LBS.</p> <p>Shade Variation: V3</p>		<p>Daltile</p> <p>2059 Westport Center Drive St. Louis, MO 63146 USA P 314-568-9241 Contact Default</p> <p>Joannie Millar 2059 Westport Center Drive St. Louis, MO 63146 USA P 314-568-9241 Contact Default</p>		
CT-3.H	<p>Guestroom Bath Tile Base Description: Tile Bullnose Base</p> <p>Collection: Travertini AI Contro</p> <p>Color: Bianco AL Contro</p> <p>Material: Color Body Porcelain</p> <p>Model #: IRG424BT112</p> <p>Finish: Honed (Matte)</p> <p>Dimensions: 4" X 24"</p> <p>Grout:: Laticrete Spectralock Pro Grout - 24 Natural Grey</p> <p>Grout Joints: 1/8"</p> <p>Shade Variation: V2</p>		<p>Sunderland Brothers Company</p> <p>49 Cassens Ct Fenton, MO 63026 USA P 636-680-2250 Contact Default</p> <p>Amy Ellis Sunderland Brothers Company</p> <p>Fenton, MO 63026 USA P 314-560-3090 Contact Default</p>		





Finishes Report

Project:

Project #: 609

Issue Date: 03 FEB 2017

By Item Type

Control #	Description	Area / Location	Mfr / Vendor	Special Instructions	Image
CT-5.H	<p>Guestroom Bath Vanity Wall Tile Description: Vanity Wall Tile</p> <p>Collection: Serenade</p> <p>Color: Surf Rock</p> <p>Material: Glass</p> <p>Model #: F192</p> <p>Tile Pattern: To Run Vertically</p> <p>Finish: Gloss</p> <p>Dimensions: 13 23/32 x 12 15/16 Random Interlocking</p> <p>Tile Thickness: 1/8"</p> <p>Grout:: Laticrete Spectralock Pro Grout - 44 Bright White</p> <p>Grout Joints: 1/8" Minimum</p> <p>Moisture Absorption: &amp;lt;0.5%</p> <p>Breaking Strength: &amp;gt;100 LBS.</p> <p>MOH: 4</p> <p>Variation: V4</p>		<p>Daltile 2059 Westport Center Drive St. Louis, MO 63146 USA P 314-568-9241 Contact Default</p> <p>Joannie Millar 2059 Westport Center Drive St. Louis, MO 63146 USA P 314-568-9241 Contact Default</p>	* White Thinset must be used for the Installation of Glass Mosaics	
CT-6.H	<p>Guestroom Bath Vanity Accent Wall Tile Description: Vanity Wall Accent Tile</p> <p>Collection: Serenade</p> <p>Color: Memphis Blues</p> <p>Material: Glass</p> <p>Model #: F181</p> <p>Tile Pattern: To run vertically</p> <p>Finish: Gloss</p> <p>Dimensions: 13 23/32 x 12 15/16 Random Interlocking</p> <p>Tile Thickness: 1/8"</p> <p>Grout:: Laticrete Spectralock Pro Grout - 44 Bright White</p> <p>Grout Joints: 1/8" Minimum</p> <p>Moisture Absorption : &amp;lt;0.5%</p> <p>Breaking Strength: &amp;gt;100 LBS.</p> <p>MOH: 4</p> <p>Shade Variation: V4</p>		<p>Daltile 2059 Westport Center Drive St. Louis, MO 63146 USA P 314-568-9241 Contact Default</p> <p>Joannie Millar 2059 Westport Center Drive St. Louis, MO 63146 USA P 314-568-9241 Contact Default</p>	* White Thinset must be used for the Installation of Glass Mosaics	







Finishes Report

Project:

Project #: 609

Issue Date: 03 FEB 2017

By Item Type

Control #	Description	Area / Location	Mfr / Vendor	Special Instructions	Image
CT-7.H	<p>Guestroom Bath Shower Niche Tile Description: Shower Niche Tile</p> <p>Collection: Serenade</p> <p>Color: Memphis Blues</p> <p>Material: Glass</p> <p>Model #: F181</p> <p>Tile Pattern: To run Horizontal</p> <p>Finish: Gloss</p> <p>Dimensions: 13 23/32 x 12 15/16, Random Interlocking</p> <p>Tile Thickness: 1/8"</p> <p>Grout:: Laticrete Spectralock Pro Grout - 44 Bright White</p> <p>Grout Joints: 1/8" Minimum</p> <p>Moisture Absorption: &lt;math&gt;0.5\%&lt;/math&gt;</p> <p>Breaking Strength: &gt;math&gt;100&lt;/math&gt; LBS.</p> <p>MOHS: 4</p> <p>Shade Variation: Random (V4)</p>		<p>Daltile 2059 Westport Center Drive St. Louis, MO 63146 USA P 314-568-9241 Contact Default</p> <p>Joannie Millar 2059 Westport Center Drive St. Louis, MO 63146 USA P 314-568-9241 Contact Default</p>	* White Thinset must be used for installation of Glass Mosaics	
CT-8.H	<p>Hotel Upper Corridor Elevator Front Tile Description: Kauri Victoria Tile</p> <p>Color: Grey</p> <p>Tile Pattern: Straight</p> <p>Finish: Polished</p> <p>Dimensions: 24" X 48" Nominal</p> <p>Grout:: Mapei Epoxy Grout No.10 Black</p> <p>Grout Joints: 1/16"</p>		<p>Sunderland Brothers Company</p> <p>49 Cassens Ct Fenton, MO 63026 USA P 636-680-2250 Contact Default</p> <p>Amy Ellis Sunderland Brothers Company</p> <p>Fenton, MO 63026 USA P 314-560-3090 Contact Default</p>		
CT-9.H	<p>Hotel Upper Corridor Floor Tile Description: Imola Cermica</p> <p>Collection: Vein</p> <p>Material: Porcelain</p> <p>Model #: Vein A W (White)</p> <p>Finish: Matte</p> <p>Dimensions: 12" X 24"</p> <p>C.O.F Dry/Wet: &gt;math&gt;0.70&lt;/math&gt;/ &gt;math&gt;0.60&lt;/math&gt;</p> <p>Grout:: Mapei Kerapoxy No.11 Sahara Beige</p> <p>Grout Joints: 1/16"</p>		<p>Trends In Tile 12887 Pennridge Drive Bridgeton, MO 63044 USA P 314.209.7719 F 314.209.7781</p> <p>Nancy Waser USA P 314.479.0290 F 314.209.7781 Contact Default</p>		
CT-10.H	<p>Hotel Upper Corridor Elevation Lobby Accent Floor Tile Description: Imola Ceramica</p> <p>Collection: Vein A B (Beige)</p> <p>Material: Porcelain</p> <p>Model #: Vein A B (Beige)</p> <p>Finish: Matte</p> <p>Dimensions: 12" X 24"</p> <p>Grout:: Mapei Kerapoxy No.11 Sahara Beige</p> <p>Grout Joints: 1/16"</p>		<p>Trends In Tile 12887 Pennridge Drive Bridgeton, MO 63044 USA P 314.209.7719 F 314.209.7781</p> <p>Nancy Waser USA P 314.479.0290 F 314.209.7781 Contact Default</p>		








Finishes Report

Project:

Project #: 609

Issue Date: 03 FEB 2017

By Item Type

Control #	Description	Area / Location	Mfr / Vendor	Special Instructions	Image
<b>Paint</b>					
PT-1.H	<p>Guestroom Ceiling Paint Name: Greek Villa</p> <p>Number: SW7551</p> <p>LRV: 84</p> <p>RGB: R: 240, G: 236, B: 226</p> <p>Hexadecimal Value: #f0ece2</p>		<p>Sherwin Williams 2145 Schuetz Rd Saint Louis, MO 63146 USA P 1-800-474-3794 Contact Default</p> <p>Hank Meinking 2145 Schuetz Road St. Louis, MO 63146 USA P 314-281-7485 Contact Default</p>	<p>* ALL WALL PAINT TO BE - SATIN FINISH &amp;#x0D; ALL CEILING PAINT TO BE - FLAT FINISH &amp;#x0D; ALL DOOR &amp; FRAME PAINT TO BE - OIL BASED&amp;#x0D;</p>	
PT-2.H	<p>Crown Molding &amp; Valance Paint Name: Elephant Ear</p> <p>Number: SW9168</p> <p>LRV: 28</p> <p>RGB: R: 152, G: 143, B: 133</p> <p>Hexadecimal Value: #988f85</p> <p>Finish: Satin Sheen</p>		<p>Sherwin Williams 2145 Schuetz Rd Saint Louis, MO 63146 USA P 1-800-474-3794 Contact Default</p> <p>Hank Meinking 2145 Schuetz Road St. Louis, MO 63146 USA P 314-281-7485 Contact Default</p>	<p>* ALL WALL PAINT TO BE - SATIN FINISH &amp;#x0D; ALL CEILING PAINT TO BE - FLAT FINISH &amp;#x0D; ALL DOOR &amp; FRAME PAINT TO BE - OIL BASED&amp;#x0D;</p>	
<b>Solid Surface</b>					
SS-1.H	<p>Guestrooms Solid Surface Description: Berwyn</p> <p>Collection: Waterstone Collection</p> <p>Model #: 0362</p> <p>Thickness: 2CM</p> <p>Solid Surface Edge Profile: Eased</p> <p>Gloss: 47% minimum</p> <p>Density: 2.4 g/cm3</p> <p>Moisture Absorption: Negligible</p> <p>Modulus of Rupture: 6,800 psi</p> <p>Compressive Strength: 24,750 psi</p> <p>Abrasion Resistance: 223</p> <p>Bond Strength: 205 psi</p> <p>Thermal Shock: Passes-5 cycles</p> <p>Surface Burning Characteristics: 17 (Class A/1 Rating)</p> <p>Smoke Density: Flaming- 196 / Non- flaming-69</p> <p>Cigarette Burn: Unaffected</p> <p>Stain Resistance: Unaffected</p>		<p>Cambria 11000 West 78th Street Suite 220 Eden Prairie, MN 55344 USA P 1.866.cambria Contact Hilary Lenzen C 314.750.6759</p> <p>Hilary Lenzen 11000 West 78th Street Eden Prairie, MN 55344 USA P 314-750-6759 F 952-873-3022 Contact Default</p>		
<b>Stain</b>					
STN-1.H	<p>Guestroom Casagood Stain Description: Stain to match Arborite Afrosomia Nigeria W448 LQ</p> <p>Model #:</p> <p>Finish:</p>				
STN-2.H	<p>Hotel Guestroom Corridor Stain Description: Pecan Stain</p> <p>Spec: 097200</p> <p>Finish: Satin</p> <p>Submittal No.: 0515</p>				









Finishes Report

Project:

Project #: 609

Issue Date: 03 FEB 2017

By Item Type

Control #	Description	Area / Location	Mfr / Vendor	Special Instructions	Image
<b>Wallbase</b>					
WB-1.H	<p>Guestroom Wall Base Description: Johnsonite Millwork</p> <p>Model #: MW-63-F</p> <p>Profile: Reveal</p> <p>Color: Burnt Umber</p> <p>Height: 4.25"H</p> <p>Thickness: 1/8"</p>		<p>Johnsonite 30000 Aurora Road Solon Ohio 44139 USA P 440.543.8916 F 440.543.8920 Contact Default</p>		
WB-2.H	<p>Hotel Corridor Wall Base Description: Johnsonite Millwork</p> <p>Model #: MW-63-F6</p> <p>Profile: Reveal</p> <p>Color: Burnt Umber</p> <p>Height: 6"H</p> <p>Thickness: 1/8"</p>		<p>Johnsonite 30000 Aurora Road Solon Ohio 44139 USA P 440.543.8916 F 440.543.8920 Contact Default</p>		
<b>Wallcovering</b>					
WC-1.H	<p>Typical Guestroom Wallcovering Description: Typical Guestroom WC</p> <p>Pattern: Luminescence</p> <p>Color: Cocoa</p> <p>Model #: 6624-104</p> <p>Width: 54"</p> <p>Backing: Cellulose, Non-Woven</p> <p>Weight: 20oz./lin.yd.</p> <p>Type: Type II</p> <p>Match Information: Reverse Random</p> <p>Repeat: None</p> <p>Cleaning: Water-based (W)</p> <p>Fire Rating: Class A</p>		<p>Design Tex 200 Varick Street New York, New York 10014 USA P 212-886-8100 Contact Default</p> <p>Glenda Jehle 4731 McPherson Saint Louis, MO 63108 USA P 314-863-2228 F 303-722-7703 Contact Default</p>		
WC-2.H	<p>Guestroom Bath Wallcovering Description: Guestroom Bath WC</p> <p>Pattern: Lovers Lane</p> <p>Color: Clutch Me</p> <p>Model #: MDD2932/4596</p> <p>Width: 54"</p> <p>Collection: Design Gallery 2</p> <p>Backing: Non-woven</p> <p>Weight: 13.33 (oz/lyd)</p> <p>Type: Type II</p> <p>Match Information: Random Non-Reversible</p> <p>Fire Rating: Class A</p> <p>Smoke Developed: 35</p> <p>Flame Spread: 25</p>		<p>MDC 1200 Arthur Ave Elks Grove Village, IL 60007 USA P 800.621.4006 Contact Nikki Stelloh C 314.603.8708</p> <p>Nikki Stelloh 1200 Arthur Avenue Elk Grove, IL 60007 USA P 800-621-4006 F 847-437-4017 Contact Default</p>		



Finishes Report

Project:

Project #: 609

Issue Date: 03 FEB 2017

By Item Type

Control #	Description	Area / Location	Mfr / Vendor	Special Instructions	Image
WC-3.H	<p>Guest Corridor Accent Wallcovering Description: Custom Accent Wallcovering</p> <p>Model #: BBNW06</p> <p>Width: 26" Width of Graphics (To cut 24" out of)</p> <p>Collection: Custom</p> <p>Backing:</p> <p>Weight:</p> <p>Type: II</p> <p>Match Information:</p> <p>Repeat:</p> <p>Fire Rating:</p> <p>Smoke Developed:</p> <p>Flame Spread:</p> <p>Indoor Air Quality:</p>		<p>MDC 1200 Arthur Ave Elks Grove Village, IL 60007 USA P 800.621.4006 Contact Nikki Stelloh C 314.603.8708</p> <p>Nikki Stelloh 1200 Arthur Avenue Elk Grove, IL 60007 USA P 800-621-4006 F 847-437-4017 Contact Default</p>		
WC-4.H	<p>Guest Corridor Wallcovering Description: Guest Corridor Accent WC</p> <p>Pattern: Vogue Pleat</p> <p>Color: Rolled Rust</p> <p>Model #: Y47027VP</p> <p>Width: 54"</p> <p>Backing: Osnaburg</p> <p>Weight: 20 oz</p> <p>Type: Type II</p> <p>Match Information: Random</p> <p>Repeat: None</p> <p>Fire Rating: Class A</p>		<p>National Wallcovering 2001 South Hanley Suite 350 Saint Louis, MO 63144 USA P 314-644-2008 F 314-644-6914 Contact Default</p> <p>Peggy Sendobry 2001 South Hanley Suite 350 Saint Louis, MO 63144 USA P 314-570-6255 F 314-644-6914</p>		
WC-6.H	<p>2 Room Suites Main Wallcovering Description: Brushstroke</p> <p>Color: Seattle Mist</p> <p>Model #: Y47056BR</p> <p>Width: 54"</p> <p>Collection: Vycon Contract</p> <p>Backing: Osnaburg</p> <p>Weight: 20 oz</p> <p>Type: II</p> <p>Match Information: Random/Reversible</p> <p>Repeat: N/A</p> <p>Fire Rating: Class A</p> <p>Smoke Developed: 45</p> <p>Flame Spread: 25</p> <p>Reversible or Non-Reversible: Reversible</p> <p>Content: Fabric-backed Vinyl</p>		<p>National Wallcovering 10020 Maumelle Blvd Little Rock, AR 72113 USA P 800.222.1028 Contact Peggy Sendobry C 314.570.6255</p> <p>Peggy Sendobry 2001 South Hanley Saint Louis, MO 63144 USA P 314-570-6255 F 314-644-6914</p>		




Finishes Report

Project:

Project #: 609

Issue Date: 03 FEB 2017

By Item Type

Control #	Description	Area / Location	Mfr / Vendor	Special Instructions	Image
WC-7.H	<p>Upper Corridor Elevator Lobby Wallcovering Description: San Simeon</p> <p>Model #: 2VSS-08 Stoneleigh</p> <p>Width: 54"</p> <p>Collection: Source One</p> <p>Backing: Osnaburg</p> <p>Weight: 21 Oz.</p> <p>Type: II</p> <p>Match Information: Reverse Hang, Random Match</p> <p>Repeat: None</p> <p>Fire Rating: Class A</p> <p>Smoke Developed: 5</p> <p>Flame Spread: 10</p> <p>Indoor Air Quality: Low VOC</p>		<p>D.L. Couch 499 E. County Road 300 South New Castle, IN 47362 USA P 800.433.0790 F 800.882.6824 Contact Melissa Biethman C 314.809.7730</p> <p>Melissa Biethman 499 E. County RD 300 S. P.O. Box 570 New Castle, IN 47362 USA P 314-809-7730 F 800-882-6824</p>		

Carpet



Item Report By Item Type

Project:

Project #: 609

Issue Date: 03 FEB 2017

ItemType: Carpet

---

<b>Control #</b>	<b>Item Name</b>	<b>Total Qty</b>	<b>Unit</b>	<b>Item Cost</b>	<b>Total Cost</b>	<b>Revision Date</b>
CR-1.H	Guestroom Carpet	0	Sq. Yds.			11 NOV 2016 (1)
CR-2.H	Hotel Corridor Carpet	0	Sq. Yds.			25 AUG 2016 (1)

---



Image Report By Item Type

Project:

Project #: 609


Issue Date: 03 FEB 2017

Item Type: Carpet

**CR-1.H**



**CR-2.H**





# CR-1.H

Revision 1

Carpet

Project:  
Project #: 609

Issue Date: 03 FEB 2017  
Revision Date: 11 NOV 2016 (1)

Mfr: Shaw Hospitality Group  
P.O. Drawer 2128  
Dalton, GA 30722-2128, United States  
P: 800-257-7429  
www.shawhospitalitygroup.com

Rep: Tim Peniston  
United States  
P: 314-202-3042

Contact:

Contact:

Total Qty: 0 Sq. Yds.    Area Qty: 0 Sq. Yds.    Bulk Qty: 0 Sq. Yds.    Lead Time: (weeks) 8-10

- Finish Sample
- Strike-Off
- Cutting
- Shop Dwgs
- Prototype
- Seaming Diag
- CAD Drawing
- Cut Sheet
- Flame Certification

Item Name	Guestroom Carpet
Description	Carpet
Colors	A:5253D; B: 5829D; C: 5223D
Sample Number	X750D - 0
Style Name	AF0251
Dimensions	15"W
Pattern Repeat	144" X 214.4"
Weight	32 oz/yd
Pile Height	0.197
Stitches	10/in
Construction	Multi Full Repeat Tip Sheared
Fiber	NSP Eco Sol Q Nylon
Backing	Classicbac
Pad Recommendation	EcoFiber Touch 6' or 12'
Secondary Backing	Ultraloc
Soil Resistance	ssp Shaw Soil Protection
Static Control	Less than 3.5k
Flammability	Class 1



SPECIAL INSTRUCTIONS:

AREAS



# CR-2.H

Revision 1

Carpet

Project: 609

Issue Date: 03 FEB 2017  
Revision Date: 25 AUG 2016 (1)

Mfr: Shaw Hospitality Group  
P.O. Drawer 2128  
Dalton, GA 30722-2128, United States  
P: 800-257-7429  
www.shawhospitalitygroup.com

Rep: Tim Peniston  
United States  
P: 314-202-3042


Contact:

Contact:

Total Qty: 0 Sq. Yds. Area Qty: 0 Sq. Yds. Bulk Qty: 0 Sq. Yds. Lead Time: (weeks) 8-10

- Finish Sample
- Strike-Off
- Cutting
- Shop Dwgs
- Prototype
- Seaming Diag
- CAD Drawing
- Cut Sheet
- Flame Certification

Item Name	Hotel Corridor Carpet
Description	Corridor Carpet
Style Name	PN27738
Sample Number	TBD
Base	ECO WEAVE 36
Colors	1:K56; 2:G42; 3:L54; 4:E49; 5:L54; 6: I16
Pattern Repeat	72" X 108"
Dimensions	See Seaming Diagram
Thickness / Gauge	1/10"
Production Weight	36 oz./sq. yd
Density	4,966 oz/yd
Dye Method	Dye Injection Method
Construction	Textured Cut/Loop
Fiber	Eco Solution Q
Primary Backing	Polypropylene
Secondary Backing	Classicbac
Pad Recommendation	Duratech V HF100
Flooring Radiant Panel	(ASTM E-648) Class 1
Smoke Density	(ASTM E-662): Less than 450
Methenamine Pill Test	(DOC FF-1-70) Passes
ADA Compliance	This product meets the guidelines set forth in the Americans with Disability Act for Minimum Static Coefficient of Friction for 0.5 for Accessible Routes
Electronic Propensity	Less than 3.5 KV
Installation Method	Glue Down
Soil Resistance	Stain & Bleach Resistance



AREAS



Tile



Item Report By Item Type

Project:

Project #: 609

Issue Date: 03 FEB 2017

ItemType: Tile

Control #	Item Name	Total Qty	Unit	Item Cost	Total Cost	Revision Date
CT-1.H	Guestroom Bath Wall & Floor Tile	0	Sq. Ft.			
CT-2.H	Guestroom Bath Shower Floor Tile	0	Sq. Ft.			
CT-3.H	Guestroom Bath Tile Base	0	Each			
CT-5.H	Guestroom Bath Vanity Wall Tile	0	Sq. Ft.			
CT-6.H	Guestroom Bath Vanity Accent Wall Tile	0	Sq. Ft.			
CT-7.H	Guestroom Bath Shower Niche Tile	0	Sq. Ft.			
CT-8.H	Hotel Upper Corridor Elevator Front Tile	0	Sq. Ft.			
CT-9.H	Hotel Upper Corridor Floor Tile	0	Sq. Ft.			
CT-10.H	Hotel Upper Corridor Elevation Lobby Accent Floor Tile	0	Sq. Ft.			

**CT-1.H**



**CT-2.H**




**CT-3.H**




**CT-5.H**



**CT-6.H**



**CT-7.H**



**CT-8.H**



**CT-9.H**



**CT-10.H**





# CT-1.H

Tile

Project: Issue Date: 03 FEB 2017  
 Project #: 609 Revision Date:

Mfr: Sunderland Brothers Company  
 49 Cassens Ct  
 Fenton, MO 63026, United States  
 P: 636-680-2250  
 www.sunderlandbrotherscompany.com

Rep: Amy Ellis  
 Sunderland Brothers Company  
 49 Cassens Ct.  
 Fenton, MO 63026, United States  
 P: 314-560-3090  
 amy.ellis@sunderlands.com

Contact:

Contact:

Total Qty: 0 Sq. Ft.    Area Qty: 0 Sq. Ft.    Bulk Qty: 0 Sq. Ft.    Lead Time: (weeks) 8-10

Finish Sample  
  Strike-Off  
  Cutting  
  Shop Dwgs  
  Prototype  
  Seaming Diag  
  CAD Drawing  
  Cut Sheet  
  Flame Certification

Item Name	Guestroom Bath Wall & Floor Tile
Description	Wall & Floor Tile
Collection	Travertini Al Contro
Color	Bianco Al Contro
Material	Color Body Porcelain
Model #	IRG1224112
Thickness	<0.04
Tile Pattern	Running Bond (Subway)
Finish	Matte
Dimensions	12" x 24"
Grout:	Laticrete Spectralock Pro Grout - 24 Natural Grey
Grout Joints	3/32"
Coefficient of Friction	Wet >0.60
Breaking Strength	> 350 LBF
MOH	>7
Variation	V2



AREAS

**SPECIAL INSTRUCTIONS:**

1. Manufacturer Recommends a Maximum of 33% Offset for Running Bond Pattern Installation



# CT-2.H

Tile

Project: 609

Issue Date: 03 FEB 2017  
Revision Date:

Mfr: Daltile  
2059 Westport Center Drive  
St. Louis, MO 63146, United States  
P: 314-568-9241  
www.daltile.com

Rep: Joannie Millar  
2059 Westport Center Drive  
St. Louis, MO 63146, United States  
P: 314-568-9241  
joannie.millar@daltile.com

Contact:

Contact:

Total Qty: 0 Sq. Ft.    Area Qty: 0 Sq. Ft.    Bulk Qty: 0 Sq. Ft.    Lead Time: (weeks) 8-10

- Finish Sample
- Strike-Off
- Cutting
- Shop Dwgs
- Prototype
- Seaming Diag
- CAD Drawing
- Cut Sheet
- Flame Certification

Item Name: Guestroom Bath Shower Floor Tile  
 Description: Shower Floor Tile  
 Collection: Keystones  
 Material: Porcelain Mosaic  
 Model #: D201  
 Tile Pattern: Straight Joint Mosaic  
 Finish: Unglazed  
 Tile Size: 1" X 1" Mosaic  
 Dimensions: 11 7/8" x 23 7/8" Sheet  
 Grout: Laticrete Spectralock Pro Grout - 24 Natural Grey  
 Grout Joints: 1/8" Approximately  
 Tile Thickness: 1/4"  
 D.C.O.F: Wet >0.60  
 Moisture Absorption: <0.5%  
 MOH: 7.0-8.0  
 Breaking Strength: >300 LBS.  
 Shade Variation: V3  
 SPECIAL INSTRUCTIONS:



AREAS



# CT-3.H

Tile

Project:  
Project #: 609

Issue Date: 03 FEB 2017  
Revision Date:

Mfr: Sunderland Brothers Company  
49 Cassens Ct  
Fenton, MO 63026, United States  
P: 636-680-2250  
www.sunderlandbrotherscompany.com

Rep: Amy Ellis  
Sunderland Brothers Company  
49 Cassens Ct.  
Fenton, MO 63026, United States  
P: 314-560-3090  
amy.ellis@sunderlands.com

Contact:

Contact:

Total Qty: 0 Each    Area Qty: 0 Each    Bulk Qty: 0 Each    Lead Time: (weeks) 8-10

- Finish Sample
- Strike-Off
- Cutting
- Shop Dwgs
- Prototype
- Seaming Diag
- CAD Drawing
- Cut Sheet
- Flame Certification

Item Name: Guestroom Bath Tile Base  
 Description: Tile Bullnose Base  
 Collection: Travertini Al Contro  
 Color: Bianco AL Contro  
 Material: Color Body Porcelain  
 Model #: IRG424BT112  
 Finish: Honed (Matte)  
 Dimensions: 4" X 24"  
 Grout: Laticrete Spectralock Pro Grout - 24 Natural Grey  
 Grout Joints: 1/8"  
 Shade Variation: V2  
 SPECIAL INSTRUCTIONS:



AREAS



# CT-5.H

Tile

Project:   
Project #: 609

Issue Date: 03 FEB 2017   
Revision Date:

Mfr: Daltile   
2059 Westport Center Drive   
St. Louis, MO 63146, United States   
P: 314-568-9241   
www.daltile.com

Rep: Joannie Millar   
2059 Westport Center Drive   
St. Louis, MO 63146, United States   
P: 314-568-9241   
joannie.millar@daltile.com

Contact:

Contact:

Total Qty: 0 Sq. Ft.      Area Qty: 0 Sq. Ft.      Bulk Qty: 0 Sq. Ft.      Lead Time: (weeks) 6-8

Finish Sample     Strike-Off     Cutting     Shop Dwgs     Prototype     Seaming Diag     CAD Drawing     Cut Sheet     Flame Certification

Item Name	Guestroom Bath Vanity Wall Tile
Description	Vanity Wall Tile
Collection	Serenade
Color	Surf Rock
Material	Glass
Model #	F192
Tile Pattern	To Run Vertically
Finish	Gloss
Dimensions	13 23/32 x 12 15/16 Random Interlocking
Tile Thickness	1/8"
Grout:	Laticrete Spectralock Pro Grout - 44 Bright White
Grout Joints	1/8" Minimum
Moisture Absorption	<0.5%
Breaking Strength	>100 LBS.
MOH	4
Variation	V4



AREAS

**SPECIAL INSTRUCTIONS:**

1. White Thinset must be used for the Installation of Glass Mosaics



# CT-6.H

Tile

Project: 609

Issue Date: 03 FEB 2017  
Revision Date:

Mfr: Daltile  
2059 Westport Center Drive  
St. Louis, MO 63146, United States  
P: 314-568-9241  
www.daltile.com

Rep: Joannie Millar  
2059 Westport Center Drive  
St. Louis, MO 63146, United States  
P: 314-568-9241  
joannie.millar@daltile.com


Contact:

Contact:

Total Qty: 0 Sq. Ft. Area Qty: 0 Sq. Ft. Bulk Qty: 0 Sq. Ft. Lead Time: (weeks) 6-8

- Finish Sample
- Strike-Off
- Cutting
- Shop Dwgs
- Prototype
- Seaming Diag
- CAD Drawing
- Cut Sheet
- Flame Certification

Item Name	Guestroom Bath Vanity Accent Wall Tile
Description	Vanity Wall Accent Tile
Collection	Serenade
Color	Memphis Blues
Material	Glass
Model #	F181
Tile Pattern	To run vertically
Finish	Gloss
Dimensions	13 23/32 x 12 15/16 Random Interlocking
Tile Thickness	1/8"
Grout:	Laticrete Spectralock Pro Grout - 44 Bright White
Grout Joints	1/8" Minimum
Moisture Absorption	<0.5%
Breaking Strength	>100 LBS.
MOH	4
Shade Variation	V4



To Be Installed Vertically

**SPECIAL INSTRUCTIONS:**

1. White Thinset must be used for the Installation of Glass Mosaics

AREAS





# CT-7.H

Tile

Project: 609

Issue Date: 03 FEB 2017  
Revision Date:

Mfr: Daltile  
2059 Westport Center Drive  
St. Louis, MO 63146, United States  
P: 314-568-9241  
www.daltile.com

Rep: Joannie Millar  
2059 Westport Center Drive  
St. Louis, MO 63146, United States  
P: 314-568-9241  
joannie.millar@daltile.com


Contact:

Contact:

Total Qty: 0 Sq. Ft.    Area Qty: 0 Sq. Ft.    Bulk Qty: 0 Sq. Ft.    Lead Time: (weeks) 6-8

- Finish Sample
- Strike-Off
- Cutting
- Shop Dwgs
- Prototype
- Seaming Diag
- CAD Drawing
- Cut Sheet
- Flame Certification

Item Name	Guestroom Bath Shower Niche Tile
Description	Shower Niche Tile
Collection	Serenade
Color	Memphis Blues
Material	Glass
Model #	F181
Tile Pattern	To run Horizontally
Finish	Gloss
Dimensions	13 23/32 x 12 15/16, Random Interlocking
Tile Thickness	1/8"
Grout:	Laticrete Spectralock Pro Grout - 44 Bright White
Grout Joints	1/8" Minimum
Moisture Absorption	<0.5%
Breaking Strength	>100 LBS.
MOHS	4
Shade Variation	Random (V4)



To be installed as shown.

**SPECIAL INSTRUCTIONS:**

1. White Thinset must be used for Installation of Glass Mosaics

AREAS



# CT-8.H

Tile

Project:  
Project #: 609

Issue Date: 03 FEB 2017  
Revision Date:

Mfr: Sunderland Brothers Company  
49 Cassens Ct  
Fenton, MO 63026, United States  
P: 636-680-2250  
www.sunderlandbrotherscompany.com

Rep: Amy Ellis  
Sunderland Brothers Company  
49 Cassens Ct.  
Fenton, MO 63026, United States  
P: 314-560-3090  
amy.ellis@sunderlands.com

Contact:


Contact:

Total Qty: 0 Sq. Ft.    Area Qty: 0 Sq. Ft.    Bulk Qty: 0 Sq. Ft.    Lead Time: (weeks) 3-4

- Finish Sample
- Strike-Off
- Cutting
- Shop Dwgs
- Prototype
- Seaming Diag
- CAD Drawing
- Cut Sheet
- Flame Certification

Item Name	Hotel Upper Corridor Elevator Front Tile
Description	Kauri Victoria Tile
Color	Grey
Tile Pattern	Straight
Finish	Polished
Dimensions	24" X 48" Nominal
Grout:	Mapei Epoxy Grout No.10 Black
Grout Joints	1/16"

SPECIAL INSTRUCTIONS:



AREAS



# CT-9.H

Tile

Project:  
Project #: 609

Issue Date: 03 FEB 2017  
Revision Date:

Mfr: Trends In Tile  
12887 Pennridge Drive  
Bridgeton, MO 63044, United States  
P: 314.209.7719 F: 314.209.7781  
www.trendsintile.com

Rep: Nancy Waser  
United States  
P: 314.479.0290 F: 314.209.7781  
nancy@trendsintile.com

Contact:

Contact:

Total Qty: 0 Sq. Ft.    Area Qty: 0 Sq. Ft.    Bulk Qty: 0 Sq. Ft.    Lead Time: (weeks) 8-10

- Finish Sample
- Strike-Off
- Cutting
- Shop Dwgs
- Prototype
- Seaming Diag
- CAD Drawing
- Cut Sheet
- Flame Certification

Item Name                      Hotel Upper Corridor Floor Tile  
 Description                    Imola Cermica  
 Collection                      Vein  
 Material                        Porcelain  
 Model #                         Vein A W (White)  
 Finish                          Matte  
 Dimensions                    12" X 24"  
 C.O.F Dry/Wet                 > 0.70/ > 0.60  
 Grout:                          Mapei Kerapoxy No.11 Sahara Beige  
 Grout Joints                    1/16"  
 SPECIAL INSTRUCTIONS:



AREAS



# CT-10.H

Tile

Project: 609

Issue Date: 03 FEB 2017  
Revision Date:

Mfr: Trends In Tile  
12887 Pennridge Drive  
Bridgeton, MO 63044, United States  
P: 314.209.7719 F: 314.209.7781  
www.trendsintile.com

Rep: Nancy Waser  
United States  
P: 314.479.0290 F: 314.209.7781  
nancy@trendsintile.com

Contact:

Contact:

Total Qty: 0 Sq. Ft.    Area Qty: 0 Sq. Ft.    Bulk Qty: 0 Sq. Ft.    Lead Time: (weeks) 8-10

- Finish Sample
- Strike-Off
- Cutting
- Shop Dwgs
- Prototype
- Seaming Diag
- CAD Drawing
- Cut Sheet
- Flame Certification

Item Name: Hotel Upper Corridor Elevation Lobby Accent Floor Tile

Description: Imola Ceramica

Collection: Vein A B (Beige)

Material: Porcelain

Model #: Vein A B (Beige)

Finish: Matte

Dimensions: 12" X 24"

Grout: Mapei Kerapoxy No.11 Sahara Beige

Grout Joints: 1/16"



SPECIAL INSTRUCTIONS:

AREAS

Paint



Item Report By Item Type

Project:

Project #: 609

Issue Date: 03 FEB 2017

ItemType: Paint

---

<b>Control #</b>	<b>Item Name</b>	<b>Total Qty</b>	<b>Unit</b>	<b>Item Cost</b>	<b>Total Cost</b>	<b>Revision Date</b>
PT-1.H	Guestroom Ceiling Paint	0				
PT-2.H	Crown Molding & Valance Paint	0				

---



Image Report By Item Type


Project:

Project #: 609

Issue Date: 03 FEB 2017

Item Type: Paint

**PT-1.H**



**PT-2.H**





## Paint

Project: Issue Date: 03 FEB 2017  
 Project #: 609 Revision Date:

Mfr: Sherwin Williams  
 2145 Schuetz Rd  
 Saint Louis, MO 63146, United States  
 P: 1-800-474-3794  
 www.sherwin-williams.com

Rep: Hank Meinking  
 2145 Schuetz Road  
 Suite 200  
 St. Louis, MO 63146, United States  
 P: 314-281-7485  
 hank.meinking@sherwin.com

Contact:

Contact:


Total Qty: 0 Area Qty: 0 Bulk Qty: 0 Lead Time: (weeks) 8-10

- Finish Sample
- Strike-Off
- Cutting
- Shop Dwgs
- Prototype
- Seaming Diag
- CAD Drawing
- Cut Sheet
- Flame Certification

Item Name: Guestroom Ceiling Paint  
 Name: Greek Villa  
 Number: SW7551  
 LRV: 84  
 RGB: R: 240, G: 236, B: 226  
 Hexadecimal Value: #f0ece2

**SPECIAL INSTRUCTIONS:**

- 1. ALL WALL PAINT TO BE - SATIN FINISH
- ALL CEILING PAINT TO BE - FLAT FINISH
- ALL DOOR & FRAME PAINT TO BE - OIL BASED



## AREAS





## Paint

Project: Issue Date: 03 FEB 2017  
 Project #: 609 Revision Date:

Mfr: Sherwin Williams  
 2145 Schuetz Rd  
 Saint Louis, MO 63146, United States  
 P: 1-800-474-3794  
 www.sherwin-williams.com

Rep: Hank Meinking  
 2145 Schuetz Road  
 Suite 200  
 St. Louis, MO 63146, United States  
 P: 314-281-7485  
 hank.meinking@sherwin.com

Contact:

Contact:


Total Qty: 0      Area Qty: 0      Bulk Qty: 0      Lead Time: (weeks) 8-10

- Finish Sample  
  Strike-Off  
  Cutting  
  Shop Dwgs  
  Prototype  
  Seaming Diag  
  CAD Drawing  
  Cut Sheet  
  Flame Certification

Item Name: Crown Molding & Valance Paint  
 Name: Elephant Ear  
 Number: SW9168  
 LRV: 28  
 RGB: R: 152, G: 143, B: 133  
 Hexadecimal Value: #988f85  
 Finish: Satin Sheen

**SPECIAL INSTRUCTIONS:**

- 1. ALL WALL PAINT TO BE - SATIN FINISH
- ALL CEILING PAINT TO BE - FLAT FINISH
- ALL DOOR & FRAME PAINT TO BE - OIL BASED



## AREAS

Solid Surface



Item Report By Item Type

Project:

Project #: 609

Issue Date: 03 FEB 2017

ItemType: Solid Surface

---

<b>Control #</b>	<b>Item Name</b>	<b>Total Qty</b>	<b>Unit</b>	<b>Item Cost</b>	<b>Total Cost</b>	<b>Revision Date</b>
SS-1.H	Guestrooms Solid Surface	0	Sq. Ft.			

---



Image Report By Item Type

Project:

Project #: 609

Issue Date: 03 FEB 2017

Item Type: Solid Surface

**SS-1.H**





# SS-1.H

Solid Surface

Project:  
Project #: 609

Issue Date: 03 FEB 2017  
Revision Date:

Mfr: Cambria  
11000 West 78th Street  
Suite 220  
Eden Prairie, MN 55344, United States  
P: 1.866.cambria  
www.cambriausa.com

Rep: Hilary Lenzen  
11000 West 78th Street  
Eden Prairie, MN 55344, United States  
P: 314-750-6759 F: 952-873-3022  
hilary.lenzen@cambriaUSA.com


Contact: Hilary Lenzen  
P: 952.944.1676 C: 314.750.6759  
hilary.lenzen@cambriaUSA.com

Contact:

Total Qty: 0 Sq. Ft.      Area Qty: 0 Sq. Ft.      Bulk Qty: 0 Sq. Ft.      Lead Time: (weeks) 8-10

- Finish Sample
- Strike-Off
- Cutting
- Shop Dwgs
- Prototype
- Seaming Diag
- CAD Drawing
- Cut Sheet
- Flame Certification

Item Name	Guestrooms Solid Surface
Description	Berwyn
Collection	Waterstone Collection
Model #	0362
Thickness	2CM
Solid Surface Edge Profile	Eased
Gloss	47% minimum
Density	2.4 g/cm3
Moisture Absorption	Negligible
Modulus of Rupture	6,800 psi
Compressive Strength	24,750 psi
Abrasion Resistance	223
Bond Strength	205 psi
Thermal Shock	Passes-5 cycles
Surface Burning Characteristics	17 (Class A/1 Rating)
Smoke Density	Flaming- 196 / Non-flaming-69
Cigarette Burn	Unaffected
Stain Resistance	Unaffected



SPECIAL INSTRUCTIONS:

AREAS

Stain



Item Report By Item Type

Project:

Project #: 609

Issue Date: 03 FEB 2017

ItemType: Stain

---

<b>Control #</b>	<b>Item Name</b>	<b>Total Qty</b>	<b>Unit</b>	<b>Item Cost</b>	<b>Total Cost</b>	<b>Revision Date</b>
STN-1.H	Guestroom Casewood Stain	0				
STN-2.H	Hotel Guestroom Corridor Stain	0				18 NOV 2016 (1)

---



Image Report By Item Type


Project:

Project #: 609

Issue Date: 03 FEB 2017

Item Type: Stain

**STN-1.H**



**STN-2.H**







# STN-1.H

Stain

Project:  
Project #: 609

Issue Date: 03 FEB 2017  
Revision Date:

Mfr:

Rep:

Contact:

Contact:

Total Qty: 0

Area Qty: 0

Bulk Qty: 0

Lead Time: (weeks) 8-10

- Finish Sample
- Strike-Off
- Cutting
- Shop Dwgs
- Prototype
- Seaming Diag
- CAD Drawing
- Cut Sheet
- Flame Certification

Item Name                      Guestroom Casegood Stain  
 Description                    Stain to match Arborite Afromosia Nigeria  
    W448 LQ  
 Model #  
 Finish  
 SPECIAL INSTRUCTIONS:



AREAS



# STN-2.H

Revision 1

Stain

Project:  
Project #: 609

Issue Date: 03 FEB 2017  
Revision Date: 18 NOV 2016 (1)

Mfr:

Rep:

Contact:

Contact:

Total Qty: 0

Area Qty: 0

Bulk Qty: 0

Lead Time: (weeks)

Finish Sample

Strike-Off

Cutting

Shop Dwgs

Prototype

Seaming Diag

CAD Drawing

Cut Sheet

Flame Certification

Item Name	Hotel Guestroom Corridor Stain
Description	Pecan Stain
Spec	097200
Finish	Satin
Submittal No.	0515

SPECIAL INSTRUCTIONS:



AREAS

Wallbase



Item Report By Item Type

Project:

Project #: 609

Issue Date: 03 FEB 2017

ItemType: Wallbase

---

<b>Control #</b>	<b>Item Name</b>	<b>Total Qty</b>	<b>Unit</b>	<b>Item Cost</b>	<b>Total Cost</b>	<b>Revision Date</b>
WB-1.H	Guestroom Wall Base	0				11 NOV 2016 (1)
WB-2.H	Hotel Corridor Wall Base	0				22 JAN 2017 (2)

---



Image Report By Item Type

Project:

Project #: 609

Issue Date: 03 FEB 2017

Item Type: Wallbase

**WB-1.H**



**WB-2.H**





# WB-1.H

Revision 1

Wallbase

Project:  
Project #: 609

Issue Date: 03 FEB 2017  
Revision Date: 11 NOV 2016 (1)

Mfr: Johnsonite  
30000 Aurora Road Solon  
Ohio 44139, United States  
P: 440.543.8916 F: 440.543.8920  
www.johnsonite.com

Rep:

Contact:

Contact:

Total Qty: 0      Area Qty: 0      Bulk Qty: 0      Lead Time: (weeks) 6-8

- Finish Sample
- Strike-Off
- Cutting
- Shop Dwgs
- Prototype
- Seaming Diag
- CAD Drawing
- Cut Sheet
- Flame Certification

Item Name	Guestroom Wall Base
Description	Johnsonite Millwork
Model #	MW-63-F
Profile	Reveal
Color	Burnt Umber
Height	4.25"H
Thickness	1/8"

SPECIAL INSTRUCTIONS:



AREAS



# WB-2.H

Revision 2

Wallbase

Project:  
Project #: 609

Issue Date: 03 FEB 2017  
Revision Date: 22 JAN 2017 (2)

Mfr: Johnsonite  
30000 Aurora Road Solon  
Ohio 44139, United States  
P: 440.543.8916 F: 440.543.8920  
www.johnsonite.com

Rep:

Contact:

Contact:

Total Qty: 0      Area Qty: 0      Bulk Qty: 0      Lead Time: (weeks) 6-8

- Finish Sample
- Strike-Off
- Cutting
- Shop Dwgs
- Prototype
- Seaming Diag
- CAD Drawing
- Cut Sheet
- Flame Certification

Item Name	Hotel Corridor Wall Base
Description	Johnsonite Millwork
Model #	MW-63-F6
Profile	Reveal
Color	Burnt Umber
Height	6"H
Thickness	1/8"

SPECIAL INSTRUCTIONS:



AREAS

Wallcovering





Item Report By Item Type

Project:

Project #: 609


Issue Date: 03 FEB 2017

ItemType: Wallcovering


Control #	Item Name	Total Qty	Unit	Item Cost	Total Cost	Revision Date
WC-1.H	Typical Guestroom Wallcovering	0	Lin Yds			
WC-2.H	Guestroom Bath Wallcovering	0	Lin Yds			
WC-3.H	Guest Corridor Accent Wallcovering	0	Sq. Ft.			
WC-4.H	Guest Corridor Wallcovering	0	Lin Yds			20 JAN 2017 (1)
WC-6.H	2 Room Suites Main Wallcovering	0	Lin Yds			
WC-7.H	Upper Corridor Elevator Lobby Wallcovering	0	Lin Yds			




**WC-1.H**



**WC-2.H**



**WC-3.H**



**WC-4.H**



**WC-6.H**



**WC-7.H**





# WC-1.H

Wallcovering

Project: 609

Issue Date: 03 FEB 2017  
Revision Date:

Mfr: Design Tex  
200 Varick Street  
New York, New York 10014, United States  
P: 212-886-8100  
www.designtex.com

Rep: Glenda Jehle  
4731 McPherson  
Saint Louis, MO 63108, United States  
P: 314-863-2228 F: 303-722-7703


Contact:

Contact:

Total Qty: 0 Lin Yds    Area Qty: 0 Lin Yds    Bulk Qty: 0 Lin Yds    Lead Time: (weeks) 8-10

- Finish Sample
- Strike-Off
- Cutting
- Shop Dwgs
- Prototype
- Seaming Diag
- CAD Drawing
- Cut Sheet
- Flame Certification

Item Name	Typical Guestroom Wallcovering
Description	Typical Guestroom WC
Pattern	Luminescence
Color	Cocoa
Model #	6624-104
Width	54"
Backing	Cellulose, Non-Woven
Weight	20oz./lin.yd.
Type	Type II
Match Information	Reverse Random
Repeat	None
Fire Rating	Class A
Cleaning	Water-based (W)



SPECIAL INSTRUCTIONS:

AREAS



# WC-2.H

Wallcovering

Project:  
Project #: 609

Issue Date: 03 FEB 2017  
Revision Date:

Mfr: MDC  
1200 Arthur Ave  
Elks Grove Village, IL 60007, United States  
P: 800.621.4006  
www.mdcwall.com

Rep: Nikki Stelloh  
1200 Arthur Avenue  
Elk Grove, IL 60007, United States  
P: 800-621-4006 F: 847-437-4017  
nstelloh@mdcwall.com


Contact: Nikki Stelloh  
P: 800.621.4006 x7464 C: 314.603.8708  
nstelloh@mdcwall.com

Contact:

Total Qty: 0 Lin Yds      Area Qty: 0 Lin Yds      Bulk Qty: 0 Lin Yds      Lead Time: (weeks) 8-10

Finish Sample     Strike-Off     Cutting     Shop Dwgs     Prototype     Seaming Diag     CAD Drawing     Cut Sheet     Flame Certification

Item Name	Guestroom Bath Wallcovering
Description	Guestroom Bath WC
Pattern	Lovers Lane
Color	Clutch Me
Model #	MDD2932/4596
Width	54"
Collection	Design Gallery 2
Backing	Non-woven
Weight	13.33 (oz/lyd)
Type	Type II
Match Information	Random Non-Reversible
Fire Rating	Class A
Smoke Developed	35
Flame Spread	25



SPECIAL INSTRUCTIONS:

AREAS



# WC-3.H

Wallcovering

Project:  
Project #: 609

Issue Date: 03 FEB 2017  
Revision Date:

Mfr: MDC  
1200 Arthur Ave  
Elks Grove Village, IL 60007, United States  
P: 800.621.4006  
www.mdcwall.com

Rep: Nikki Stelloh  
1200 Arthur Avenue  
Elk Grove, IL 60007, United States  
P: 800-621-4006 F: 847-437-4017  
nstelloh@mdcwall.com

Contact: Nikki Stelloh  
P: 800.621.4006 x7464 C: 314.603.8708  
nstelloh@mdcwall.com

Contact:

Total Qty: 0 Sq. Ft.      Area Qty: 0 Sq. Ft.      Bulk Qty: 0 Sq. Ft.      Lead Time: (weeks) 8-10

- Finish Sample
- Strike-Off
- Cutting
- Shop Dwgs
- Prototype
- Seaming Diag
- CAD Drawing
- Cut Sheet
- Flame Certification

Item Name                      Guest Corridor Accent Wallcovering  
 Description                    Custom Accent Wallcovering  
 Model #                         BBNW06  
 Width                            26" Width of Graphics (To cut 24" out of)  
 Collection                      Custom  
 Backing  
 Weight  
 Type                              II  
 Match Information  
 Repeat  
 Fire Rating  
 Smoke Developed  
 Flame Spread  
 Indoor Air Quality  
 SPECIAL INSTRUCTIONS:



AREAS



# WC-4.H

Revision 1

Wallcovering

Project:  
Project #: 609

Issue Date: 03 FEB 2017  
Revision Date: 20 JAN 2017 (1)

Mfr: National Wallcovering  
2001 South Hanley  
Suite 350  
Saint Louis, MO 63144, United States  
P: 314-644-2008 F: 314-644-6914

Rep: Peggy Sendobry  
2001 South Hanley  
Suite 350  
Saint Louis, MO 63144, United States  
P: 314-570-6255 F: 314-644-6914  
peggy.sendobry@nationalwallcovering.com

Contact:

Contact:

Total Qty: 0 Lin Yds    Area Qty: 0 Lin Yds    Bulk Qty: 0 Lin Yds    Lead Time: (weeks) 8-10

- Finish Sample
- Strike-Off
- Cutting
- Shop Dwgs
- Prototype
- Seaming Diag
- CAD Drawing
- Cut Sheet
- Flame Certification

Item Name	Guest Corridor Wallcovering
Description	Guest Corridor Accent WC
Pattern	Vogue Pleat
Color	Rolled Rust
Model #	Y47027VP
Width	54"
Backing	Osnaburg
Weight	20 oz
Type	Type II
Match Information	Random
Repeat	None
Fire Rating	Class A



SPECIAL INSTRUCTIONS:

AREAS



# WC-6.H

Wallcovering

Project:

Issue Date:

03 FEB 2017

Project #: 609

Revision Date:

Mfr: National Wallcovering  
10020 Maumelle Blvd  
Little Rock, AR 72113, United States  
P: 800.222.1028  
www.nationalwallcovering.com

Rep: Peggy Sendobry  
2001 South Hanley  
Suite 350  
Saint Louis, MO 63144, United States  
P: 314-570-6255 F: 314-644-6914  
peggy.sendobry@nationalwallcovering.com

Contact: Peggy Sendobry  
P: 314.644.2008 C: 314.570.6255  
peggy.sendobry@nationalwallcovering.com

Contact:

Total Qty: 0 Lin Yds      Area Qty: 0 Lin Yds      Bulk Qty: 0 Lin Yds      Lead Time: (weeks) 4

Finish Sample     Strike-Off     Cutting     Shop Dwgs     Prototype     Seaming Diag     CAD Drawing     Cut Sheet     Flame Certification

Item Name	2 Room Suites Main Wallcovering
Description	Brushstroke
Color	Seattle Mist
Model #	Y47056BR
Width	54"
Collection	Vycon Contract
Backing	Osnaburg
Weight	20 oz
Type	II
Match Information	Random/Reversible
Repeat	N/A
Fire Rating	Class A
Smoke Developed	45
Flame Spread	25
Reversible or Non-Reversible	Reversible
Content	Fabric-backed Vinyl



SPECIAL INSTRUCTIONS:

AREAS



Project:  
Project #: 609

Issue Date: 03 FEB 2017  
Revision Date:

Mfr: D.L. Couch  
499 E. County Road  
300 South  
New Castle, IN 47362, United States  
P: 800.433.0790 F: 800.882.6824  
www.dlcouch.com

Rep: Melissa Biethman  
499 E. County RD 300 S.  
P.O. Box 570  
New Castle, IN 47362, United States  
P: 314-809-7730 F: 800-882-6824


Contact: Melissa Biethman  
P: 800.433.0790 C: 314.809.7730  
mbiethman@dlcouch.com

Contact:

Total Qty: 0 Lin Yds      Area Qty: 0 Lin Yds      Bulk Qty: 0 Lin Yds      Lead Time: (weeks) 8-10

- Finish Sample
- Strike-Off
- Cutting
- Shop Dwgs
- Prototype
- Seaming Diag
- CAD Drawing
- Cut Sheet
- Flame Certification

Item Name	Upper Corridor Elevator Lobby Wallcovering
Description	San Simeon
Model #	2VSS-08 Stoneleigh
Width	54"
Collection	Source One
Backing	Osnaburg
Weight	21 Oz.
Type	II
Match Information	Reverse Hang, Random Match
Repeat	None
Fire Rating	Class A
Smoke Developed	5
Flame Spread	10
Indoor Air Quality	Low VOC



SPECIAL INSTRUCTIONS:

AREAS





Upholstery Report

Project:

Project #: 609

Issue Date: 03 FEB 2017

---

Control #	Item	Area	Location	Qty
-----------	------	------	----------	-----