

SECTION 10 17 00

TELEPHONE SPECIALTIES

PART 1 - GENERAL

1.01 DESCRIPTION

- A. This Section describes requirements for furnishing and installing telephone specialties.

1.02 SUBMITTALS

- A. Product Data: Manufacturer's specifications and installation instructions.
- B. Shop Drawings: Furnish shop drawings for fabrication and erection of telephone specialties. Include plans, elevations and large scale details. Show anchors and accessory items. Provide location template drawings for items supported or anchored to permanent construction.

1.03 PRODUCT DELIVERY, STORAGE, AND HANDLING

- A. Do not deliver units until construction is ready for their installation. Protect units from damage during delivery, storage, handling, and installation.

PART 2 - PRODUCTS

2.01 APPROVED MANUFACTURERS

- A. American Specialties, Inc. "Tellette" 1500, Redyref or approved equal.

2.02 TELEPHONE ENCLOSURES

- A. Configuration: Surface-mounted panel-style telephone housing.
- B. Material: Units shall be 16-gauge stainless steel with No. 4 satin finish on all exposed surfaces.
- C. Telephone Instrument Mounting: Steel with pre-drilled mounting holes.
- D. Shelf: Provide housing with full length stainless steel writing shelf and directory storage recess.
- E. Wing Panels: 1/2-inch thick clear plexiglass.
- F. Construction: Fabricate telephone enclosures square, rigid, and without warp, with metal edges flat and free of dents or distortion. Make exposed metal edges safe to touch. Weld members together to form a rigid, one-piece structure. Grind exposed welds flush.
- G. Telephone enclosures shall comply with ADAAG accessibility standards.

PART 3 – EXECUTION

3.01 INSTALLATION

- A. Install telephone specialties and related accessories at locations shown in accordance with manufacturer's instructions. Provide clips, grounds, backing materials, brackets and anchors, trim, and accessories required for a complete installation.

3.02 ADJUST AND CLEAN

- A. Touch-up marred finishes; replace units that cannot be restored to factory-finished appearance. Use only materials and procedures recommended by the manufacturer.

END OF SECTION