

PLAN NOTES:

- 1. SEE SHEET S01.101 FOR GENERAL NOTES.
- 2. SEE SHEET S01.102 FOR SPECIAL INSPECTION.
- 3. SEE SHEETS S01.103 THROUGH S01.105 FOR TYPICAL DETAILS.
- 4. SEE SHEET S02.304 FOR COASTER FOUNDATION SCHEDULE.
- 5. SEE SHEET S02.304 FOR TYPICAL RIDE FOUNDNATION DETAILS.
- 6. (000.00'x, 000.00'y) DENOTES EDGE OF MAT SLAB COORDINATES REFERENCED FROM INTAMIN'S GLOBAL COORDINATE SYSTEM ORIGIN (0.00, 0.00) SEE SHEET S02.301.
- 7 MAT CONSTRUCTION
 CONCRETE THICKNESS: 15"
 REINFORCEMENT: #6@12 EACH WAY, TOP AND BOTTOM
 BASE COURSE: 2 FT. OF REMEDIATED SOIL FILL PREPARE
- BASE COURSE: 2 FT. OF REMEDIATED SOIL FILL PREPARED PER GEOTECHNICAL REPORT.

 8 MAT CONSTRUCTION
- CONCRETE THICKNESS: 24"
 REINFORCEMENT: #6@12 EACH WAY, TOP AND BOTTOM
 BASE COURSE: 2 FT. OF REMEDIATED SOIL FILL PREPARED PER
 GEOTECHNICAL REPORT.
- 9 FLOOR CONSTRUCTION:

CONCRETE THICKKESS: 5"

- REINFORCEMENT: #3@18 EACH WAY CENTERED IN SLAB SLOPE TO MATCH EXISTING SLAB WHERE APPLICABLE. DRILL AND EPOXY ADHESIVE #3@18 INTO EXISTING SLAB-ON-GRADE AT SAWCUT EDGE.
- 5'-0"x5'-0x1'-3" MAT FOOTING CENTERED UNDER HOIST COLUMNS AND PIERS. SEE PLAN NOTE #7 FOR REINFORCING.

EXP. 12/31/2021

THE SEAL AND SIGNATURE APPLY ONLY TO THE DOCUMENT TO WHICH THEY ARE AFFIXED, AND EXPRESSLY DISCLAM MAY RESPONSIBILITY FOR ALL OTHER PLANS, SPECIFICATIONS, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS RELATING TO OR INTENDED TO BE USED FOR ANY PART OF PARTS OF THE ARCHITECTURAL OR ENGINEERING PROJECT

EDM Incorporated

220 Mansion House Center
St. Louis, Missouri 63102

St. Louis, Missouri 63102

Phone (314) 231-5485

Fax (314) 231-8167

E-MAIL <firstname.lastname>@edm-inc.com

©COPYRIGHT 2020 EDM INCORPORATED

JOHN R. SONDERMAN
P.E. NO. S2395

#19117.00

Accessibility for Persons with Disabilities:
This drawing contains layouts and elements critical to providing Access for Disabled Persons. Contractor shall provide verification and certification of Compliance with the applicable accessibility regulations...

Theming Design Intent:
The theming scope of work shown on these drawings is for design intent. Outlines, sketches, drawings, picture references, material specifications, and notes on this document are for the express purpose of location, general identification, adjacency, and design intent. Structural design, code compliance, manufacture, installation, and safety of operation are to be provided by the Contractor including engineering documentation signed and sealed by a qualified Engineer licensed to practice by the authority having jurisdiction. The Architect/Designer's review of submittals is for the purpose of checking for conformance with information given and the design concept expressed in the Contract Documents.

Ride Disclaimer:
Outlines, sketches, or references of a possible "Ride" or "Rides" or use of any "ride" terms such as "coaster", "merry-go-round", trade names, etc. on this drawing are for purpose of location, general identification, and adjacency only. Peckham, Guyton, Albers, and Viets, Inc. and all engineers or companies listed on this drawing (herein after referred to as Architect/Engineer) hereby gives notice that the "Ride" however shown or referenced on this drawing is not in any way, shape, or form the creation or responsibility of the Architect/Engineer. Its design, structural support, manufacture, erection, approval, acceptance, operation, safety, maintenance, and all of its function, characteristics, or appurtenances are not a part of the Architect/Engineer's work. Such functions are to be performed by others engaged by the Owner for such purpose, or by Owner's personnel.

eaWorld.
SAN DIEGO

2021

ISSUE FOR BID / ISSUE FOR PERMIT

DATE March 12, 2020

S02 302