



- MATERIAL LEGEND**
- Division 03 Concrete**  
03 30 00A CAST IN PLACE CONCRETE
- Division 05 Metals**  
05 41 00A 4008162-54 STEEL STUDS @ 16" O.C.  
B 8" x CONTINUOUS 18 GAUGE CONCEALED BACKING  
C 6008162-54 STEEL STUDS @ 16" O.C.  
D CONTINUOUS 16 GA GALVANIZED STEEL SUPPORT
- Division 06 Wood & Plastics**  
06 10 53A P.T. 2x8 WOOD PLATE  
B SHIM AS REQ'D FOR SLOPE  
06 16 00A GLASS-MAT GYPSUM SHEATHING  
B PLYWOOD SHEATHING
- Division 07 Thermal & Moisture Protection**  
07 21 00A BATT INSULATION  
B VAPOR BARRIER  
07 25 10A BREATHABLE MEMBRANE  
07 52 00A MODIFIED BITUMEN MEMBRANE ROOFING  
B CANT STRIP  
C CRICKET  
07 53 00A EPDM UNDERLAYMENT, SLACK @ CENTER, FULLY-ADHERED ELSEWHERE  
07 62 00A GALVANIZED STEEL SHEET METAL, FINISH COLOR TO MATCH ROOF  
B GALVANIZED STEEL COUNTER FLASHING, FINISH COLOR TO MATCH ROOF  
C GALVANIZED STEEL RECEIVER FLASHING, FINISH COLOR TO MATCH ROOF  
D STAINLESS STEEL FLASHING  
E SAW-CUT REGLET  
F STAINLESS STEEL JOINT COVER W/ STANDING SEAMS  
G FLASHING MEMBRANE  
H GALVANIZED STEEL SHEET METAL CAP W/ WELDED SEAMS, FINISH COLOR TO MATCH ROOF
- Division 22 Mechanical**  
07 52 00A BACKER ROD + SEALANT  
22 00 00A ROOF DRAIN + OVERFLOW PER MECHANICAL  
B SUMP RECEIVER  
C UNDER DECK CLAMP
- GENERAL NOTES**  
A. REFER TO SHEET A6.46 FOR ROOFING TYPES
- KEY NOTES**  
CONCRETE SHEARWALL PER STRUCTURAL  
EXISTING CONSTRUCTION  
STEEL COLUMN PER STRUCTURAL  
FORM & INFILL FLUTES @ EXISTING CONC. WALL W/ NON-SHRINK GROUT.

