



- MATERIAL LEGEND**
- Division 05 Metals**
- 05 50 00 A J MOLDING
 - 05 50 00 B REVEAL MOLDING
 - 05 50 00 C X MOLDING
 - 05 50 00 D CHANNEL MOLDING
 - 05 50 00 E F REVEAL
- Division 07 Thermal & Moisture Protection**
- 07 92 00 A 3/8" BACKER ROD AND SEALANT
- Division 08 Openings**
- 08 13 11 A STEEL DOOR FRAME
- Division 09 Finishes**
- 09 06 00 A BASE AS SCHEDULED
 - 09 21 00 A GYPSUM BOARD
 - 09 21 00 B J-METAL EDGE
 - 09 22 16 A 2509125-33 @ 16" O.C. SUSPEND FROM STRUCTURE AND BRACE WITH 4009125-33 AT ENDS AND MAXIMUM OF 4'-0" O.C.
 - 09 22 16 B 4009125-33 @ 16" O.C. SUSPEND FROM STRUCTURE AND BRACE WITH 4009125-33 AT ENDS AND MAXIMUM OF 4'-0" O.C.
 - 09 22 16 C 1509125-33 @ 16" O.C. SUSPEND FROM STRUCTURE AND BRACE WITH 4009125-33 AT ENDS AND MAXIMUM OF 4'-0" O.C.
 - 09 22 16 D METAL TRACK - 250162-33
 - 09 22 16 E METAL TRACK - 400162-33
 - 09 22 16 F 4009125-33 @ 16" O.C. SUSPEND FROM STRUCTURE AND BRACE WITH 4009125-33 AT ENDS AND MAXIMUM OF 4'-0" O.C.
 - 09 22 16 G METAL STUD - 6009125-33
 - 09 22 16 H DBL. 8009125-33 HEADER
 - 09 22 26 A DRYWALL BOTTOM TRIM
 - 09 51 00 A ACOUSTICAL CEILING TILE AS SCHEDULED
 - 09 51 00 B METAL "WOOD LOOK" ACOUSTICAL CEILING TILE AS SCHEDULED
 - 09 53 23 A 3-SIDED PERIMETER POCKET
 - 09 53 23 B NOMINAL 8" EXTENSION TRIM
 - 09 53 23 C NOMINAL 6" EXTENSION TRIM
 - 09 53 23 D NOMINAL 8" FASCIA TRIM
 - 09 53 23 E NOMINAL 2" FASCIA TRIM
 - 09 53 23 F 3" CLOSURE CLIP
 - 09 53 23 G L 1/8" x 1/8" LLV REVERSE MOLDING
 - 09 53 23 H L 1/8" x 1/8" REVERSE MOLDING
 - 09 53 23 J CEILING TEE
 - 09 53 23 K METAL CLOSURE - PAINTED FINISH, WHITE
 - 09 53 23 L PERIMETER TRIM
 - 09 83 10 A 1 IN. THICK ACOUSTIC WALL TREATMENT
- Division 12 Furnishings**
- 12 20 00 A MOTORIZED SINGLE SHADE BRACKET AND CLOTH
 - 12 20 00 B MOTORIZED DOUBLE SHADE BRACKET AND CLOTH
 - 12 20 00 C RECESSED POCKET FOR DOUBLE SHADE
 - 12 20 00 D CLOSURE MOUNT
 - 12 20 00 E 5" CLOSURE CLIP
- Division 26 Electrical**
- 26 00 00 A LENSED COVE LIGHT FIXTURE - SEE ELECTRICAL DRAWINGS
- GENERAL NOTES**
- A. MATERIAL LEGEND CON DOC REFERENCES APPLY TO THIS DRAWING ONLY.
 - B. REFER TO REFLECTED CEILING PLANS FOR CEILING HEIGHT (ELEV. AFF.).
 - C. ELEVATIONS ARE TAKEN FROM FINISH FLOOR TO BOTTOM OF GRID.
 - D. SEE ARCHITECTURAL CEILING PLANS FOR ELEVATION(S) AFF.
- DRAWING KEYNOTES**
- 1. REFER TO ELEVATIONS AND EXTERIOR DETAILS FOR DIMENSION POINTS OF WINDOW / CURTAIN-WALL SYSTEMS.
 - 2. JAMB BEYOND
 - 3. MOTORIZED PROJECTION SCREEN - EQUIPMENT 185 - SEE EQUIPMENT SCHEDULE, CEILING OPENING PER MANUF. REQ.
 - 4. ANGLES FIXED TO CONCRETE SLAB WITH EXPANSION ANCHORS
 - 5. SUSPENDED SUPPORT ROD
 - 6. FUTURE MOTORIZED SINGLE SHADE BRACKET AND CLOTH, NOT IN CONTRACT.
 - 7. REFER TO SHEET AT20 PARTITION TYPE 'F' FOR WALL ASSEMBLY INFORMATION