

7

## MATERIAL LEGEND

Division Ø5 Metals B STAINLESS STEEL CAP Division 06 Wood & Plastics 06 60 00.A RESIN PANELS AS SCHEDULED IN SECTION 09 06 00 Ø6 61 16.A SOLID SURFACE AS SCHEDULED IN SECTION @9 @6 @@ 06 83 00,4 FIBER REINFORCED LAMINATE AS SCHEDULED IN SECTION 09 06 00 Division Ø8 Doors & Windows

Division Ø9 Finishes 09 06 00.A BASE AS SCHEDULED IN SECTION 09 06 00 09 11 00.A FRY REGLET GRAPH WALL PANEL SYSTEM Division 10 Specialties

Division II Equipment 11 05 00.A GCX MONITOR MOUNTING CHANNEL Division 12 Furnishings 12 32 00,A PLASTIC LAMINATE CLAD CASEWORK

## GENERAL NOTES

A. MATERIAL LEGEND CON DOC REFERENCES APPLY TO THIS DWG. ONLY.

OUTLINE OF BASE WALL BELOW. SEE SECTIONS ON DWG. A1020. (22) INSTALL PER MANUFACTURERS METAL STUD KIT INSTRUCTIONS.

(03) COORDINATE LOCATION OF POWER AND DATA J-BOX WITH FINAL LOCATION OF TY BRACKET. POWER AND DATA J-BOXES TO BE PLACED BEHIND MONITOR, BUT ASSURED THAT THE DATA AND POWER CONNECTION CAN BE MADE WITHOUT SHARP BENDS IN CONNECTOR LEADS. () OWNER PROVIDED 4" ROLLER BASE.

DUPLEX RECEPTACLE W/ EMERGENCY POWER

TELEPHONE/DATA JACK COMBINED (STANDARD 4 JACKS PER PLATE)

WALL MOUNTED TELEPHONE