



- MATERIAL LEGEND**
- Division 03 Concrete**
- 03 30 00.A FACE OF NEW CONCRETE WALL OR COLUMN.
03 30 00.B FACE OF EXISTING CONCRETE WALL
- Division 05 Metals**
- 05 02 00.A STRUCTURAL STEEL
05 02 00.B 4"x4" TUBE STEEL COLUMN, ANCHOR TO STRUCTURE TOP AND BOTTOM
05 02 00.C CONTINUOUS 3"x2" ANGLE, EXPANSION ANCHOR TO EXISTING CONCRETE 2'-0" o.c.
05 02 00.D 1/2" WOOD VENEER PANELS WITH 1/16" JOINTS, TYP.
05 02 00.E SOLID SURFACE COUNTERTOP
- Division 07 Thermal & Moisture Protection**
- 07 01 00.A SPRAYED FIREPROOFING.
07 01 00.B BACKER ROD AND SEALANT.
07 01 00.C SEALANT
- 07 01 00.D 3/8" SEISMIC JOINT COVER, SEE A712 FOR ADDITIONAL INFORMATION
- Division 08 Doors & Windows**
- 08 11 13.A STEEL DOOR FRAME
08 11 13.B STEEL DOOR
08 11 13.C APPLIED STOP
08 11 13.D OVERHEAD COILING DOOR
08 11 13.E OVERHEAD COILING DOOR CURTAIN
08 11 13.F OVERHEAD COILING DOOR JAMB RAIL
08 11 13.G SIDE COILING DOOR CURTAIN
08 11 13.H SIDE COILING DOOR COIL BOX
08 11 13.I EXAM ROOM SLIDING DOOR
08 11 13.J TRAUMA ROOM SLIDING DOOR
08 11 13.K 2"x4" ALUMINUM DOOR JAMB
08 11 13.L 1/2"x4" ALUMINUM DOOR JAMB
08 11 13.M 5/8"x8" HEAD WITH MANUAL (NOT AUTOMATIC) CLOSER
08 11 13.N EXAM ROOM CENTER-MOUNTED SLIDING DOOR WITH FLOOR PIVOT AND NO THRESHOLD
08 11 13.O EXTERIOR WINDOW WALL SYSTEM
08 11 13.P 2"x5" MULLION TO MATCH WINDOW FRAME
08 11 13.Q GASKET SEAL AGAINST GLASS
- Division 09 Finishes**
- 09 21 00.A GYPSUM BOARD
09 21 00.B RUNNER TRACK, SIZE PER PLAN
09 21 00.C 4009125-33 METAL STUD
09 21 00.D NESTED STUD AND STUD TRACK
09 21 00.E BOX HEADER, (2) 4009125-33 AND (2) 4009125-33 SUPPORTED BY 4" L2X2X16ga WITH (4) #8 SCREWS TO JAMB STUDS
09 21 00.F JAMB STUDS, (2) 4009125-33 TO STRUCTURE ABOVE
09 21 00.G 4009125-33 FURRING
09 21 00.H 1629125-33 METAL STUD FURRING AT SOFFIT
09 21 00.I 1" SHAPTLINER
09 21 00.J 2"x4" RUNNER
09 21 00.K 4009125-33 STUDS AT 1'-4" o.c. SUSPENDED FROM STRUCTURE ABOVE
09 21 00.L 2-1/2"x2-1/2" METAL ANGLE
09 21 00.M 1629125-33 METAL STUD
09 21 00.N 2509125-33 METAL STUD
09 21 00.O 6009125-33 METAL STUD
- 09 21 00.A ACOUSTIC CEILING TILE
09 21 00.B CEILING EDGE MOLDING
- Division 10 Specialties**
- 10 44 00.A RECESSED NON-RATED 2 1/2" FIRE DEPARTMENT VALVE CABINET
10 44 00.B RECESSED UL FIRE RATED 2 1/2" FIRE DEPARTMENT VALVE CABINET
- Division 15 Mechanical**
- 15 00 00.A STAND PIPE
15 00 00.B 2 1/2" FIRE DEPARTMENT VALVE WITH CAP AND CHAIN
- Division 16 Electrical**
- 16 00 00.A HOLD OPEN
- GENERAL NOTES**
1. INSULATION NOT INDICATED ON JAMB DETAILS THIS SHEET FOR CLARITY. SEE SHEET A710 PARTITION TYPES AND DETAILS FOR INSULATION REQUIREMENTS AND PARTITION DETAILS.
2. JAMB CONDITIONS VARY. SEE PLAN.
- KEY NOTES**
- PROVIDE BLOCKING AND BRIDGING AT ALL MAGNETIC HOLD-OPEN DEVICES

GIFFIN • BOLTE • JURGENS, P.C.
ARCHITECTS

815 S.W. SECOND AVENUE • PORTLAND, OREGON 97204
(503) 223-0992 • www.gbarch.com • FAX (503) 234-3961



MultiCare

EMERGENCY DEPARTMENT & CANCER CENTER EXPANSION

TACOMA, WASHINGTON

Date 09-26-2008
Scale AS SHOWN
Drawn By FSW
Job No. 4034

INTERIOR DOOR
DETAILS

A7
22