



- MATERIAL LEGEND**
- Division 08 Openings**
- 08 00 00.A CUSTOM FILM AS SCHEDULED IN SECTION 08 06 10
- B 16" X 21" MARKER BOARD - 1/4" TRANSLUCENT GLASS WITH POLISHED EDGES AND 3/8" DIA. STAND OFF'S.
- Division 09 Finishes**
- 09 06 00.A BASE AS SCHEDULED IN SECTION 09 06 00
- Division 10 Specialties**
- 10 21 23.A CUBICAL CURTAIN AND TRACK
- 10 26 00.A WALL PROTECTION (WP-01)
- B WALL PROTECTION (WP-04)
- C WALL PROTECTION PANEL (WPP)
- D CORNER GUARD (1'-2" AFF UNLESS OTHERWISE NOTED)
- E WALL PROTECTION (WP-06)
- 10 28 00.A PAPER TOWEL DISPENSER (PT-01)
- Division 12 Furnishings**
- 12 32 00.A PLASTIC LAMINATE-CLAD SCOFFIT FASCIA PANEL
- Division 26 Electrical**
- 26 00 00.A COVE LIGHT AS SCHEDULED
- B WALL-MOUNTED LIGHT FIXTURE
- C WALL SCONCE
- D PANIC BUTTON

- GENERAL NOTES**
1. EQUIPMENT ITEM MOUNTED TO SIDE OF CASEWORK.
2. INSTALL PER MANUFACTURER'S METAL STUD KIT INSTRUCTIONS.
3. DATA CAPTURE WALL MOUNTED W/ DEDICATED DUPLEX OUTLET AND DATA BELOW.
4. COORDINATE LOCATION OF POWER AND DATA J-BOX WITH FINAL LOCATION OF TV BRACKET. POWER AND DATA J-BOXES TO BE PLACED BEHIND MONITOR BUT ASSURED THAT THE DATA AND POWER CONNECTION CAN BE MADE WITHOUT SHARP BENDS IN CONNECTOR LEADS.
5. WALL PROTECTION EXTENDS TO FULL HEIGHT.
6. UPPER CASEWORK TO BE 1'-8" DEEP.

- LEGEND**
- POSSIBLE LOCATION FOR GEL DISPENSER (FOIC)
- SOAP DISPENSER (FOIC)
- PAPER TOWEL DISPENSER (FOIC)
- GLOVE DISPENSERS (FOIC)
- SHARPS CONTAINER (FOIC)
- NURSE CALL / PULL
- INTERCOM
- CODE CALL
- EQUIPMENT TAG (SEE SECTION 1100)
- NURSE CALL LIGHT
- DUPLEX RECEPTACLE W/ EMERGENCY POWER (FOIC)
- DUPLEX RECEPTACLE
- QUADPLEX RECEPTACLE W/ EMERGENCY POWER
- QUADPLEX RECEPTACLE
- MEDICAL GAS OUTLETS:
A - MEDICAL AIR
O - OXYGEN
V - VACUUM
- SLIDE
- JUNCTION BOX
- LIGHT SWITCH
- TELEPHONE/DATA JACK COMBINED (STANDARD 4 JACKS PER PLATE)
- WALL MOUNTED TELEPHONE
- THERMOSTAT
- 24 HR CLOCK
- BATTERY CLOCK
- FIRE STROBE LIGHT

