



**MATERIAL LEGEND**

**Division 05 Metals**  
 05 50 00.A SURFACE MOUNTED COUNTER SUPPORT BRACKET - SEE DETAIL D6/A1025

**Division 08 Openings**  
 08 11 13.A CARD READER  
 08 00 00.A 1/2" TEMPERED GLASS WITH CUSTOM PATTERN FILM (C-15)

**Division 09 Finishes**  
 09 06 00.A BASE AS SCHEDULED IN SECTION 09 06 00  
 09 30 00.A TILE AS SCHEDULED IN SECTION 09 06 00

**Division 10 Specialties**  
 10 26 00.A CORNER GUARD (1'-2" AFF UNLESS OTHERWISE NOTED)  
 B CORNER GUARD, SEE DETAIL D6/A1026  
 C WALL PROTECTION (WP-02)  
 D WALL PROTECTION (WP-04)  
 E WALL PROTECTION PANEL (WPP)  
 F CORNER GUARD (EXTENDS FULL HEIGHT, WIDE FLANGE TO BE ON RETURN SIDE)  
 10 28 00.A PAPER TOWEL DISPENSER (PT-02)

**Division 12 Furnishings**  
 12 32 00.A PLASTIC LAMINATE-CLAD SOFFIT FASCIA PANEL  
 B 1-1/2" PLASTIC LAMINATE-CLAD END PANEL  
 C ACRYLIC HORIZONTAL FORM SLOTS  
 D HEAVY-DUTY FULL OUT SHELF FOR PRINTER

**Division 13 Special Construction**  
 13 49 00.A RADIATION RESISTANT GLAZING (RRSG-02)

**Division 14 Conveying Equipment**  
 14 92 00.A PNEUMATIC TUBE STATION

**Division 22 Plumbing**  
 22 00 00.A WALL-MOUNTED LAVATORY  
 B 600 SERIES WITH EMERGENCY EYEWASH & ELECTRONIC SENSOR

**Division 26 Electrical**  
 26 00 00.A WALL SCONCE  
 B FANIC BUTTON  
 C NURSE CALL DOME LIGHT

**GENERAL NOTES**

- 1. WALL PROTECTION EXTENDS FULL HEIGHT.
- 2. OWNER PROVIDED 18" ROLLER BASE.
- 3. INSTALL PER MANUFACTURER'S METAL STUD KIT INSTRUCTIONS.
- 4. COORDINATE LOCATION OF POWER AND DATA J-BOX WITH FINAL LOCATION OF TV BRACKET. POWER AND DATA J-BOXES TO BE PLACED BEHIND MONITOR, BUT ASSURED THAT THE DATA AND POWER CONNECTION CAN BE MADE WITHOUT SHARP BENDS IN CONNECTOR LEADS.
- 5. SPACE RESERVED FOR ROOM SIGNAGE.

**LEGEND**

POSSIBLE LOCATION FOR GEL DISPENSER (FOIC)	DUPLEX RECEPTACLE W/ EMERGENCY POWER
SOAP DISPENSER (FOIC)	DUPLEX RECEPTACLE
PAPER TOWEL DISPENSER (FOIC)	QUADPLEX RECEPTACLE W/ EMERGENCY POWER
GLOVE DISPENSERS (FOIC)	QUADPLEX RECEPTACLE
SHARPS CONTAINER (FOIC)	MEDICAL GAS OUTLETS: A - MEDICAL AIR O - OXYGEN V - VACUUM
NURSE CALL / FULL	SLIDE
INTERCOM	JUNCTION BOX
CODE CALL	LIGHT SWITCH
EQUIPMENT TAG (SEE SECTION 11100)	TELEPHONE/DATA JACK COMBINED (STANDARD 4 JACKS PER PLATE)
NURSE CALL LIGHT	WALL MOUNTED TELEPHONE
	THERMOSTAT
	24 HR CLOCK
	BATTERY CLOCK
	FIRE STROBE LIGHT

**SEC. 12320 CASEWORK LEGEND**  
 (UNLESS OTHERWISE NOTED)

NOT TO SCALE

- OPEN CABINET W/ ADJ. SHELVES
- 2 ADJ. SHELVES
- UNDERCABINET LIGHT FIXTURE W/ LAM. VALANCE
- UPPER CABINET DOOR WITH FULL
- P-LAM COUNTERTOP AND 4" BACKSPLASH (OR OTHERWISE NOTED)
- BASE CABINET
- DRAWER WITH FULL
- KEYBOARD TRAY F.O.I.O.
- OPEN-KNEE SPACE
- LOCK
- HANGING FILE DRAWER = HF
- LATERAL FILE DRAWER = LF