



MATERIAL LEGEND	
Division 05 Metals	
05 50 00 A	SURFACE MOUNTED COUNTER SUPPORT BRACKET - SEE DETAIL D6/A1025
B	SPECIAL HEAVY DUTY SURFACE MOUNTED COUNTER SUPPORT BRACKET
Division 06 Wood, Plastics & Composites	
06 40 00 A	3/4" x 2" HARDWOOD TRIM
B	HARDWOOD TRIM DIVIDER PANEL - SEE DETAIL D5/A1026
Division 08 Openings	
08 00 00 A	1/4" TEMPERED GLAZING
Division 09 Finishes	
09 06 00 A	BASE AS SCHEDULED IN SECTION 09 06 00
B	TILE AS SCHEDULED IN SECTION 09 06 00
Division 10 Specialties	
10 26 00 A	CORNER GUARD (1"-2" AFF UNLESS OTHERWISE NOTED)
B	WALL PROTECTION PANEL (WPP)
10 44 00 A	WALL MOUNTED FIRE EXTINGUISHER
10 51 13 A	METAL LOCKERS (ML-01)
Division 11 Equipment	
11 05 00 A	GXX MONITOR MOUNTING CHANNEL
Division 12 Furnishings	
12 20 00 A	HORIZONTAL BLINDS
12 32 00 A	PLASTIC LAMINATE-CLAD SOFFIT FASCIA PANEL
B	PLASTIC LAMINATE-CLAD MODESTY PANEL
C	PLASTIC LAMINATE-CLAD ACCESS PANEL
D	PLASTIC LAMINATE-CLAD CHASE FOR ELECTRICAL WITH REMOVABLE ACCESS PANEL
E	PLASTIC LAMINATE-CLAD FILLER PANEL
F	1-1/2" PLASTIC LAMINATE-CLAD END PANEL
G	3/4"x4" PLASTIC LAMINATE CLAD STRIP FOR CLIP BOARDS
Division 14 Conveying Equipment	
14 32 00 A	PNEUMATIC TUBE STATION
Division 22 Plumbing	
22 00 00 A	RECESSED DRAIN BOX FOR ICE MACHINE
GENERAL NOTES	
1. INSTALL PER MANUFACTURER'S METAL STUD KIT INSTRUCTIONS.	
2. COORDINATE LOCATION OF POWER AND DATA J-BOX WITH FINAL LOCATION OF TV BRACKET. POWER AND DATA J-BOXES TO BE PLACED BEHIND MONITOR, BUT ASSURED THAT THE DATA AND POWER CONNECTION CAN BE MADE WITHOUT SHARP BENDS IN CONNECTOR LEADS.	
3. PROVIDE ELECTRICAL AND DATA STRIP W/ THE EQUIVALENT TO 6 DATA/PHONE JACKS AND 1 STANDARD QUAD AND 2 QUADS ON E-POWER.	
LEGEND	
POSSIBLE LOCATION FOR GEL DISPENSER (FOIC)	DUPLEX RECEPTACLE W/ EMERGENCY POWER
SOAP DISPENSER (FOIC)	DUPLEX RECEPTACLE
PAPER TOWEL DISPENSER (FOIC)	QUADPLEX RECEPTABLE W/ EMERGENCY POWER
GLOVE DISPENSERS (FOIC)	QUADPLEX RECEPTACLE
SHARPS CONTAINER (FOIC)	MEDICAL GAS OUTLETS: A - MEDICAL AIR O - OXYGEN V - VACUUM
NURSE CALL / FULL	SLIDE
INTERCOM	JUNCTION BOX
CODE CALL	LIGHT SWITCH
EQUIPMENT TAG (SEE SECTION 11200)	TELEPHONE/DATA JACK COMBINED (STANDARD 4 JACKS PER PLATE)
NURSE CALL LIGHT	WALL MOUNTED TELEPHONE
SEC. 12320 CASEWORK LEGEND	
(UNLESS OTHERWISE NOTED)	
NOT TO SCALE	OPEN CABINET W/ ADJ. SHELVES
	2 ADJ. SHELVES
	UNDERCABINET LIGHT FIXTURE W/P-LAM VALANCE
	UPPER CABINET DOOR WITH FULL
	P-LAM COUNTERTOP AND 4" BACKSPASH (OR OTHERWISE NOTED)
	BASE CABINET
	DRAWER WITH FULL
	KEYBOARD TRAY FOIC
	OPEN-KNEE SPACE
	LOCK
	HANGING FILE DRAWER = HF
	LATERAL FILE DRAWER = LF