



MATERIAL LEGEND

Division 09 Finishes

09 06 00. BASE AS SCHEDULED IN SECTION 09 06 00

09 30 00.A TILE AS SCHEDULED IN SECTION 09 06 00

B TILE T-09

C TILE T-10

D TILE T-12

E TILE T-13

09 83 10. ACOUSTIC WALL TREATMENT (AWT-02)

Division 10 Specialties

10 26 00.A CORNER GUARD (1'-2" AFF UNLESS OTHERWISE NOTED)

B WALL PROTECTION (WP-03)

10 44 00.A RECESSED FIRE EXTINGUISHER CABINET

Division 26 Electrical

26 00 00.A COVE LIGHT AS SCHEDULED

GENERAL NOTES

1. WALL PROTECTION EXTENDS FULL HEIGHT.

2. INSTALL PER MANUFACTURER'S METAL STUD KIT INSTRUCTIONS.

3. COORDINATE LOCATION OF POWER AND DATA J-BOX WITH FINAL LOCATION OF TV BRACKET. POWER AND DATA J-BOXES TO BE PLACED BEHIND MONITOR, BUT ASSURED THAT THE DATA AND POWER CONNECTION CAN BE MADE WITHOUT SHARP BENDS IN CONNECTOR LEADS.

LEGEND

POSSIBLE LOCATION FOR GEL DISPENSER (FOIC)

SOAP DISPENSER (FOIC)

PAPER TOWEL DISPENSER (FOIC)

GLOVE DISPENSERS (FOIC)

SHARPS CONTAINER (FOIC)

NURSE CALL / FULL

INTERCOM

CODE CALL

EQUIPMENT TAG (SEE SECTION 11200)

NURSE CALL LIGHT

DUPLEX RECEPTACLE W/ EMERGENCY POWER

DUPLEX RECEPTACLE

QUADPLEX RECEPTACLE W/ EMERGENCY POWER

QUADPLEX RECEPTACLE

MEDICAL GAS OUTLETS:
A - MEDICAL AIR
O - OXYGEN
V - VACUUM

SLIDE

JUNCTION BOX

LIGHT SWITCH

TELEPHONE/DATA JACK COMBINED (STANDARD 4 JACKS PER PLATE)

WALL MOUNTED TELEPHONE

THERMOSTAT

24 HR CLOCK

BATTERY CLOCK

FIRE STROBE LIGHT

SEC. 12320 CASEWORK LEGEND
(UNLESS OTHERWISE NOTED)

NOT TO SCALE

OPEN CABINET W/ ADJ. SHELVES

2 ADJ. SHELVES

UNDERCABINET LIGHT FIXTURE W/P-LAM VALANCE

UPPER CABINET DOOR WITH FULL

P-LAM COUNTERTOP AND 4" BACKSPASH (OR OTHERWISE NOTED)

BASE CABINET

DRAWER WITH FULL

KEYBOARD TRAY F.O.I.O.

OPEN-KNEE SPACE

LOCK

HANGING FILE DRAWER - HF

LATERAL FILE DRAWER - LF