


| THIRD FLOOR SLAB REINFORCING SCHEDULE |   |                               |
|---------------------------------------|---|-------------------------------|
| MARK                                  | CALLOUT                                       | REMARKS                       |
| (A)                                   | NOT USED                                      |                               |
| (B)                                   | (2) #5x6'-0" @ 3" O.C. @ SLAB MID-DEPTH       | CENTER ON WALL                |
| (C)                                   | #5 @ 6" O.C. TOP & #7 @ 12" O.C. BOT.         |                               |
| (D)                                   | #4 @ 24" O.C. TOP                             |                               |
| (E)                                   | #5 @ 12" O.C. TOP & BOT.                      |                               |
| (F)                                   | #4 @ 24" O.C. TOP                             |                               |
| (G)                                   | #4x4'-0" @ 12" O.C. TOP                       |                               |
| (H)                                   | #4x6'-0" @ 12" O.C. BOT.                      |                               |
| (I)                                   | #5 @ 12" O.C. TOP                             |                               |
| (J)                                   | (2) #4x20'-0" @ 3" O.C.                       |                               |
| (K)                                   | #4 @ 12" O.C. TOP & BOT.                      |                               |
| (L)                                   | #4 @ 12" O.C. ALT. TOP & BOT.                 |                               |
| (M)                                   | #5x12'-0" @ 12" O.C. BOT.                     |                               |
| (N)                                   | #5 @ 12" O.C. ALT. TOP & BOT.                 |                               |
| (O)                                   | #5x6'-0" @ 12" O.C. TOP                       |                               |
| (P)                                   | #5 @ 12" O.C. TOP & BOT. W/ STD HOOK AS SHOWN |                               |
| (Q)                                   | #5 @ 12" O.C. E.W. BOT.                       |                               |
| (R)                                   | #7 @ 12" O.C. x20'-0" BOT.                    | CENTER BTWN GRIDS 11.3 & 11.7 |

1 THIRD FLOOR SLAB PLAN - SOUTH  
1/8" = 1'-0"



GIFFIN • BOLTE • JURGENS  
ARCHITECTS

815 S.W. SECOND AVENUE PORTLAND, OREGON 97204  
(503) 223-0992 www.gbjarch.com FAX (503) 294-3961



MultiCare  
EMERGENCY DEPARTMENT & CANCER CENTER EXPANSION  
TACOMA, WASHINGTON

Date 09-26-2008  
Scale 1/8" = 1'-0"  
Drawn By Author  
Job No. 4034

THIRD FLOOR SLAB  
PLAN - SOUTH

S2  
03s