



1 FIFTH FLOOR FRAMING PLAN - SOUTH
1/8" = 1'-0"

FLOOR FRAMING NOTES

- COORDINATE ALL DIMENSIONS WITH ARCHITECTURAL DRAWINGS.
- TYPICAL TOP OF CONCRETE ELEVATION, T.O.C. = 313'-3" UNO FOR EXACT LOCATION OF SLAB ELEVATION CHANGES REFER TO THE ARCHITECTURAL PLANS.
- TYPICAL TOP OF STEEL ELEVATION, T.O.S. = 312'-4 3/4" UNO [x'-x"]
- INDICATES MECHANICAL UNITS. SEE PLAN FOR MAXIMUM ALLOWED WEIGHT
- INDICATES WIDE FLANGE COLUMN LOCATION AND ORIENTATION. SEE SHEET 53.50 FOR COLUMN SCHEDULE.
- INDICATES SPAN DIRECTION FOR METAL DECK FOR TYPICAL METAL DECK DETAILS SEE 54.40 & 54.41.
- INDICATES PENETRATION IN FLOOR/ROOF STRUCTURE. SEE 54.40 & 54.41 FOR TYP. REQUIREMENTS @ PENETRATIONS. FOR SLAB EDGE LOCATION SEE ARCH. FOR ADDITIONAL OPENINGS SEE ARCHITECTURAL, MECHANICAL & ELECTRICAL.
- SEE SHEETS 54.50 AND 54.51 FOR TYPICAL STEEL DETAILS.
- NON-STRUCTURAL STUD WALLS ARE NOT SHOWN. FOR LOCATION SEE ARCHITECT.
- BEAM SPACING ALONG GIRDERS ARE AT EQUAL SPACES BETWEEN COLUMNS, OR DIMENSION POINTS UNO..
- INDICATES THE TOTAL QTY. OF 3/4" DIA. SHEAR STUDS. FOR SHEAR STUD LENGTH AND SPACING SEE 10/54.40
INDICATES THE BM/GIRDER CAMBER IN INCHES.
INDICATES BM/GIRDER SIZE.
- INDICATES SPECIAL CONN. DETAIL IF NEEDED.
INDICATES BM/GIRDER WEB PENETRATION
INDICATES A REQUIRED TYPICAL DETAIL
INDICATES THE BEAM T.O.S. ELEVATION WITH REFERENCE TO THE TYPICAL T.O.S. ELEVATION. DIMENSIONS AT BOTH ENDS OF THE BEAM INDICATES A SLOPING MEMBER.
- INDICATES STRUCTURAL WALL BELOW EXTENDING TO FLOOR STRUCTURE.
- FOR CONCRETE CURB & HOUSEKEEPING PAD LOCATIONS AND SIZES SEE ARCHITECTURAL, MECHANICAL & ELECTRICAL. FOR TYP. DETAIL SEE 0/54.40.
- SEE SHEET 54.51 FOR TYPICAL ELEVATOR FRAMING DETAILS
- B_ INDICATES CONCRETE BEAM SEE 54.20 FOR SCHEDULE & DETAILS.
- J_ & HJ_ INDICATE CONCRETE JOIST SEE 54.20 FOR SCHEDULE & DETAILS.
- PTG_ INDICATES POST-TENSIONED GIRDER SEE 54.10, 54.11, 54.11A & 54.12 FOR SCHEDULE & DETAILS.
- INDICATES SPECIAL METAL STUD WALL TYPE. FOR SCHEDULE SEE 6/55.61. ALL WALLS NOTED SHALL BE CONSTRUCTED WITH NO GAP AT TOP OF WALL. FOR SPECIAL METAL STUD WALL TYPICAL DETAILS SEE 1/55.61 & 0/55.61.
- INDICATES HOLDOWN. SEE 9/54.61 TYPICAL DETAIL.



811 First Avenue, Suite 620
Seattle, Washington 98104
Tel: 206.202.2070
950 Pacific Avenue, Suite 1000
Tacoma, Washington 98402
Tel: 253.363.2707

GIFFIN • BOLTE • JURGENS
ARCHITECTS

815 S.W. SECOND AVENUE PORTLAND, OREGON 97204
(503) 223-0992 www.gbjarch.com FAX (503) 294-3561



MultiCare
EMERGENCY DEPARTMENT & CANCER CENTER EXPANSION

TACOMA, WASHINGTON

REVISION	DESCRIPTION	DATE
1	CCD #2	12-3-08
2	CCD #5	01-21-09
3	CCD #7	02-20-09
4	CCD #8	03-13-09

Date 09-26-2008
Scale As indicated
Drawn By HEM
Job No. 4034

FIFTH FLOOR
FRAMING PLAN -
SOUTH

S2
05