
	A N D, O R E G O N 97204 F A X (503) 294-3961



 $\underset{A \quad R \quad C}{\text{GIFFIN}} \bullet \underset{H \quad I \quad T}{\text{BOLTE}} \bullet \underset{E \quad C \quad T \quad S}{\text{JURGENS}}$

- PCS Structural Solutions


J • BOLTE • JURGENS _{p.c.}	ALD R. SC WASSING
950 Pacific Avenue, Suite 1100 Tacoma, Washington 98402 tel: 253.383.2797	
811 First Avenue, Suite 620 Seattle, Washington 98104 tel: 206.292.5076	
@ 12" O.C. x20'-0" BOT.	CENTER BTWN GRIDS 11.3 & 11.7
@ 12" O.C. E.W. BOT.	
@ 12" O.C. TOP & BOT. W/ STD HOOK AS SHOWN	
x6'-Ø" @ 12" O.C. TOP	
@ 12" O.C. ALT. TOP ∉ BOT.	

	THIRD FLOOR SLAB REINFORCING SCHEDULE	-
MARK	CALLOUT	REMARKS
A	NOT USED	
B	(2)#5x6'-Ø" @ 3" O.C. @ SLAB MID-DEPTH	CENTER ON W
$\overline{\mathbf{O}}$	5'-2" #5 @ 6" O.C. TOP TYP. SLAB EDGES U.N.O.	
D	#9 @ 6" O.C. TOP & #7 @ 12" O.C. BOT.	
E	#5 @ 12" O.C. TOP & BOT.	
F	#4 @ 24" O.C. TOP	
G	#4x4'-Ø" @ 12" O.C. TOP	
H	#4x6'-0" @ 12" O.C. BOT.	
	5'-2" #5「@12" 0.C. TOP	
J	(2) #9x20'-0" @ 3" O.C.	
K	#4 @ 12" O.C. TOP & BOT.	
	#4 @ 12" O.C. ALT. TOP & BOT.	
M	#5x12'-Ø" @ 12" O.C. BOT.	
N	#5@ 12" O.C. ALT. TOP & BOT.	
0	#5x6'-Ø" @ 12" O.C. TOP	
P	#5 @ 12" O.C. TOP & BOT. W/ STD HOOK AS SHOWN	
Q	#5 @ 12" O.C. E.W. BOT.	
R	#7 @ 12" O.C. ×20'-0" BOT.	CENTER BTWN GRIDS 11.3 & 1

52.135 1/8" = 1'-0"

(A.1)

А




(G)(F.9) (F)(E.4)-(E) _ _ | (D.1) (C.7)









Date Scale Drawn By Job No.	09-26-2008 1/8" = 1'-0" RSC 4034	THIRD PLAN -	
Scale Drawn By	1/8" = 1'-0" RSC		