


- FLOOR FRAMING NOTES**
- COORDINATE ALL DIMENSIONS WITH ARCHITECTURAL DRAWINGS.
 - TYPICAL TOP OF CONCRETE ELEVATION, T.O.C. = 305'-3" UNO FOR EXACT LOCATION OF SLAB ELEVATION CHANGES REFER TO THE ARCHITECTURAL PLANS.
 - TYPICAL TOP OF STEEL ELEVATION, T.O.S. = 384'-4 3/4" UNO [x'-x"]
 - LB** INDICATES MECHANICAL UNITS. SEE PLAN FOR MAXIMUM ALLOWED WEIGHT
 - I** INDICATES WIDE FLANGE COLUMN LOCATION AND ORIENTATION. SEE SHEET S3.50 FOR COLUMN SCHEDULE.
 - INDICATES SPAN DIRECTION FOR METAL DECK FOR TYPICAL METAL DECK DETAILS SEE S4.40 & S4.41.
 - ⊗** INDICATES PENETRATION IN FLOOR/ROOF STRUCTURE. SEE S4.40 & S4.41 FOR TYP. REQUIREMENTS & PENETRATIONS. FOR SLAB EDGE LOCATION SEE ARCH. FOR ADDITIONAL OPENINGS SEE ARCHITECTURAL, MECHANICAL & ELECTRICAL.
 - SEE SHEETS S4.50 AND S4.51 FOR TYPICAL STEEL DETAILS.
 - NON-STRUCTURAL STUD WALLS ARE NOT SHOWN. FOR LOCATION SEE ARCHITECT.
 - BEAM SPACING ALONG GIRDERS ARE AT EQUAL SPACES BETWEEN COLUMNS, OR DIMENSION POINTS UNO..
 - INDICATES THE TOTAL QTY. OF 3/4" DIA. SHEAR STUDS. FOR SHEAR STUD LENGTH AND SPACING SEE S0/54.40
 - INDICATES THE BM/GIRDER CAMBER IN INCHES. INDICATES BM/GIRDER SIZE.
 - SC5** TYP. UNO. X/XXXX TYP. UNO. SC4 TYP. UNO. SC3 TYP. UNO. SC2 TYP. UNO. SC1 TYP. UNO. INDICATES A REQUIRED TYPICAL DETAIL
 - INDICATES SPECIAL CONN. DETAIL IF NEEDED. INDICATES BM/GIRDER WEB PENETRATION
 - INDICATES THE BEAM T.O.S. ELEVATION WITH REFERENCE TO THE TYPICAL T.O.S. ELEVATION. DIMENSIONS AT BOTH ENDS OF THE BEAM INDICATES A SLOPING MEMBER.
 - INDICATES STRUCTURAL WALL BELOW EXTENDING TO FLOOR STRUCTURE.
 - FOR CONCRETE CURB & HOUSEKEEPING PAD LOCATIONS AND SIZES SEE ARCHITECTURAL, MECHANICAL & ELECTRICAL. FOR TYP. DETAIL SEE S0/54.40.
 - SEE SHEET S4.51 FOR TYPICAL ELEVATOR FRAMING DETAILS
 - B** INDICATES CONCRETE BEAM SEE S4.20 FOR SCHEDULE & DETAILS.
 - J** & **HJ** INDICATE CONCRETE JOIST SEE S4.20 FOR SCHEDULE & DETAILS.
 - PTG** INDICATES POST-TENSIONED GIRDER SEE S4.10, S4.11, S4.11A & S4.12 FOR SCHEDULE & DETAILS.
 - A** INDICATES SPECIAL METAL STUD WALL TYPE. FOR SCHEDULE SEE S0/55.61. ALL WALLS NOTED SHALL BE CONSTRUCTED WITH NO GAP AT TOP OF WALL. FOR SPECIAL METAL STUD WALL TYPICAL DETAILS SEE S0/55.61 & S0/55.61.

SIXTH FLOOR FRAMING PLAN - NORTH
1/8" = 1'-0"



GIFFIN · BOLTE · JURGENS
ARCHITECTS

815 S.W. SECOND AVENUE PORTLAND, OREGON 97204
(503) 223-0992 www.gbjarch.com FAX (503) 294-5961



MultiCare
EMERGENCY DEPARTMENT & CANCER CENTER EXPANSION
TACOMA, WASHINGTON

REVISION	DESCRIPTION	DATE
1	CCD #2	12-3-08
2	CCD #5	01-21-09

Date 09-26-2008
Scale As indicated
Drawn By RSC
Job No. 4034

**SIXTH FLOOR
FRAMING PLAN -
NORTH**

**S2
16**