

- FLOOR FRAMING NOTES**
- COORDINATE ALL DIMENSIONS WITH ARCHITECTURAL DRAWINGS.
 - TYPICAL TOP OF CONCRETE ELEVATION, T.O.C. = 421'-5" UNO FOR EXACT LOCATION OF SLAB ELEVATION CHANGES REFER TO THE ARCHITECTURAL PLANS.
 - TYPICAL TOP OF STEEL ELEVATION, T.O.S. = 426'-11 3/4" UNO [x'-x"]
 - INDICATES MECHANICAL UNITS. SEE PLAN FOR MAXIMUM ALLOWED WEIGHT
 - INDICATES WIDE FLANGE COLUMN LOCATION AND ORIENTATION. SEE SHEET 53.50 FOR COLUMN SCHEDULE.
 - INDICATES SPAN DIRECTION FOR METAL DECK FOR TYPICAL METAL DECK DETAILS SEE 54.40 & 54.41.
 - INDICATES PENETRATION IN FLOOR/ROOF STRUCTURE. SEE 54.40 & 54.41 FOR TYP. REQUIREMENTS @ PENETRATIONS. FOR SLAB EDGE LOCATION SEE ARCH. FOR ADDITIONAL OPENINGS SEE ARCHITECTURAL, MECHANICAL & ELECTRICAL.
 - SEE SHEETS 54.50 AND 54.51 FOR TYPICAL STEEL DETAILS.
 - NON-STRUCTURAL STUD WALLS ARE NOT SHOWN. FOR LOCATION SEE ARCHITECT.
 - BEAM SPACING ALONG GIRDERS ARE AT EQUAL SPACES BETWEEN COLUMNS, OR DIMENSION POINTS UNO..
 - INDICATES THE TOTAL QTY. OF 3/4" DIA. SHEAR STUDS. FOR SHEAR STUD LENGTH AND SPACING SEE 10/54.40. INDICATES THE BM/GIRDER CAMBER IN INCHES. INDICATES BM/GIRDER SIZE.
 - INDICATES A REQUIRED TYPICAL DETAIL
 - INDICATES THE BEAM T.O.S. ELEVATION WITH REFERENCE TO THE TYPICAL T.O.S. ELEVATION. DIMENSIONS AT BOTH ENDS OF THE BEAM INDICATES A SLOPING MEMBER.
 - INDICATES STRUCTURAL WALL BELOW EXTENDING TO FLOOR STRUCTURE.
 - FOR CONCRETE CURB & HOUSEKEEPING PAD LOCATIONS AND SIZES SEE ARCHITECTURAL, MECHANICAL & ELECTRICAL. FOR TYP. DETAIL SEE 0/54.40.
 - SEE SHEET 54.51 FOR TYPICAL ELEVATOR FRAMING DETAILS
 - B- INDICATES CONCRETE BEAM SEE 54.20 FOR SCHEDULE & DETAILS.
 - J- & HJ- INDICATE CONCRETE JOIST SEE 54.20 FOR SCHEDULE & DETAILS.
 - PTG- INDICATES POST-TENSIONED GIRDER SEE 54.10, 54.11, 54.11A & 54.12 FOR SCHEDULE & DETAILS.
 - A- INDICATES SPECIAL METAL STUD WALL TYPE. FOR SCHEDULE SEE 6/55.61. ALL WALLS NOTED SHALL BE CONSTRUCTED WITH NO GAP AT TOP OF WALL. FOR SPECIAL METAL STUD WALL TYPICAL DETAILS SEE 1/55.61 & 0/55.61.

NINTH FLOOR FRAMING PLAN
52.14 1/8" = 1'-0"


PCS
Structural Solutions

811 First Avenue, Suite 620
Seattle, Washington 98104
Tel: 206.255.8000

950 Pacific Avenue, Suite 1100
Tacoma, Washington 98402
Tel: 253.763.2700

GIFFIN • BOLTE • JURGENS
ARCHITECTS

815 S.W. SECOND AVENUE PORTLAND, OREGON 97204
(503) 223-0992 www.gbjarch.com FAX (503) 294-3961



MultiCare
EMERGENCY DEPARTMENT & CANCER CENTER EXPANSION
TACOMA, WASHINGTON

Date: 09-26-2008
Scale: As indicated
Drawn By: RSC
Job No.: 4034

**NINTH FLOOR
FRAMING PLAN**

**S2
19**