

FLOOR FRAMING NOTES

1. COORDINATE ALL DIMENSIONS WITH ARCHITECTURAL DRAWINGS. 2. TYPICAL TOP OF CONCRETE ELEVATION, T.O.C. = N/A UNO FOR EXACT LOCATION OF SLAB ELEVATION CHANGES REFER TO

THE ARCHITECTURAL PLANS. 3. TYPICAL TOP OF STEEL ELEVATION, T.O.S. = 438'-51/2" UNO [x'-x"]

4. INDICATES MECHANICAL UNITS. SEE PLAN FOR MAXIMUM ALLOWED WEIGHT

5.  $\mathbf{I}$  INDICATES WIDE FLANGE COLUMN LOCATION AND ORIENTATION. SEE SHEET S3.50 FOR COLUMN SCHEDULE.

6. \_\_\_\_ INDICATES SPAN DIRECTION FOR METAL DECK FOR TYPICAL METAL DECK DETAILS SEE S4.40 & S4.41.

INDICATES PENETRATION IN FLOOR/ROOF STRUCTURE. SEE 54.40 & 54.41 FOR TYP. REQUIREMENTS @ PENETRATIONS. FOR SLAB EDGE LOCATION SEE ARCH. FOR ADDITIONAL OPENINGS SEE ARCHITECTURAL, MECHANICAL & ELECTRICAL.

8. SEE SHEETS S4.50 AND S4.51 FOR TYPICAL STEEL DETAILS, 9. NON-STRUCTURAL STUD WALLS ARE NOT SHOWN. FOR LOCATION SEE ARCHITECT.

10. BEAM SPACING ALONG GIRDERS ARE AT EQUAL SPACES BETWEEN COLUMNS, OR DIMENSION POINTS U.N.O..

11. INDICATES THE TOTAL QTY. OF 3/4" DIA. SHEAR STUDS. FOR SHEAR STUD LENGTH AND SPACING SEE 10/54.40 INDICATES INDICATES THE BM/GIRDER -MOMENT CAMBER IN INCHES. CONNECTION. INDICATES BM/GIRDER SIZE. - CANTILEVER BEAM SECTION IS THE SAME SIZE AS THE BACKSPAN U.N.O. U.N.O. U.N.O. - INDICATES A REQUIRED INDICATES TYPICAL DETAIL SPECIAL CONN. INDICATES THE BEAM T.O.S. DETAIL IF ELEVATION WITH REFERENCE NEEDED. TO THE TYPICAL T.O.S. INDICATES -- ELEVATION. DIMENSIONS AT BM/GIRDER WEB BOTH ENDS OF THE BEAM PENETRATION INDICATES A SLOPING MEMBER.

12. \( \frac{-----}{------} \) INDICATES STRUCTURAL WALL BELOW EXTENDING TO FLOOR STRUCTURE.

13. FOR CONCRETE CURB & HOUSEKEEPING PAD LOCATIONS AND SIZES SEE ARCHITECTURAL, MECHANICAL & ELECTRICAL. FOR TYP. DETAIL SEE 8/S4.40.

14. SEE SHEET S4.51 FOR TYPICAL ELEVATOR FRAMING DETAILS

INDICATES CONCRETE BEAM SEE S4.20 FOR SCHEDULE & DETAILS.

16. J\_ & HJ\_ INDICATE CONCRETE JOIST SEE S4.20 FOR SCHEDULE & DETAILS.

17. PTG\_ INDICATES POST-TENSIONED GIRDER SEE S4.10, S4.11, S4.11A & S4.12 FOR SCHEDULE & DETAILS.

INDICATES SPECIAL METAL STUD WALL TYPE. FOR SCHEDULE SEE 6/S5.61. ALL WALLS NOTED SHALL BE CONSTRUCTED WITH NO GAP AT TOP OF WALL. FOR SPECIAL METAL STUD WALL TYPICAL DETAILS SEE 7/S5.61 & 8/S5.61.

MultiCare 🛱 **EMERGENCY DEPARTMENT & CANCER CENTER EXPANSION** 

TACOMA, WASHINGTON

TENTH FLOOR FRAMING PLAN -NORTH Drawn By

S2 20

GIFFIN · BOLTE · JURGENS p.c.

815 S.W. SECOND AVENUE PORTLAND, OREGON 97204 (503) 223-0992 www.gbjarch.com FAX (503) 294-3961