

① INDICATES ACUTE ANGLE AT SLAB. PROVIDE 1" CHAMFERED EDGE PER TYP DETAIL

② THICK, MASON SYNTHETIC FIBER REINFORCED SLAB ON GRADE OVER COMPACTED SOIL. PROVIDE FIBER AT MIN 3 LAY. PROVIDE CONTROL JOINT LAYOUT PER ARCHITECTURAL DRAWINGS. REFER TO ARCH DRAWINGS FOR SLAB SLOPE. TYP AT OTHER PAVILION SLAB SHOWN, U.N.O.

③ REF TO "PAVILION LOW ROOF PLAN" FOR WALL DESIGNATIONS NOT SHOWN

④ CONTRACTOR'S OPTION TO STEP FOOTING. OTHERWISE USE LOWEST ELEVATION FOR FOOTING

⑤ WALL BASE PROJECTION. REFER TO ARCH FOR LOCATION AND GEOMETRY.


HSS4X4X1/4 COLUMN.

HSS4X4X1/4 COLUMN. SEE 6/54.1

HSS3X3X1/4 @ 3'-0" OC MAX ON CURB. SEE 5/54.1

7. FOR DIMENSIONS NOT INDICATED ON THIS DRAWING REFER TO ARCHITECTURAL DRAWINGS.
8. FOR BALANCE OF INFORMATION NOT INDICATED IN STRUCTURAL DRAWINGS, SEE ARCHITECTURAL AND CIVIL DRAWINGS.
9. REFER TO CIVIL PLANS FOR SLAB DRAINAGE AND SPOT ELEVATIONS.
10. CONTRACTOR IS RESPONSIBLE FOR THE MEANS AND METHODS OF ERECTION AND ENGINEERING OF ANY TEMPORARY SUPPORT OR LOADING CONDITIONS.
11. CONTRACTOR TO SUBMIT A CONSTRUCTION SEQUENCE PLAN FOR APPROVAL. DESIGN IS BASED ON SHORED CONSTRUCTION.
12. REFER MARINE STRUCTURAL DECK REINFORCEMENT AND INFORMATION
13. CONTRACTOR TO COORDINATE OPENING SIZES AND/OR PENETRATIONS WITH MEP AND ARCHITECTURAL DRAWINGS.
14. REFER TO ARCHITECTURAL DWGS/SPECS FOR ADDITIONAL SLAB/EXPOSED CONCRETE FINISH REQUIREMENTS
15. REFER TO ARCHITECTURAL FOR CONTROL JOINTS WITHIN THICKNESS SLABS
16. REFER TO ARCHITECTURAL FOR CONTROL JOINTS WITHIN ALL EXPOSED CONCRETE WALLS
17. REFER TO S7.02 FOR FOUNDATION SCHEDULE
18. REFER TO S7.11 FOR WALL SCHEDULE
19. REFER TO S7.12 FOR COLUMN SCHEDULE
20. U.N.O. TOP OF WALL FOOTING ELEVATION = "9'-0"
21. ALL STRUCTURAL STEEL SHALL BE HOT DIPPED GALVANIZED PER ASTM A153 WITH FASTENERS AND HARDWARE SHALL BE HOT DIPPED GALVANIZED PER ASTM A193. REPAIR ANY DAMAGE TO GALVANIZED STEEL OR FASTENERS IN ACCORDANCE WITH ASTM A780

(ON FOUNDATION PLAN ONLY) INDICATES WALL BOUNDARY. EXTENTS INDICATED ON PLAN. REF TYP WALL DETAILS FOR REINF INFORMATION.



- 1 INDICATES LIGHT GAUGE WALL, BY DELEGATED ENGINEER, CANTILEVERED FROM PT SLAB ABOVE, REF ARCH FOR EXTENT
- 2 INDICATES LIGHT GAUGE WALL, BY DELEGATED ENGINEER - REF ARCH FOR EXTENT
- 3 WALL EXTENDS TO CONCRETE ROOF

TO THE BEST OF THE STRUCTURAL ENGINEER'S KNOWLEDGE, THE PLANS AND SPECIFICATIONS COMPLY WITH THE APPLICABLE MINIMUM CODES AS DETERMINED BY LOCAL AUTHORITY IN ACCORDANCE WITH CHAPTER 553, FLORIDA STATUTES.