PROJECT INFORMATION :         PROJECT:         CHOCH HOSPITAL TOWER II         455. MANN ST ORANGE, CA 92886         ARCHITECT:         FM ARCHITECTS INC.         FW ARCHITECTS INC.         FRAMING:         Storefront       2" 2" 4 1/2" Center Glazed for 1/4" Glass (AR-450):         Coor       Arcadia Wide Stille Entrance Door, WS512 Series         PLANDARY HANDARD CLEAR ANODIZED CLASS II         DESIGN CRITERIA:         SULENG COOS: TE INALY ALL OF CHARGE SCHOOL OF HEAR HEAR CLARANCE ALALLANDAR HEAR TO THE ARAME ALAL ALLANDAR HEAR EN CHARGES TO THE AND ALAL PLAN THE ARAME ALAL ALLANDAR ALAL ALLANDAR THE ARAME ALAL OF CHARGES AND ALALANDAR SECTOR SCHOOL SCHOOL SCHOOL SCHOOL SCHOOL SCHOOL TO THE ALALANDAR SECTOR SCHOOL SCH	TABLE OF CONTENTS:         SHEET       DWG       D E S C R I P T I O N         COVER & GENERAL NOTES         1       0.01       COVER PAGE & GENERAL NOTES         2       0.02       COVER PAGE & GENERAL NOTES         STOREFRONT ELEVATIONS         3       2.01       STOREFRONT ELEVATION         4       2.02       STOREFRONT ELEVATION         OPETAILS         5       5.01       HORIZONTAL DETAIL         6       5.02       HORIZONTAL DETAIL         7       5.03       HORIZONTAL DETAIL         8       6.01       VERTICAL DETAIL         9       6.02       VERTICAL DETAIL         9       6.02       VERTICAL DETAIL         9       6.02       VERTICAL DETAIL         9       6.02       VERTICAL DETAIL         9       9.01       SECTION PROPERTIES         10       9.01       SECTION PROPERTIES         11       9.02       SECTION PROPERTIES         11       9.02       SECTION PROPERTIES         12       1       1         13       1       1         14       1       1 <th>REVISION         A       A       A         I       I       I       I         I       I       I       I       I         I       I       I       I       I         I       I       I       I       I         I       I       I       I       I         I       I       I       I       I         I       I       I       I       I         I       I       I       I       I         I       I       I       I       I         I       I       I       I       I         I       I       I       I       I         I       I       I       I       I         I       I       I       I       I         I       I       I       I       I         I       I       I       I       I         I       I       I       I       I         I       I       I       I       I         I       I       I       I       I         I       I       I      &lt;</th> <th></th> <th></th> <th>REVISION           A         A         A           I         I         I         I           I         I         I         I           I         I         I         I           I         I         I         I           I         I         I         I           I         I         I         I           I         I         I         I           I         I         I         I           I         I         I         I           I         I         I         I         I           I         I         I         I         I           I         I         I         I         I           I         I         I         I         I           I         I         I         I         I           I         I         I         I         I           I         I         I         I         I           I         I         I         I         I           I         I         I         I         I           I         I&lt;</th> <th>Review Notes</th> <th><section-header><section-header><section-header><text><text><text><text><text></text></text></text></text></text></section-header></section-header></section-header></th> <th>CHOC HOSPITAL TOWER II</th> <th>(1) (1) (1) (1) (1) (1) (1) (1) (1) (1)</th>	REVISION         A       A       A         I       I       I       I         I       I       I       I       I         I       I       I       I       I         I       I       I       I       I         I       I       I       I       I         I       I       I       I       I         I       I       I       I       I         I       I       I       I       I         I       I       I       I       I         I       I       I       I       I         I       I       I       I       I         I       I       I       I       I         I       I       I       I       I         I       I       I       I       I         I       I       I       I       I         I       I       I       I       I         I       I       I       I       I         I       I       I       I       I         I       I       I      <			REVISION           A         A         A           I         I         I         I           I         I         I         I           I         I         I         I           I         I         I         I           I         I         I         I           I         I         I         I           I         I         I         I           I         I         I         I           I         I         I         I           I         I         I         I         I           I         I         I         I         I           I         I         I         I         I           I         I         I         I         I           I         I         I         I         I           I         I         I         I         I           I         I         I         I         I           I         I         I         I         I           I         I         I         I         I           I         I<	Review Notes	<section-header><section-header><section-header><text><text><text><text><text></text></text></text></text></text></section-header></section-header></section-header>	CHOC HOSPITAL TOWER II	(1) (1) (1) (1) (1) (1) (1) (1) (1) (1)
ADDRECVATIONS         BOW         BOTTOM OF MULLION           N.G.         NOUCH OPENNS N.G.         N.T. FRAME DIMENSION D.D.         D.M.         FULL DUPERTY FLUCTURE DIMENSION D.D.         D.M.         D.M.			glazing aerials, componer no circumstances shall Ar dows and doors are design ormance. Windows and do blication of these products zes and to ensure that whe separate and additional fe of illustrations purposes of y for any product which ha wear. All decisions regard all be made by Arcadia, Ind rmance with Buyer's speci DESCRIPTION ON THE F AND FITNESS. FOR EXAR IOR, CONTEMPORANE( USIVE REMEDY SHALL DE BUT IN NO EVENT SHALL O on a claim of any type or n oes not warrant the accura	Its or sealant of other manufacturers used with A cadia, Inc. be liable for installation defects as Arc ted and manufactured to specific performance lev pors are rated by independent certification agenci is not the responsibility of Arcadia, Inc. but of Buy en installed Arcadia, Inc.'s products will not allow be installed Arcadia, Inc.'s products will not allow the responsibility of Arcadia, Inc. but of Buy en installed Arcadia, Inc.'s products will not allow the to Arcadia, Inc. for assembly and installation ir inly and are not intended to show how the produc is accident, fire, war, flood, earthquakes, acts of 4 ing the existence of defects in material and work c., and shall be final and binding upon the parties fications, and that Arcadia, Inc. conveys good titl ACE OF THIS CONTRACT AND PURCHASER MPLE, ARCADIA, INC. DOES NOT WARRANT DUS OR SUBSEQUENT ORAL REPRESENTAT BE RETURN OF THE GOODS AND REFUND OF . ARCADIA, INC. BE LIABLE TO BUYER FOR A R INDIRECT DHAGES. Arcadia, Inc. shall not ature (including, but not limited to, contract, tort ( tory of any advice or recommendations given to B	rcadia, Inc., products adia, Inc. as not readia, Inc. as not readi	Stamps		DRAWING NUMI CHECKED BY: DATE: SCALE: NO DRAWING NUMI	ARCADIA, ING. 2301 E. VERNON, CA 90058 Tel: (323) 908-5421 Fax: (323) 771-9820 Tel: (323) 908-5421 Fax: (323) 771-9820 Gazing Contractor: TOWER GLASS INC.

SYMDOL DESCRIPTION AS VOIED ON EACE OPENING AS VOIED ON EACE OPENING LEGEND REFERENCE DESCRIPTION SECTION # SECTION # SECTI	NO.         1.007b         1.009         2.012a         2.160         2.014a         2.075a         2.009a	TY PAI SING PAI PAI SING
AS NOTED ON EACH OPENING  AS NOTED ON EACH OPENING  EEGEND  EEGEND  REFERENCE DESCRIPTION  SECTION#  SHEET #  ELEVATION# SHEET #  N#  N# N# N# DOOR# DOOR#	1.007b 1.009 2.012a 2.160 2.014a 2.075a 2.009a	PAI SING PAI PAI SING PAI
AS NOTE ON FACTORY           Image: Source of the second s	1.009 2.012a 2.160 2.014a 2.075a 2.009a	SINC PAI PAI SINC PAI
LEGEND REFERENCE DESCRIPTION SECTION # SECTION # DETAIL # SHEET # SHEET # SHEET # SHEET # SHEET #	2.012a 2.160 2.014a 2.075a 2.009a	PAI PAI SING PAI
LEGEND       REFERENCE       DESCRIPTION       SECTION #       SECTION #       SHEET #       W#       W#	2.160 2.014a 2.075a 2.009a	PAI PAI SING PAI
LEGEND       REFERENCE       DESCRIPTION       SECTION #       OPETAIL #       SHEET #       W#       W#	2.014a 2.075a 2.009a	PAI
LEGEND       REFERENCE       DESCRIPTION       SECTION #       Image: Section #       Image: Description #       Image: Section #	2.075a 2.009a	SING
LEGEND       REFERENCE       DESCRIPTION       Image: Section #       Image: Section # </td <td>2.009a</td> <td>PAI</td>	2.009a	PAI
LEGEND       REFERENCE       DESCRIPTION       Image: Section #       Image: Section # </td <td></td> <td></td>		
LEGEND   REFERENCE DESCRIPTION   Image: Description # SECTION #   Image: Description # SECTION #   Image: Description # SHEET #	1	
SECTION #   D#   DETAIL #   SHEET #     ELEVATION #   SHEET #     W.#     NMM     DOOR #		
DETAIL #   SHEET #   E.#   K.X   ELEVATION #   SHEET #     W.#   WINDOW #     DOOR #		
E# ELEVATION #   SHEET #     W.#     WINDOW #     DOOR #		
W.# WINDOW #		
D# DOOR #		
	D	OOR
STEEL REINFORCEMENT SCHEDULE / MATERIAL LEGEND	HW	/ 107 (F
SYMBOL DESCRIPTION	EA	CH PAIF
	8	EA.
	2	ΞA. FΔ
	2	EA. FA
	8":	_/ ×44"RE
	<u>HW</u>	<u>/ 151 (R</u>
	EA	CH DOO
	3 1	EA. EA.

3 EA.

CHEDU	LE				
TYPE	WIDTH	HEIGHT	H/W	LOCATION	REMARKS
PAIR	7'-6"	8'-9 1/8"	152	WAITING 1.007	
SINGLE	3'-0"	8'-9 1/4"	151	WAITING 1.009	
PAIR	6'-0"	8'-8 1/8"	182	FAMILY SERVICE LIBRARY	ADDED IN RFI #5085-1
PAIR	7'-11 5/8"	8'-4 1/8"	107	CORRIDOR 2.016.00C	ADDED IN RFI #2175 OPENING CONFIRMED #4884
PAIR	6'-0"	7'-8 7/8"	107	MEDITATION ROOM 2.014	CONFIRMED IN RFI #5085-1
SINGLE	3'-0"	7'-0 1/4"	168	THE VOICE	ADDED RFI #5075
PAIR	6'-0"	8'-8 5/8"	182	GIFT SHOP	ADDED IN RFI #5085-1



PAIR DOOR WS-512 SERIES ARCADIA WIDE STILE

- MATERIAL FINISH : CLASS II CLEAR ANODIZED

### R HARDWARE

#### (PAIR REVERSE)

#### AIR TO HAVE :

HINGES	FBB268 4.5"	US26D	ST
PUSH/PULL BAR	1157147 43"CTC	630	DJ
DOOR CLOSER	D-4551 EDA x SN	AL	ST
DOOR STOP	1407	630	DJ
DOOR SILENCER	1608	GRAY	DJ

RECOMMENDED BY HW SUPPLIER

#### (<u>RH)</u>

#### OOR TO HAVE :

HINGES	FBB268 4.5"	US26D	ST
LOCK SET	ND70RD RHO-C*	626	SC
DOOR CLOSER	D-4551 STD W/PA BRKT	AL	ST
DOOR STOP	1407	630	DJ
DOOR SILENCER	1608	GRAY	DJ

### \* VERIFY KEYWAY

8"x34" RECOMMENDED BY HW SUPPLIER

AT 3-0 DOORS PROVIDE 3 HINGES



SINGLE DOOR WS-512 SERIES ARCADIA WIDE STILE



# EACH PAIR TO HAVE :

8	EA.
1	EA.
2	EA.

## <u>HW 168 (SINGLE)</u> 3 EA.

1 1 1	EA. EA.
3	EA.

### DOOR HARDWARE

10	NAVE	٠		
1.11				

HINGES	FBB268 4.5"	US26D	ST
FLUSH BOLT	1555 12"	626	DJ
FLUSH BOLT	1555 24"	626	DJ
DUST STRIKE	1570	626	DJ
DEADLOCK	L462R	630	SC
PUSH/PULL BAR	1157147 43" CTC	630	DJ
DOOR CLOSER	D-4551 EDA x SN	AL	ST
DOOR STOP	1407	630	DJ
DOOR SILENCER	1608	GRAY	DJ

HINGES	FBB168 4.5"x 4.5"	US26D	ST
EXIT DEVICE	9848-L-F 3'	US32D	VO
LEVER, RHR	996L-BE-CV	US26D	VO
LEVER, LHR	996L-BE-CV	US26D	VO
DOOR CLOSER	D-4551 EDA x SN	AL	ST
MOUNTING BRACKET	P45-180	AL	ST
OVERHEAD STOP		630	DJ
INTUMESCENT SEAL	_ 9450C		NA
ASTRAGAL SEAL	9550 NGP EDGE		NA

HINGES	FBB 168 4 1/2" x 4 1/2" ND70RD RH0	US26D 626	ST SC
LUCINJEI		020	30
DOOR CLOSER	D-4551EDA SN	AL	ST
DOOR STOP	1407 OR 1440 AS REQUIRED		
	1407 PREFERRED	630	DJ
DOOR SILENCER	1608	GRAY	DJ

DOOR <u>HW 152 (</u> EACH PAI 8 EA. 1 EA. 1 EA. 1 EA. 1 EA.	HARDWARE ( <u>PAIR REVERSE)</u> IR TO HAVE : HINGES FLUSH BOLT FLUSH BOLT DUST STRIKE	FBB268 4.5" 1555 12" 1555 24" 1570	US26D 626 626 626	ST DJ DJ DJ		No Date Description	2	
1 EA. 2 EA. 2 EA. 2 EA. 2 EA. 8"x44" R	DEADLOCK PUSH/PULL BAR DOOR CLOSER DOOR STOP DOOR SILENCER ECOMMENDED BY HW	L462R 1157147 43" CTC D-4551 EDA x SN 1407 1608 SUPPLIER	630 630 AL 630 GRAY	SC DJ ST DJ DJ				~
<u>hw 182 (</u> @Door #: Each Pai	( <u>PAIR REVERSE)</u> 2.011a, 2.011b, 2.012 IR TO HAVE :	a						, CA 92868
<ul> <li>8 EA.</li> <li>2 EA.</li> <li>1 EA.</li> <li>2 EA.</li> <li>2 EA.</li> <li>2 EA.</li> <li>1 EA.</li> <li>1 EA.</li> <li>8"x35" RE</li> </ul>	HINGES EXIT DEVICE LEVER, RHR LEVER, LHR DOOR CLOSER MOUNTING BRACKET OVERHEAD STOP INTUMESCENT SEA ASTRAGAL SEAL	FBB168 4.5"x 4.5" 9848-L-F 3' 996L-BE-CV D-4551 EDA x SN P45-180 AL 9450C 9550 NGP EDGE SUPPLIER	US26D US26D US26D AL AL 630	ST VO VO ST ST DJ NA NA			455 S.I	ORANGE
<u>HW 168 (</u> 3 EA.	<u>(SINGLE)</u> HINGES	FBB 168 4 1/2" x 4 1/2"	US26D	ST				
1 EA. 1 EA. 1 EA. 3 EA.	LOCKSET DOOR CLOSER DOOR STOP DOOR SILENCER	ND70RD RHO D–4551EDA SN 1407 OR 1440 AS REQUIRED 1407 PREFERRED 1608	626 AL 630 GRAY	SC ST DJ DJ				
						Architect: FKP ARCHITECTS INC.	General Contractor:	Glazing Contractor: TOWER GLASS INC.
								2301 E. VERNON AVE., VERNON, CA 90058 τωι (323) 908-5421 Fav. (323) 771-9820
	shown in these Shop Drawings should	I be verified in the field before fabrication & installation. Su	hstrate details are for	reference only and must be verified I	by Sub-Contractor and Architect.	DRAWN BY: CHECKED BY DATE: SCALE: DRAWING NU	P0 (: 04/23/12 NONE MBER: D.02 2 OF	11





004.00	N STO Ref. A	REFRO	ONT ELE	EVATIO	ON	
- FRAME : 2" x 4 1/2" FRAME (AR-450) - GLASS : 1/4" MONOLITHIC - Q'TY : 1 SET						
	ROOM		DOOR#	H/W #	DOOR SIZE	Q'TY (SETS
	~		~	~	~	1

All dimensions and conditions shown in these Shop Drawings should be verified in the field before fabrication & installation. Substrate details are for reference only and must be verified by Sub-Contractor and Architect. SHEET: 4 OF 11















