(C) 2009 FKP Architects, Inc. All rights reserved. No part of this document may be reproduced or utilized in any form without prior written authorization of FKP Architects, Inc. Floor & Area (CPC Table STAFF USE AREA & TABULATIONS otal 50% we urinl lav shw df we urinl lav shw df we urinl lav shw df Lower Level Public - Waiting Waiting (All Departments Vet Area Load Factor Staff Conference Room Occupants at this Level Staff (including Conference Rm. Hall/Rest./Shafts/Stair 0 0 0 1 1 0 Hospitals- for Emp. Use Male Occupants & Elev. Enclosure Female Occupants Vaiting Unisex Occupants rovider Call Room 127 9 1 5 0 1 12 1 9 2 2 3 0 4 2 1 taff Conference Room Mechanical 32,850 528 51,944 Le rel 1 **21,422** 51,944 40 1 0 1 0 1 4 1 3 0 2 3 1 2 0 1 Hospital Waiting Rooms Public - Waiting (All Departments 67,169 Waiting (ED) 1 0 1 0 1 1 0 1 0 1 0 0 0 0 Hospital Waiting Rooms Waiting (Imaging & Admin) Net Area Public - Assembly Load Factor Occupants at this Level Lobby Male Occupants Hall/Rest./Shafts/Stair Female Occupants Elev. Enclosure Staff - General Use Entrance Lobby naging Suite 
 70
 3
 1
 1
 0
 0
 4
 2
 2
 1
 0
 1
 1
 1
 1
 0
 Hospitals-for Emp. Use

 70
 4
 0
 1
 0
 5
 0
 2
 1
 0
 1
 1
 0
 Hospitals-for Emp. Use
 Waiting Male Occupants Ultrasound Female Occupants 0 0 0 0 0 0 0 0 1 0 0 0 1 0 MRI Unisex Occupants General Radiology Patient - Treatment Ultrasound Rad/ Flouroscopy General Radiology 0 Hospitals-Indiv. Room Waiting Rad/ Flouroscopy 0 Hospitals- Indiv. Room Triage 0 0 0 0 0 Hospitals- Indiv. Room
0 0 0 0 0 Hospitals- Ward Room 
 0
 0
 0
 0
 0
 Hospitals- Ward Room

 0
 1
 0
 2
 0
 0
 Hospitals- Ward Room

 0
 0
 0
 0
 0
 Hospitals- Indiv. Room
 Triage- ED Radiology Exam Rooms- ED onference Room Radiology- ED Shell Space 314 25 2 17 0 4 32 4 23 3 4 4 1 6 3 0 5254 27,385 6631 Level 2 62,003 Public - Assembly Servery/Dining Assembly Places-Public Use Net Area Conference Rooms Assembly Places-Public Use Load Factor Occupants at this Level Library ssembly Places-Public Use Hall/Rest./Shafts/Stair Meditation Room 32,614 & Elev. Enclosure Total Occupants onference Room 2950 Male Occupants Female Occupants ervery/Dining Kitchen Play Area- Teen and Pro Play Area- Teen & Pre Teen Roo Staff Library Male Occupants ∕leditation Room Female Occupants Unisex Occupants \* 321 18 3 7 0 0 19 4 18 0 0 1 1 1 11 0 0 9,292 40,873 CO #134 11,838 Level 3 Net Area Load Factor Public - General Use 4 1 3 0 1 Hospital Waiting Rooms Occupants at this Level Waiting 2 1 1 0 0 4 2 4 1 2 2 1 3 1 2 Hospitals- for Emp. Use 3 0 1 0 0 6 0 6 1 0 3 0 5 1 0 Hospitals- for Emp. Use Hall/ Rest./ Shafts/ Stair Staff - General Use & Elev. Enclosure Male Occupants 9047 Female Occupants Procedure Rooms 1379 Unisex Occupants Prep Rooms Patient - Treatment Exam Rooms **Procedure Rooms** Shell Spaces 2,922 Prep Rooms Activity Area Exam Rooms echanical PACU Activity Area 169 11 1 12 0 4 22 3 21 2 4 11 2 9 2 0 Level 4 Level 5 Net Area Load Factor Public - General Use Occupants at this Level Waiting Hall/Rest./Shafts/Stair Staff - General Use & Elev. Enclosure Staff Waiting Male Occupants Female Occupants Exam Room/s Unisex Occupants Activity Room 283 Provider Call Room 0 Table 4-2 CPC 2007 Multipurpose Consult Roor Column Fur-out Patient - Treatment Patient Rooms 317 11,576 11416 Activity Area 37 5 1 5 0 1 5 1 5 0 2 0 0 0 1



**FKP Architects** 

ARCHITECT OF RECORD
Paul C. Gloriod



Changes on these drawings do not consist o materially altered changes to approved draw and don't regulate a change order.
OSHPD review ACO.
OSHPD review FLSO.

REVISIONS

03/01/11 CO

692 02/13/11 CO

APPROVAL

Office of Statewide Health
Planning & Development/FDD
Planning & Development/FDD
PREVIEWED IN ACCENT/ANCE WITH
THE REQUIREMENTS OF 124, CCR
ADDD OVER 1

INSTRUCTION BULLETING.
DEFERRED APPROVALS.
ADDENDUM.
PROJECT NAME PAP 2012-02398

CHILDREN'S HOSPITAL
OF ORANGE COUNTY
455 S. Main St.

Orange, CA 92868-3874



PROJECT NUMBER

12011.00 Increment #7

OSHPD-PROJECT NUMBER
IL 072072-30

OSHPD PERMIT

01/27/2010

SCALE

N.T.S. DRAWING TITLE

PLUMBING FIXTURE CALCULATIONS

DRAWING NUMBER

A0.3B

STAFF USE AREAS & TABULATIONS

D

A3 PLUMBING FIXTURE REQUIREMENTS

3