




ARCHITECT OF RECORD

Paul C. Gloriod



OSHPD review FLSO __

OSHPD review DSE_

A. Information shown or referenced on enlarged and/or 1/4" scale drawings will generally not be shown on the smaller scale drawings. B. Partition types are scheduled on plans by number. See the "General Notes to

Partition Types" on B2/A11.3 and Partition Types on Sheet A11.3, A11.3.1, and A11.3.2 for the definition of partition type references. C. Field coordinate all field routed pipe, conduit runs, etc., with locations of recessed accessories and equipment. In the event of a conflict, accessory locations take

D. Close all joints between plumbing fixtures/accessories and dissimilar materials w/sealant (i.e. between sinks and countertops, toilet fixtures and accessories to wall,

E. Cabinet numbers noted on enlarged plans refer to Cabinet component numbers, fixtures, accessories, etc. that are defined or elevated on Sheet A9.0 unless specific detail references are keyed.

F. Plan dimensions — refer to B2/A11.3 (General Notes). G. For vertical mounting heights of shower accessories, See Detail D6/A11.7. H. For vertical mounting heights of typical toilet stall accessories, See Detail A4/A11.7.

J. For vertical mounting heights of typical restroom accessories, See Detail B6/A11.7. K. For vertical mounting heights of accessible accessories at restrooms, See Detail

L. For equipment not identified on plan, see Equipment drawings and workbook—Increment#7, Vol. 2E.

M. For partial enlarged plan at janitor closets, See Detail A3/A11.7. N. Public/handicapped restroom graphics will be furnished and installed by the Owner's

O. Standard equipment wall mounting heights, see detail A2/A11.9. P. Medical equipment wall mounting heights, see details A4/A11.9, D3/A11.9 & Q0.02—Increment #7, Vol. 2E.

Q. Fire Protection equipment wall mounting heights, see detail D2/A11.9

R. Communication equipment wall mounting heights, see detail A3/A11.9. S. Equipment mounting heights at Countertops, see detail D3/A11.9. T. Equipment mounting heights at Desktops, see detail A4/A11.9.

U. A minimum head clearance of 6'-8" must be maintained at all points in stairways including stair and landing framing.

V. For all dashed in equipment not identified, refer to EQ drawing series—Increment #7, Vol. 2E and Equipment workbook. Specific items requiring structural support are cross referenced to structural support details via matrix shown on the Equipment


drawings—Increment #7, Vol. 2F. W. All elevator hoist way entrance frames to have an embossed stainless steel graphic plaque with the floor landing number and Standard Braille markings for the blind. Conform to governing Accessibility codes and standards.

X. All stair floor landings to receive stencil painted, semi—gloss enamel floor landing

numerals 12" high adjacent to the door at 5'-0" AFF in a contrasting color to the scheduled wall color unless a graphic plaque is specifically detailed or noted. Y. Elevator Equipment Wall Mounting Heights, see detail A6/A11.9 and B3/A11.9. Z. Doors, Frames, Sidelites and Windows: (See Door Schedule). See A11 sheet series. AA. Provide wall blocking/backing for items weighting 20lbs or less. See A6/A11.3.1.

EE. Provide 3" grommet, unless otherwise noted at 3'-0" O.C. maximum, field located at all electrical components at Nurses stations and Reception desks. FF. For vertical mounting heights of service accessories, See Detail A3/A11.
GG. Provide access panels below the Patient Room countertops to serve as inspection ports for the Patient Room bathtubs.

B1 GENERAL NOTES



TOWER II **RECEIVED** SEPT. 21 2011 **McCARTHY** HOSPITAL PROJECT NUMBER 12011.00

Office of Statewide Health
Planning & Development/FDD
REVIEWED IN ACCORDANCE WITH
THE REQUIREMENTS OF 724, CCR

CHILDREN'S HOSPITAL

OF ORANGE COUNTY

CHANGE ORDER#上

ADDENDUM___

PROJECT NAME

455 S. Main St.

Orange, CA 92868-3874

INSTRUCTION BULLETIN# DEFERRED APPROVAL#___

Increment #7 OSHPD - PROJECT NUMBER IL 072072-30

OSHPD PERMIT

01/27/2010

1/4"=1' DRAWING TITLE