COPYRIGHT © FENTRESS ARCHITECTS

SHEET NAME UTILITY PLAN DRAWN BY: PROJECT #: SHEET NUMBER

C1010



- 1 PROPOSED 4" WATER SERVICE PER IMPROVEMENT PLANS DWG. NO. 35016-D. (2) PROPOSED 4" RECLAIMED WATER SERVICE PER IMPROVEMENT PLANS DWG. NO. 35016-D. (3) PROPOSED 8" FIRE SERVICE PER IMPROVEMENT PLANS DWG. NO. 35016-D.
- 4 PROPOSED RECLAIMED WATER LINE PER WATER ABANDONMENT PLANS DWG. NO. 34961-D.
- (5) EXISTING 10" WATER LINE TO BE ABANDONED PER DWG. NO. 34961—D. UCSD TO BE NOTIFIED OF ANY HAZARDOUS MATERIALS FOR REMOVAL BY CONTRACTOR.
- (6) EXISTING HEADWALL TO BE REMOVED. (7) EXISTING 12" STORM DRAIN PIPE TO BE REMOVED.
- (8) EXISTING AREA DRAIN TO BE REMOVED.
- (9) EXISTING 12" STORM DRAIN PIPE TO REMAIN.
- (10) EXISTING 24" SEWER LINE TO REMAIN. (12) EXISTING SEWER MANHOLE TO REMAIN, RIM TO BE LOWERED TO FINISH GRADE AND RE-CHANNEL M.H. FOR PROP.
- 10" SEWER LATERAL CONNECTION. (13) EXISTING 20' WIDE SEWER EASEMENT TO REMAIN.
- (14) EXISTING ABANDONED 10" SEWER LINE TO BE REMOVED.
- (15) EXISTING 10" WATER LINE TO REMAIN.
- (16) EXISTING RECLAIMED WATER LINE TO REMAIN. (17) EXISTING RECLAIMED WATER LINE TO BE REMOVED.
- (18) EXISTING CURB INLET TO REMAIN.
- (19) PROPOSED RECLAIMED WATER CUT AND PLUG PER WATER ABANDONMENT PLAN DWG. NO. 34961-D. (20) EXISTING 20' WIDE WATER EASEMENT TO VACATED PER DWG. NO. XXXXX—B.
- (21) EXISTING 20' WIDE WATER EASEMENT TO REMAIN. (22) PROPOSED 24' WIDE WATER EASEMENT PER XXXXX-B.
- (23) PROPOSED WATER END CAP PER WATER ABANDONMENT PLAN DWG. NO. 34961-D.
- 24 PROPOSED PVT. FIRE HYDRANT ASSEMBLY PER IMPROVEMENT PLANS DWG. NO. 35016-D. (25) PROPOSED 10" SEWER LATERAL. CONNECTION TO EXIST. MANHOLE, SEE DETAIL 'B' ON THIS SHEET.
- (26) PROPOSED GATE VALVES PER DWG. NO. 34961-D.
- (27) PROPOSED CLEAN OUT PER IMPROVEMENT PLANS DWG. NO. 35016-D. (28) PROPOSED 8" DAYLIGHT PIPE PER MECHANICAL.
- 29 PROPOSED 8" FIRE SERVICE PER IMPROVEMENT PLANS DWG. NO. 35016-D.
- (30) PROPOSED 8" FIRE SERVICE. (31) PROPOSED GAS LINE PER MECHANICAL PLAN.
- (32) PROPOSED 4" RECLAIMED WATER LINE. (33) PROPOSED 4" DOMESTIC WATER LINE.
- (34) PROPOSED TRANSFORMER PER ELECTRICAL PLAN.
- (35) PROPOSED SDG&E PME SWITCH AND SDG&E CONCRETE PAD PER ELECTRICAL PLAN.
- 36 PROPOSED LIGHTING PER ELECTRICAL PLAN (TYP.)
- (37) PROPOSED 2" RECLAIMED WATER LINE. (38) PROPOSED 2" DOMESTIC WATER LINE.
- (39) PROPOSED 1-1/2" IRRIGATION SERVICE PER IMPROVEMENT PLANS DWG. NO. 35016-D. 40 PROPOSED SDG&E EASEMENT PER PER PRIVATE DOCUMENT.
- (41) PROPOSED 8" FIRE SERVICE CONNECTION PER PLUMBING PLAN.


- 45) PROPOSED 2" DOMESTIC WATER CONNECTION PER PLUMBING PLAN.
- 46) PROPOSED 2" RECLAIMED WATER CONNECTION PER PLUMBING PLAN.

PIV PER MECHANICAL PLANS.

- PROPOSED 4" SEWER LATERAL PER PLUMBING PLAN. 48) PROPOSED PRIMARY TRENCH IN CONCRETE ENCASEMENT PER ELECTRICAL PLAN.
- (49) PROPOSED RPDA. MANUFACTURER, MODEL, AND SIZE TO BE DETERMINED BY CONTRACTOR.
- (50) PERMANENT SHORING WALL PER ANDERSON DRILLING. (51) PROPOSED DOUBLE DETECTOR CHECK VALVE W/SHUT OFF VALVE, FDC, TAMPER SWITCHES, AND

RECHANNEL EXIST.

MANHOLE CONTRACTOR TO ENSURE
PROPER DRAINAGE & FLOW



SEWER CONNECTION TO B EXIST. SEWER MANHOLE (FOR REFERENCE)
NOT TO SCALE

42) PROPOSED 8" SEWER LATERAL CONNECTION PER PLUMBING PLAN. (43) PROPOSED 4" RECLAIMED WATER CONNECTION PER PLUMBING PLAN. 44 PROPOSED 4" DOMESTIC WATER CONNECTION PER PLUMBING PLAN.

Warning: It is a violation of the law for any person, unless acting under the direction of a licensed architect, to alter an item in any way. If an item in this document is altered, the alteration, and the specific description of the alteration.