

COLUMN SCHEDULE											
	G1	G2	G3	G3A	G4	G5	G6	G7	G8	G9	G10
PENTHOUSE ROOF										HSS 4x4x1/4	
ROOF											
LEVEL 4											
LEVEL 3											
LEVEL 2				W8x45T		W8x45T	W8x40		2" STD PIPE		
LEVEL 1		W8x40	W8x45	W8x45T		W8x40	W8x51		W8x45T		
LEVEL B1											HSS 4x4x1/4
LEVEL B2											
BASE PLATE (SEE SECTION 13)	DIMENSION 'A'		10"	10"	10"	16"	PER DTL	10"	10"	PER DTL	10"
	DIMENSION 'B'		10"	10"	10"	16"	PER DTL	10"	10"	PER DTL	10"
	THICKNESS		1"	1"	1"	1 1/4"	PER DTL	1"	1"	PER DTL	1"
	DETAIL		7/-	7/-	7/-	8/-	4/-	7/-	7/-	4/-	8/-
	NOTES		-	-	-	-	-	-	-	-	-
2" DIA. DIA.	NO.		4	4	4	4	PER DTL	4	4	PER DTL	4
	DIA.		1"	1"	1"	1"	PER DTL	1"	1"	PER DTL	1"

STEEL COLUMN SCHEDULE

13

TYP. NON-FRAME COLUMN SPLICE

5000-07

TYP. HSS COL. CAP PLATE

5000-15

TYP. W COL. CAP PLATE

5000-04

TYP. CONT. BEAM SUPPORT

5000-07

TYP. CONT. BEAM AT W COL.

5000-07

TYP. CONT. BM AT HSS OR PIPE COL.

5000-08

TYP. W COL. BASE PLATE

5000-02

TYP. TUBE OR PIPE COLUMN SPLICE

5000-12

TYP. HSS COL. BASE PLATE

5000-13