


- GENERAL NOTES**
1. FURNITURE, FIXTURES AND EQUIPMENT (FFME) ARE SHOWN DASHED AND ARE NOT PART OF THE PROJECT SCOPE. CONSTRUCTION CONTRACT EXCEPT AS NOTED: FFME SHOWN AS SOLID LINES ARE PART OF CONTRACT - REF. SPECIAL EQUIP. PLANS FOR MORE DETAIL.
 2. REF. EXTERIOR ELEVATIONS AND CONC. PANEL ELEVATIONS FOR GLAZING INFORMATION AT EXTERIOR WALLS.
 3. PAINTED AREAS ABOVE BAFFLE CEILING SYSTEM IS DEFINED AS FOLLOWS: STEEL BEAM JOISTS AND BEAMS, ALL OUTDOORWORK AND OUTDOORWORK, ELEC. CONDUIT, LIGHT FIXTURES (AS DESCRIBED IN ELEC. SINGS), ROOF DECK, PLUMBING PIPING, FIRE SPRINKLER PIPING, ALL WAREHOUSES AND TRUCKS SYSTEMS, OFF. BLD. WALLS FROM 1/2" x 1/2" REVEAL UP TO DECK. DO NOT PAINT CONCRETE WALLS, STEEL COLUMNS OR SYSTEMS THAT PRECLUDE PAINT.
 4. REFERENCE FINISH SCHEDULE & DOOR SCHEDULE IN THE PROJECT MANUAL FOR ADDITIONAL INFORMATION.
 5. FOR TYPICAL MOUNTING HEIGHTS OF BATHROOM ACCESSORIES AND FIXTURES REFERENCE SHEETS SERIES A400 PER BUILDING PACKAGE.
 6. AT A400, A200 USE SOLID SURF. COUNTER COLOR SSC-2. ALL OTHER SOLID SURF. COUNTERS USE SSC-1 UNLESS INDICATED OTHERWISE IN MILLWORK DRAWINGS. REF. SPECS AND MILLWORK DRAWINGS FOR MORE DETAIL.
- GLAZING TYPES**
- 1-1/4" SINGLE PANE, CLEAR, TEMPERED
 - 1/2" SINGLE PANE, CLEAR, TEMPERED
 - 1/4" SINGLE PANE, CLEAR, TEMPERED
 - 1/4" SINGLE PANE, CLEAR, TEMPERED
 - 1/4" SINGLE PANE, TINTED, TEMPERED
 - 1/4" UNLAMINATED, CLEAR
 - 1/4" UNLAMINATED, OBTUSE
 - 1/4" UNLAMINATED, 1/4" TINTED EXT. + 1/4" CLR INT.
 - 1/4" UNLAMINATED, OBTUSE, TINTED
 - 1/4" TINTED, 1/4" TINTED EXT. + 1/4" CLR INT.
 - 1/4" UNLAMINATED, CLEAR, BULLET RESISTANT
 - 1/4" UNLAMINATED, TINTED, BULLET RESISTANT
 - 1/4" UNLAMINATED, OBTUSE, TINTED, BULLET RESISTANT
 - 1/4" UNLAMINATED, TINTED, TINTED, BULLET RESISTANT
 - 1-1/4" UNLAMINATED, TINTED, TEMPERED
 - 1-1/4" UNLAMINATED, TINTED, TEMPERED, INSULATED
- KEY NOTES**
1. ALUM.
 2. BAFFLE CEILING SYSTEM - REF. DETAIL: 6/DAS40
 3. BASE AS SCHEDULED
 4. BOLLARD
 5. EXPOSED STRUCTURE
 6. CONCRETE WALL - EXPOSED
 7. CANTILEVER
 8. CONCRETE MASONRY UNIT WALL (CMU), REF. FINISH SCHEDULE
 9. 1/4" WIDE COP. BL. REVEAL MOUNTING, REF. 11/DAS50
 10. CORNER GUARD, S. STL
 11. DOOR AS SCHEDULED
 12. DRINKING FOUNTAIN, REF. PLUMBING, COORD. OPENINGS IN WALL
 13. EDP MFR WHERE OCCUR
 14. ELECTRICAL FIXTURE / EQUIPMENT, REF. ELECTRICAL
 15. EMERGENCY SHOWER / EYEWASH, REF. PLUMBING
 16. EROSE OF WALL
 17. SECURITY CASE
 18. FIRE PROTECTION SYSTEM, REF. FIRE PROTECTION
 19. FURNITURE / EQUIPMENT SHOWN DASHED, N.C.
 20. GATE, REF. DAS500 SERIES SHEETS & GATE SCHEDULE
 21. GLAZING, EXTERIOR - REF. EXT. & PANEL ELEV. FOR TYPE
 22. GLAZING, INTERIOR FRAMING SYSTEM - REF. DETAIL
 23. GLAZING BARRIER WALL
 24. GROUND / TRAILING, S.S.T.
 25. GYPSUM BOARD, PAINTED (COLOR # AFTER REMOVAL)
 26. HANG OFF, REF. MECHANICAL
 27. HANG DUCT, REF. MECHANICAL
 28. INSPECTION EQUIPMENT, N.C., REF. SPECIAL EQUIP. PLANS
 29. JUNK
 30. KNEE SPACE / OPEN UNDER COUNTER
 31. LIGHT FIXTURE, REF. ELECTRICAL
 32. MECHANICAL EQUIPMENT, REF. MECHANICAL
 33. MAX. WELLS PANEL @ CL FRAMING SYST. INSULATED, PAINTED - SEE AS SHOWN ON EXT. ELEV.
 34. MEAL GLAZING SYSTEM - TYPE A, "PITTSBURGH" SEMI
 35. MILLWORK, REF. FLOOR PLANS & DAS700 SERIES SHEETS
 36. POLISHED STEEL WAREHOUSE, REF. SPECS
 37. OPEN TO BEYOND
 38. PLASTER MIRROR, REF. SPECS
 39. PLUMBING, REF. PLUMBING
 40. PERV. PANEL w/ RUST FINISH STL FRAMING, REF. ROP & ELEV. DRAWINGS FOR PANEL COLOR & TYPE
 41. RAMP
 42. ROOF / WALL BEYOND SHOWN DASHED
 43. SINK, REF. PLUMBING
 44. SKEDADD, REF. ROP & ROOF PLAN FOR ADDITIONAL INFO
 45. SKEDADD, REF. ROP & ROOF PLAN FOR ADDITIONAL INFO
 46. SKEDADD, REF. ROP & ROOF PLAN FOR ADDITIONAL INFO
 47. STEEL BEAM / JOIST, RUST FINISH, REF. STRUCTURAL
 48. STEEL BEAM / JOIST, PAINTED FINISH, REF. STRUCTURAL
 49. STEEL WALL TO REINFORCEMENT, REF. DETAIL: 6/DAS500
 50. STEEL COLUMN, RUST FINISH, REF. STRUCTURAL
 51. TELEVISION, CEILING HANG, N.C.
 52. WALL / CEILING / BUILDING ELEMENT AS OCCURS BEYOND SHOWN DASHED FOR REFERENCE
 53. WAREHOUSE FENCING AND GATE SYSTEM - REF. SPECS: 13 TO 13
 54. WAREHOUSE "PICK" SHEET
 55. WAREHOUSE BARRIER SYSTEM, FLOOR MOUNTED
 56. WAREHOUSE WALL FINISH, REF. SCHEDULE
 57. TOILET PARTITIONS - CEILING HANG, REF. DETAIL: 11/DAS40
 58. WAREHOUSE STEEL WALL PANEL, REF. SPECS
 59. WAREHOUSE BARRIER
 60. WAREHOUSE PRIVITY PARTITION
 61. WAREHOUSE SEARCH TABLE
 62. WAREHOUSE SEARCH TABLE
 63. WAREHOUSE SEARCH TABLE
 64. WAREHOUSE SEARCH TABLE
 65. WAREHOUSE SEARCH TABLE
 66. WAREHOUSE SEARCH TABLE
 67. WAREHOUSE SEARCH TABLE
 68. WAREHOUSE SEARCH TABLE
 69. WAREHOUSE SEARCH TABLE
 70. WAREHOUSE SEARCH TABLE
 71. WAREHOUSE SEARCH TABLE
 72. WAREHOUSE SEARCH TABLE
 73. WAREHOUSE SEARCH TABLE
 74. WAREHOUSE SEARCH TABLE
 75. WAREHOUSE SEARCH TABLE
 76. WAREHOUSE SEARCH TABLE
 77. WAREHOUSE SEARCH TABLE
 78. WAREHOUSE SEARCH TABLE
 79. WAREHOUSE SEARCH TABLE
 80. WAREHOUSE SEARCH TABLE
 81. WAREHOUSE SEARCH TABLE
 82. WAREHOUSE SEARCH TABLE
 83. WAREHOUSE SEARCH TABLE
 84. WAREHOUSE SEARCH TABLE
 85. WAREHOUSE SEARCH TABLE
 86. WAREHOUSE SEARCH TABLE
 87. WAREHOUSE SEARCH TABLE
 88. WAREHOUSE SEARCH TABLE
 89. WAREHOUSE SEARCH TABLE
 90. WAREHOUSE SEARCH TABLE
 91. WAREHOUSE SEARCH TABLE
 92. WAREHOUSE SEARCH TABLE
 93. WAREHOUSE SEARCH TABLE
 94. WAREHOUSE SEARCH TABLE
 95. WAREHOUSE SEARCH TABLE
 96. WAREHOUSE SEARCH TABLE
 97. WAREHOUSE SEARCH TABLE
 98. WAREHOUSE SEARCH TABLE
 99. WAREHOUSE SEARCH TABLE
 100. WAREHOUSE SEARCH TABLE


INTERIOR ELEVATIONS

1/4" = 1'-0"


A A4511




A403 WEST




A403 SOUTH




A403 EAST




SOFT NARCOTICS STORAGE 1
A403 NORTH




A404 WEST




A404 SOUTH




A404 EAST




PSUEDO NARC (SOFT) 2
A404 NORTH




A405 WEST




A405 SOUTH




A405 EAST




PSUEDO NARC (HARD) 3
A405 NORTH




A407 WEST



A407 SOUTH



A407 EAST



RESTROOM 4
A407 NORTH

INTERIOR ELEVATIONS

1/4" = 1'-0"

GENERAL NOTES

1. FURNITURE, FIXTURES AND EQUIPMENT (FFFE) ARE SHOWN DASHED AND ARE NOT PART OF THE PROJECT SCOPE. CONSTRUCTION COORDINATE EXCEPT AS NOTED. FINE SHOWN AS SOLID LINES ARE PART OF CONTRACT - REF. SPECIAL EQUIP. PLANS FOR MORE DETAIL.
2. REF. EXTERIOR ELEVATIONS AND CONC. PANEL ELEVATIONS FOR GLAZING INFORMATION AT EXTERIOR WALLS.
3. PAINTER AREAS ABOVE BUFILE CEILING SYSTEM IS DEFINED AS FOLLOWING: STEEL SHIP JOISTS AND BEAMS, ALL DUCTWORK AND DIFFUSERS, ELEC. CONDUIT, LIGHT FIXTURES (AS DESCRIBED IN ELEC. INGS.), HOSE DROPS, PLUMBING FINISHES, FIRE SPRINKLER PIPING, ALL UNPAINTED AND TRIMMED SYSTEMS, OUT. SOL. WALLS FROM 1/2" TO 1 1/2" REVEAL UP TO DECK. DO NOT PAINT CONCRETE WALLS, STEEL COLUMNS OR SYSTEMS THAT PRELUDE PAINT.
4. REFERENCE FINISH SCHEDULE & DOOR SCHEDULE IN THE PROJECT MANUAL FOR ADDITIONAL INFORMATION.
5. FOR TYPICAL MOUNTING HEIGHTS OF BATHROOM ACCESSORIES AND FIXTURES REFERENCE SHEETS SERIES A4010 PER BUILDING PACKAGE.
6. AT A404, A405 USE SOLID SLURF, COUNTER COLOR SSC-2. ALL OTHER SOLID SURF. COUNTERTOPS USE SSC-1 UNLESS INDICATED OTHERWISE IN MILLWORK DRAWINGS. REF. SPECS AND MILLWORK DRAWINGS FOR MORE DETAIL.

GLAZING TYPES

- (A) 1/4" SINGLE PANE, CLEAR, TEMPERED
- (B) 3/8" SINGLE PANE, CLEAR, TEMPERED
- (C) 1/2" SINGLE PANE, CLEAR, TEMPERED
- (D) 1/4" SINGLE PANE, CLEAR, TEMPERED
- (E) 1/4" SINGLE PANE, TINTED, TEMPERED
- (F) 1/4" LAMINATED, CLEAR
- (G) 1/4" LAMINATED, OBSCURE
- (H) 1/2" LAMINATED (1/4" TINTED EXT. + 1/4" CLR INT.)
- (I) 1/2" LAMINATED, OBSCURE, TINTED
- (J) 1/2" LAMINATED, TINTED, 1/4" TINTED EXT. + 1/4" CLR INT.
- (K) 1/4" LAMINATED, CLEAR, BULLET RESISTANT
- (L) 1/4" LAMINATED, TINTED, BULLET RESISTANT
- (M) 1/4" LAMINATED, OBSCURE, BULLET RESISTANT
- (N) 1/4" LAMINATED, TINTED, BULLET RESISTANT
- (O) 1/4" LAMINATED, TINTED, TEMPERED
- (P) 1/4" LAMINATED, TINTED, TEMPERED, INSULATED

KEY NOTES


- (1) ALUM.
- (2) BUFILE CEILING SYSTEM - REF. DETAIL: 6/24540
- (3) BASE AS SCHEDULED
- (4) ROLLTOP
- (5) EXPOSED STRUCTURE
- (6) CONCRETE WALL - EXPOSED
- (7) CANTILEVER
- (8) CONCRETE MASONRY UNIT WALL (CMU), REF. FINISH SCHEDULE
- (9) 1/4" WIDE GYP. BD. REVEAL MOUNTING, REF. 11/24540
- (10) CORNER CHAIR'S SEAT
- (11) DOOR AS SCHEDULED
- (12) DRINKING FOUNTAIN, REF. PLUMBING, COORD. OPENINGS IN WALL
- (13) W/ EXIF MTR WHERE OCCUR
- (14) ELECTRICAL, FIXTURE/ EQUIPMENT, REF. ELECTRICAL
- (15) EMERGENCY SHOWER/ EYEWASH, REF. PLUMBING
- (16) EDGE OF WALL
- (17) SECURITY CASE
- (18) FIRE PROTECTION SYSTEM, REF. FIRE PROTECTION
- (19) FURNITURE/ EQUIPMENT SHOWN DASHED, N.C.
- (20) GATE, REF. JACOBY SERIES SHEETS & GATE SCHEDULE
- (21) GLAZING, EXTERIOR - REF. EXT. & PANEL ELEV. FOR TYPE
- (22) GLAZING, INTERIOR FRAMING SYSTEM - REF. DETAIL
- (23) GLAZING BARRIER WALL
- (24) GROUNDWALL/ FINISH, ELEV.
- (25) GYPSUM BOARD, PAINTED (COLOR # AFTER KEYNOTE)
- (26) HANG DIFFUSER, REF. MECHANICAL
- (27) HANG DUCT, REF. MECHANICAL
- (28) INSPECTION EQUIPMENT, N.C., REF. SPECIAL EQUIP. PLANS
- (29) JOINT
- (30) KNEE SPACE/ OPEN UNDER COUNTER
- (31) LIGHT FIXTURE, REF. ELECTRICAL
- (32) MECHANICAL EQUIPMENT, REF. MECHANICAL
- (33) ALUM. METAL PANEL IN GL. FRAMING SYST., INSULATED, PAINTED - OR AS SHOWN ON EXT. ELEV.
- (34) METAL GLAZING SYSTEM - TYPE D, "PITTSBURGH" SEAM
- (35) MILLWORK, REF. FLOOR PLANS & 24570 SERIES SHEETS
- (36) POLISHED STEEL MIRROR, REF. SPECS
- (37) OPEN TO DECKING
- (38) GLASS MIRROR, REF. SPECS
- (39) PLUMBING, REF. PLUMBING
- (40) PERF. PANEL w/ RUST FINISH STL. FRAMING, REF. RCP & ELEV. DRAWINGS FOR PANEL COLOR & TYPE
- (41) RAMP
- (42) ROOF/ WALL BEYOND SHOWN DASHED
- (43) SINK, REF. PLUMBING
- (44) SKYLIGHT, REF. RCP & ROOF PLAN FOR ADDITIONAL INFO
- (45) SMOKEPUSH
- (46) TILE - REF. FINISH SCHEDULE
- (47) STAIRS
- (48) STEEL BEAM/ JOIST, RUST FINISH, REF. STRUCTURAL
- (49) STEEL BEAM/ JOIST, PAINTED FINISH, REF. STRUCTURAL
- (50) FRAME WALL IS REINFORCED, REF. DETAIL: 6/24540
- (51) STEEL COLUMN, RUST FINISH, REF. STRUCTURAL
- (52) TELEVISION, CEILING HUNG, N.C.
- (53) WALL/ CEILING BUILDING ELEMENT AS OCCURS BEYOND SHOWN
- (54) DASHED FOR REFERENCES
- (55) METAL FINISHING AND GATE SYSTEM - REF. SPECS. 13.10.10
- (56) TRANSPARENT "PRESS" TREAT
- (57) PEDESTAL BARRIER SYSTEM, FLOOR MOUNTED
- (58) SOLID SURFACE WALL FINISH, REF. SCHEDULE
- (59) TOILET PARTITIONS - CEILING HUNG, REF. DETAIL: 11/24540
- (60) STAINLESS STEEL WALL PANEL, REF. SPECS
- (61) DETENTION BENCH
- (62) DETENTION PRIVITY PARTITION
- (63) LABORATORY CHECKBOOK
- (64) BUTT JOINTED GLAZING PER SPEC. - 1/4" CLR SEALED CAP W/
- (65) HW-1: HOOK, REF. SPECS
- (66) LOCKERS - REF. SPECIAL EQUIP. PLANS / SCHEDULE

A A4512


MILLWORK DIMENSION TYPES ARE NOTED IN INTERIOR ELEVATIONS. DEPTH IS FROM FRONT EDGE OF COUNTER TO FINISHED WALL SURFACE. HEIGHT IS FROM TOP OF COUNTER TO FINISH FLOOR. TOE KICK SPACE IS CLEAR 6" IN ALL CONDITIONS.

TYPE	DEPTH	HEIGHT	NOTE
D1	24"	34"	
D2	30"	34"	
D3	24"	30"	
D4	30"	30"	
D5	24"	42"	
D6	30"	42"	
D7	24"	28"	
D8	40"	34"	
D9	14"		UPPER WALL CASE DIM.
D10	18"		UPPER WALL CASE DIM.
D11	34"	34"	


MILLWORK DIMENSION TYPES




TYP SINK, OPEN KNEE SPACE 4
1" = 1'-0"



TYP COUNT OPEN KNEE SPACE 3
1" = 1'-0"




TYP COUNT, DRAWER STACK 2
1" = 1'-0"




TYP COUNT, FULL CABINET 1
1" = 1'-0"


- NOTES:
- * FIRE AND SMOKE SEAL ALL WALL PENETRATIONS AT FIRE/SMOKE RATED WALLS REF. SPECS. AND FLOOR PLANS.
 - WATER ALL TUBE STEEL CONNECTIONS WHERE EXPOSED.
 - CABINETS AND DRAWERS LOCKABLE WHERE NOTED IN INTERIOR ELEVATIONS.
 - REF. SPECS FOR CONSTRUCTION CASE EXPOSED EDGES MAX. RADII: 1/16".
 - LOCATIONS OF 3" x 6" GROMMET CABLE CHASE (T8)
 - REF. PLUMBING DRAWINGS/SPECS - FRAME T.S. AROUND SINK LOCATIONS AND ACCOMMODATE COUNTERTOP MOUNTED DISPENSERS.




TYP SINK, OPEN KNEE @ STUD 8
1" = 1'-0"



TYP COUNT OPEN KNEE @ STUD 7
1" = 1'-0"





TYP DRAWER STACK @ STUD 6
1" = 1'-0"











COUNT, FULL CABINET @ STUD 5
1" = 1'-0"

Z A5701



TYP UPPER SHELF, SMALL 3
1" = 1'-0"



- NOTES:
- * FIRE AND SMOKE SEAL ALL WALL PENETRATIONS AT FIRE/SMOKE RATED WALLS REF. SPECS. AND FLOOR PLANS.
 - MTFP ALL TUBE STEEL CONNECTIONS WHERE EXPOSED.
 - GRABBERS AND GRABBERS LOCATIONS WHERE NOTED IN INTERIOR ELEVATIONS.
 - REF. SPECS FOR CONSTRUCTION EASE EXPOSED EDGES MAX. RADIUS 1/8" Δ
 - LOCATIONS OF 3" ϕ GROUNDWATER CHARGE TUBES
 - REF. FLOORING DRAWINGS/SPECS - FRAME T.S. AROUND SINK LOCATIONS AND ACCOMMODATE COUNTERTOP MOUNTED DISPENSERS.