






		SHEET NOTES
		1. FOR ALL FINISH SPECIFICATION SEE PROJECT MANUAL
		2. WHITE BOARD TO BE SECURED AS REQUIRED
RF-0228		3. PAINT DOOR, DOOR FRAME TO MATCH ADJACENT COLOR, WHERE INDICATED IN DOOR SCHEDULE, FINISH TO BE SEMI-GLOSS, U.O.N.
DP-02.2	B	4. TYPICAL LAMINATE CASEWORK TO BE PL-1 LOWER & UPPER CABINETS WITH SS-2 COUNTERTOPS, FINISH U.O.N.
		5. COUNTERTOPS IN STAFF LOUNGES, STAFF LOCKERS, AND COPY ROOMS TO BE PL-3, U.O.N.
		6. THE A2.11 TO A2.24 SERIES INDICATES INTERIOR FINISH INFORMATION ONLY. REFER TO THE A2.0 SERIES PLANS FOR ADDITIONAL INFORMATION.
		7. ALL WALLS TO BE PAINTED PT-1, U.O.N.
		8. ALL WET ROOMS SHALL HAVE WASHABLE PAINT, U.O.N.
		9. ALL GYP. BD. SURFACES TO BE EGGSHELL FINISH, U.O.N.
		10. ALL WALL BASE TO BE RB-1, U.O.N.
		11. FLOORING TO RUN BENEATH CASEWORK, U.O.N.
		12. FINISH SYMBOL, IN A ROOM OR AREA, WITH NO INDICATOR OF EXTENTS, IS TO BE FOR THE ENTIRE ROOM OR AREA, EXCEPT AT CASEWORK, U.O.N.
		13. CORRIDOR WALL FINISH TO EXTEND INTO ALCOVES, U.O.N.
		14. SEE REFLECTED CEILING PLAN SHEET SERIES A4.01-A4.09 FOR WINDOW ROLLER SHADE LOCATIONS, SEE SECTION 09 00 "FINISHES" FOR SHADE MATERIALS AND TYPES
		15. SEE RCP SERIES A4.01-A4.04C FOR CUBICLE CURTAIN LOCATIONS.
		16. SEE RCP SHTS A4.01-A4.04C FOR SHOWER CURTAIN LOCATIONS.
		17. ALL HANDRAILS, STRINGERS, AND PANS IN STAIR WELLS TO BE PAINTED PT-1, U.O.N.
		18. TYPICAL CORNER TOPS AT CASEWORK TO BE SOLID SURFACE MATERIAL SS-2, U.O.N.
		19. DP A2.2 - BPE AT CASEWORK TO MATCH ADJACENT BASE
		20. REFER TO ELEVATION SERIES A9.0 FOR WALLS WITH MORE THAN ONE FINISH
		21. ALL GYP. BD. CEILINGS TO BE PAINTED FLAT, U.O.N.
		22. FOR TYPICAL MEN'S AND WOMEN'S PUBLIC RESTROOM WALLS AND FINISHES SEE SHEET A3.05, A3.06, A3.07.
		23. FOR TYPICAL FINISHES AT PATIENT AND STAFF TOILET ROOMS SEE SHEET A3.05
		24. FOR TYPICAL EXAM ROOM WALL AND FLOOR FINISHES, SEE SHT A3.03E
DP A2.2	B	25. SEE WALL FINISH PLANS FOR CORNER GUARD LOCATIONS.
		26. NO FINISHES SCHEDULED AT UNASSIGNED SPACES U.O.N.
		27. SEE A10.45 FOR WALL BASE CONDITIONS
		28. SEE A10.46 FOR THRESHOLD CONDITIONS
		29. ARTWORK BLOCKING TO BE COORDINATED WITH ART CONSULTANT
		30. ALL ARTWALL EXACT SIZE, HEIGHT AND LOCATION TBD
		31. SEE A10.31A FOR AMENITY AND CREDENZA ELEVATIONS AND DETAILS OF CUSTOM CASEWORK
		32. TOILET ROOM WALL TILE NOTE TO SET TO ELEVATIONS / TILE PATTERNS SEE A3.05, A3.06
		33. REFER TO WALL FINISH PLANS, SHEETS A2.2X, FOR EXTENT OF WALL PROTECTIONS
DP A2.2	B	34. PROVIDE BACKING PLATE WHERE CRASH RAIL OCCURS REFERS TO SHEET A10.04B FOR BACKING DETAILS
		35. REFER TO SHEET A10.25 FOR MOUNTING HEIGHT
		36. ALIGN GROUT LINES WHERE FT-X AND WTB-X OCCURS.

[illegible]



	CERTIFIED BY
HEALTH CENTER EMERYVILLE 5800 HOLLIS STREET EMERYVILLE, CA 94608	
PLANCHECK#	
PROJECT NO.	
106-201	
DATE	
01/04/16	

DOOR SCHEDULE - A10.51																
ROOM NAME	OPENING NUMBER	WIDTH	HEIGHT	ASSEMBLY RATING	DOOR INFO.			FRAME INFO.			DETAILS			HARDWARE	NOTES	
					TYPE	FINISH	GLAZING	TYPE	MAT.CONST.	FINISH	HEAD	JAMB	SILL			
BASEMENT LEVEL																
STAIR #1	0000-ST1	3'-0"	8'-0"	(E)	A	(E)		1	(E)	(E)	(E)	(E)		68		
STAIR #2	0000-ST2	3'-0"	8'-0"	(E)	A	(E)		1	(E)	(E)	(E)	(E)		68		
ELEVATOR VESTIBULE	0001	6'-0"	8'-0"	(E)	AA	(E)		2	(E)	(E)	(E)	(E)		67		
ELEVATOR PIT	0003	3'-0"	8'-0"	(E)	A	(E)		1	(E)	(E)	(E)	(E)		67		
CONTROL ROOM	0004	3'-0"	8'-0"	(E)	A	(E)		1	(E)	(E)	(E)	(E)		67		
ELECTRICAL ROOM	0005	3'-0"	8'-0"	(E)	A	(E)		1	(E)	(E)	(E)	(E)		66	ADD CARD READER	
STORAGE	0006	3'-0"	8'-0"	(E)	A	(E)		1	(E)	(E)	(E)	(E)		67		
FAN ROOM	0007	3'-0"	8'-0"	(E)	A	(E)		1	(E)	(E)	(E)	(E)		67		
STORAGE	0008	6'-0"	8'-0"	(E)	AA	(E)		2	(E)	(E)	(E)	(E)		67		
FAN ROOM	0009	3'-0"	8'-0"	(E)	A	(E)		1	(E)	(E)	(E)	(E)		67		
STORAGE	0010	3'-0"	8'-0"	(E)	A	(E)		1	(E)	(E)	(E)	(E)		67		
STORAGE	0011	3'-0"	8'-0"	(E)	A	(E)		1	(E)	(E)	(E)	(E)		67		
MPOE	0012	3'-0"	8'-0"	(E)	A	(E)		1	(E)	(E)	(E)	(E)		67	ADD CARD READER	
BFP	0013	3'-0"	8'-0"	(E)	A	(E)		1	(E)	(E)	(E)	(E)		67		
FIRE PUMPS	0014	3'-0"	8'-0"	(E)	A	(E)		1	(E)	(E)	(E)	(E)		67		
SUMP PUMPS	0015	3'-0"	8'-0"	(E)	A	(E)		1	(E)	(E)	(E)	(E)		67		
BASEMENT LEVEL: 16																
LEVEL 1																
(E) STAIR #1	1000-ST1	3'-4"	8'-0"	90 [△] _{DP #2 - A}	A			1	HM	PT		3A/A10.55	3B/A10.55	80 [△] _{DP #2B - E}		
(E) CAFE	1000-ST2 (E)	3'-0"	8'-0"		A	(E)		1	(E)	(E)	(E)	(E)	(E)		NIC	
	1000-ST2-A (E)	3'-4"	8'-0"		A			1								2 [△] _{DP #2B - F}
STAIR VESTUBULE	1001	5'-0"	8'-0"	180	AA	HM		2	HM	PT		12A/A10.55	12B/A10.55	71		
	1001 (E)	6'-0"	9'-9 1/2"		-	(E)		(E)	(E)	(E)	(E)	(E)	(E)	67		HC ASSIST & CARD
LOADING DOCK	1003	5'-0"	7'-0"	90 [△] _{DP #2 - A}	AA	(E)		2	(E)	(E)	(E)	(E)	(E)	55		CARD READER
LOADING DOCK	1003 (E)	3'-0"	8'-0"		A	(E)		1	(E)	(E)	(E)	(E)	(E)	56		(E) VIDEO CALL BOX
	1003E	10'-0"	10'-0"		-	(E)		(E)	(E)	(E)	(E)	(E)	(E)			
RESTROOM	1004 (E)	3'-0"	8'-0"	-	A	(E)		1	(E)	(E)	(E)	(E)	(E)	67		
ELECTRICAL ROOM	1005 (E)	3'-0"	8'-0"		A	(E)		1	(E)	(E)	(E)	(E)	(E)	64		CARD READER
CIRCULATION	1006 (E)	6'-0"	7'-0"	90	AA			2						79 [△] _{DP #2B - E}		
ELECTRICAL ROOM	1007 (E)	3'-0"	8'-0"	90	A	(E)		1	(E)	(E)	(E)	(E)	(E)	64		CARD READER
ELECTRICAL ROOM	1008	3'-0"	8'-0"	-	A	(E)		1	(E)	(E)	(E)	(E)	(E)	(E)		SALVAGED. SEE DP-1
GENERATOR ROOM	1009 (E)	3'-0"	8'-0"	-	A	(E)		1	(E)	(E)	(E)	(E)	(E)	9		CARD READER
GENERATOR ROOM	1009A	3'-0"	6'-0"	-	A	(E)		1	(E)	(E)	(E)	(E)	(E)	-		
CORRIDOR	1010	6'-0"	7'-0"	180	EE	HM		2	HM	PT		12A/A10.55	12B/A10.55	70		DP #2B [△]
CORRIDOR	1010 (E)	3'-0"	8'-0"		A	(E)		1	(E)	(E)	(E)	(E)	(E)	-		(E) PANIC HDWR
EMERGENCY SUPPLIES	1011	5'-0"	8'-0"	45	AA			2								
ELECTRICAL ROOM	1012A (E)	3'-0"	8'-0"		A	(E)		1	(E)	(E)	(E)	(E)	(E)	64		CARD READER
ELECTRICAL ROOM	1012B (E)	3'-0"	8'-0"		A	(E)		1	(E)	(E)	(E)	(E)	(E)	66		CARD READER
DRY VAULT	1013 (E)	8'-6"	9'-6"		AA	(E)		(E)	(E)	(E)	(E)	(E)	(E)	-		NIC
GAS METER	1014 (E)	3'-0"	9'-6"		A	(E)		1	(E)	(E)	(E)	(E)	(E)	-		NIC
PARKING GARAGE	1100	6'-0"	7'-0"	90	AA	HM		2	HM	PT		12A/A10.55	12B/A10.55	55		CARD READER
STAFF LOUNGE	1101	3'-0"	7'-0"		A	WD		1	HM	PT		3A/A10.55	3B/A10.55	2		
CRAWL SPACE	1102	3'-6"	7'-0"	60	A	WD		1	HM	PT		3A/A10.55	3B/A10.55	21 [△] _{DP #2B - E}		
CIRCULATION	1104	3'-6"	7'-0"	60	A			1						09		
CIRCULATION	1105	3'-0"	7'-0"	90	A			1						80		
PARKING GARAGE	1105B	6'-0"	7'-0"	20 [△] _{DP #2B - E}	AA			2						79		
OFFICE	1106	3'-0"	7'-0"		A	WD		1	HM	PT		3A/A10.55	3B/A10.55	7 [△] _{DP #2B - F}		
VALET/CASH CO	1107	3'-0"	7'-0"		A	WD		1	HM	PT		3A/A10.55	3B/A10.55	13 [△] _{DP #2 - A}		CARD READER
CLEAN LINEN	1108	4'-0"	7'-0"	60	A	WD		1	HM	PT		3A/A10.55	3B/A10.55	9		CARD READER
WOMEN'S STAFF LOCKER ROOM	1109	3'-0"	7'-0"		A	WD		1	HM	PT		3A/A10.55	3B/A10.55	3		
WOMEN'S STAFF SHOWER	1109A	3'-0"	7'-0"		A	WD		1	HM	PT		3A/A10.55	3B/A10.55	54		
MEN'S STAFF LOCKER ROOM	1110	3'-0"	7'-0"		A	WD		1	HM	PT		3A/A10.55	3B/A10.55	3		
MEN'S STAFF SHOWER	1110A	3'-0"	7'-0"		A	WD		1	HM	PT		3A/A10.55	3B/A10.55	54		
CRAWL SPACE	1163	3'-6"	7'-0"	BB	WD			5	AL	AA		3A/A10.54	3B/A10.54	N/A		
	1201E	6'-0"	9'-0"	-	(E)	(E)		(E)	(E)	(E)	(E)	(E)	(E)	63		HC ASSIST & CARD READER
COPY/ WORK	1202A	3'-0"	8'-0"		BB	WD		5	AL	AA		3A/A10.54	3B/A10.54	15		
FILE/FILM WORK ROOM	1203	3'-0"	8'-0"		BB	WD		5	AL	AA		3A/A10.54	3B/A10.54	15		
RESTROOM	1204	3'-0"	8'-0"		A	WD		1	AL	AA		3A/A10.54	3B/A10.54	54		
RESTROOM	1205	3'-0"	8'-0"		A	WD		1	AL	AA		3A/A10.54	3B/A10.54	54		
CORRIDOR	1210	3'-0"	8'-0"		D	WD	OPAQUE	1	AL	AA		3A/A10.54	3A/A10.54	9		CARD READER, PUSH PLATE
BLOOD DRAW	1211	3'-0"	8'-0"		BB	WD		5	AL	AA		3A/A10.54	3B/A10.54	15		
RESTROOM	1216	3'-0"	8'-0"		A	WD		1	AL	AA		3A/A10.54	3B/A10.54	54		
PHLEB	1218	3'-0"	8'-0"		C	WD		1	AL	AA		3A/A10.54	3A/A10.54	9		CARD READER
LAB WORKROOM	1219	3'-0"	8'-0"		A	WD		1	AL	AA		3A/A10.54	3B/A10.54	9		CARD READER
LAB WORKROOM	1220	3'-0"	8'-0"	60	A	WD		1	HM	PT		3A/A10.55	3B/A10.55	9		
CORRIDOR	1230	5'-8"	8'-0"		HM				HM	PT		4/A10.55	5/A10.55	33		CARD READER
CORRIDOR	1231	3'-0"	8'-0"	90 [△] _{DP #2B - E}	A	WD		1	AL	AA		3A/A10.54	3B/A10.54	12		
GOWNED WAITING MEN	1232	3'-0"	8'-0"		A	WD		1	AL	AA		3A/A10.54	3B/A10.54	2		
DRESSING AREA MEN	1232B	3'-0"	8'-0"		A	WD		1	AL	AA		3A/A10.54	3B/A10.54	54		
CORRIDOR	1233	3'-0"	8'-0"		A	WD		1	AL	AA		3A/A10.54	3B/A10.54	12		
DRESSING AREA WOMEN	1234	3'-0"	8'-0"		A	WD		1	AL	AA		3A/A10.54	3B/A10.54	2		
DRESSING AREA WOMEN	1234C	3'-0"	8'-0"		A	WD		1	AL	AA		3A/A10.54	3B/A10.54	54		
CORRIDOR	1240	3'-0"	8'-0"		A	WD		1	AL	AA		3A/A10.54	3B/A10.54	9		
CORRIDOR	1241	3'-0"	8'-0"		A	WD		1	AL	AA		3A/A10.54	3B/A10.54	54		
STAFF RESTROOM	1242	3'-0"	8'-0"		A	WD		1	AL	AA		3A/A10.54	3B/A10.54	54		
STAFF LOUNGE	1243	3'-0"	8'-0"		A	WD		1	AL	AA		3A/A10.54	3B/A10.54	14		
OFFICE	1244	3'-0"	8'-0"		A	WD		1	AL	AA		3A/A10.54	3B/A10.54	7		
CORRIDOR	1250	3'-0"	8'-0"	90	A			1								
	1250-E	6'-0"	9'-0"		-	(E)		(E)	(E)	(E)	(E)	(E)	(E)	63		1, 2
CORRIDOR	1250A	3'-0"	8'-0"		A			1								
SOILED UTILITY	1251	3'-0"	8'-0"	60	A	WD		1	HM	PT		3A/A10.55	3B/A10.55	9		CARD [△] _{DP #2B - F}
CORRIDOR	1253	3'-0"	8'-0"	60	A	WD		1	HM	PT		3A/A10.55	3B/A10.55	9		CARD READER
X-RAY	1261	3'-6"	8'-0"	90 [△] _{DP #2B - E}	A	WD		1	AL	AA		3A/A10.54	3B/A10.54	9		
X-RAY	1261A	3'-0"	8'-0"		A	WD		1	AL	AA		3A/A10.54	3B/A10.54	9		
TECH WORK	1262	3'-0"	8'-0"	90 [△] _{DP #2 - A}	A	WD		1	AL	AA		3A/A10.54	3B/A10.54	9		CARD READER
BONE DENSITY	1263	3'-0"	8'-0"		BB	WD		5	AL	AA		3A/A10.54	3B/A10.54	15		
TECH WORK	1263A	3'-0"	8'-0"		A	WD		1	AL	AA		3A/A10.54	3B/A10.54	16		
MAMMOGRAPHY	1264	3'-0"	8'-0"		BB	WD		5	AL	AA		3A/A10.54	3B/A10.54	15		
TECH WORK	1264A	3'-0"	8'-0"		A	WD		1	AL	AA		3A/A10.54	3B/A10.54	16		
EXAM	1265	3'-0"	8'-0"		BB	WD		5	AL	AA		3A/A10.54	3B/A10.54	15		
TECH WORK	1265A	3'-0"	8'-0"		A	WD		1	AL	AA		3A/A10.54	3B/A10.54	16		
ULTRA SOUND	1266	3'-0"	8'-0"		BB	WD		5	AL	AA		3A/A10.54	3B/A10.54	15		
TECH WORK	1266A	3'-0"	8'-0"		A	WD		1	AL	AA		3A/A10.54	3B/A10.54	16		
RESTROOM	1267	3'-0"														


SEE SHEET A10.5 FOR FRAMING DETAILS



12 DETAILS AT DOORS GREATER THAN 4'-0" WIDE
SCALE 3"=1'-0" CODE SPEC
NUMBER 081213-06-GS
DATE 08/28/03





9 HOLLOW METAL DOOR/WINDOW FRAMES
SCALE 3"=1'-0" CODE SPEC
NUMBER 081213-06-GS
DATE 08/28/03




6 HOLLOW METAL WINDOW/DOOR FRAME
SCALE 3"=1'-0" CODE SPEC
NUMBER 081213-05-GS
DATE 08/28/03


SEE SHEET A10.5 FOR FRAMING DETAILS





3 DETAILS AT DOORS LESS THAN 4'-0" WIDE
SCALE 3"=1'-0" CODE 2012 IBC
NUMBER 081100-03-GS SPEC ALL Sds
DATE 05/27/14




11 90 SWING SMOKE DOOR FRAME JAMB DTL
SCALE 3"=1'-0" CODE SPEC
NUMBER 081100-04-GR
DATE 05/27/14




5 DOUBLE EGRESS DOOR JAMB
SCALE 3"=1'-0" CODE 2012 IBC
NUMBER 081100-04-GR SPEC ALL Sds
DATE 05/27/14




2 HOLLOW METAL WINDOW FRAMES
SCALE 3"=1'-0" CODE SPEC
NUMBER 081213-04-GS
DATE 08/28/03





10 SMOKE DOOR FRAME HEAD STL
SCALE 3"=1'-0" CODE SPEC
NUMBER 081100-06-GS
DATE 08/28/03





NOTE: SEE FLOOR PLAN FOR DOOR SWING




7 HOLLOW MET. FRAMES AT CONCRETE WALL
SCALE 3"=1'-0" CODE SPEC
NUMBER 081100-11-GR
DATE 08/28/03



4 DOUBLE EGRESS DOOR HEAD CONDITIONS
SCALE 3"=1'-0" CODE 2012 IBC
NUMBER 081100-11-GR SPEC ALL Sds
DATE 05/27/14




1 HOLLOW METAL WINDOW FRAMES
SCALE 3"=1'-0" CODE SPEC
NUMBER 081213-03-GS
DATE 08/28/03



HENSEL PHELPS
Plan. Build. Manage.
K M D ARCHITECTS
ARCHITECTURE PLANNING
222 WALL ST. SAN FRANCISCO, CA 94111
(415) 398-9131 FAX (415) 394-7158

NO.	DATE	ISSUED FOR
1	2016/01/28	LEVELS 3 & 4 FRAMING - MEP
2	2016/11/24	DP #2 - 100% CD PACKAGE
3	2016/10/23	DP #2 - 50% CD PACKAGE
4	2016/10/23	ISSUED FOR



CERTIFIED BY
HEALTH CENTER EMERYVILLE
5800 HOLLIS STREET
EMERYVILLE, CA 94608
PROJECT NO. 106-201
DATE 01/04/16
HOLLOW METAL DOOR AND WINDOW FRAME DETAILS