

UCR MRB1 - Product Compatibility															
Installed first →	Horizontal Plaster Waterproofing	Air Barrier	PMA	Hot Rubberized Asphalt	Window Sealant	Air Barrier Sealant	Transition Sealant	Wall Penetration Sealant	Below Grade Sealant	PVC Roofing	Curtain Wall Mullion	Stainless Steel	Concrete	Brick	Elastomeric
Installed second (Over) ↓															
Horizontal Plaster Waterproofing		Testing Required	Testing Required	No Contact (N/A)	Testing Required	Testing Required	Testing Required	Testing Required	No Contact (N/A)	No Contact (N/A)	No Contact (N/A)	Acceptable Per Product Data	Acceptable Per Product Data	No Contact (N/A)	No Contact (N/A)
Air Barrier	Acceptable Per Product Data		Testing Required	Acceptable Per Product Data	Acceptable Per Product Data	Acceptable Per Product Data	Acceptable Per Product Data	Acceptable Per Product Data	Testing Required	Testing Required	Acceptable Per Product Data	Acceptable Per Product Data	Acceptable Per Product Data	No Contact (N/A)	Testing Required
PMA	No Contact (N/A)	Testing Required		Acceptable Per Product Data	Testing Required	Testing Required	Testing Required	Testing Required	No Contact (N/A)	Testing Required	No Contact (N/A)	Acceptable Per Product Data	Acceptable Per Product Data	No Contact (N/A)	Testing Required
Hot Rubberized Asphalt	No Contact (N/A)	Testing Required	Acceptable Per Product Data		Testing Required	Testing Required	Testing Required	Testing Required	No Contact (N/A)	Testing Required	No Contact (N/A)	Acceptable Per Product Data	Acceptable Per Product Data	No Contact (N/A)	No Contact (N/A)
Window Sealant	Testing Required	Testing Required	Testing Required	Testing Required		Acceptable Per Product Data	Acceptable Per Product Data	Acceptable Per Product Data	No Contact (N/A)	Testing Required	Acceptable Per Product Data	Acceptable Per Product Data	Acceptable Per Product Data	Acceptable Per Product Data	No Contact (N/A)
Air Barrier Sealant	Testing Required	Acceptable Per Product Data	Testing Required	Testing Required	Acceptable Per Product Data		Acceptable Per Product Data	Acceptable Per Product Data	Testing Required	Testing Required	Acceptable Per Product Data	Acceptable Per Product Data	Acceptable Per Product Data	No Contact (N/A)	Testing Required
Transition Sealant	No Contact (N/A)	Acceptable Per Product Data	Testing Required	Testing Required	Acceptable Per Product Data	Acceptable Per Product Data		Acceptable Per Product Data	Testing Required	Testing Required	Acceptable Per Product Data	Acceptable Per Product Data	Acceptable Per Product Data	No Contact (N/A)	Testing Required
Wall Penetration Sealant	Testing Required	Acceptable Per Product Data	Testing Required	Testing Required	Acceptable Per Product Data	Acceptable Per Product Data	Acceptable Per Product Data		No Contact (N/A)	Testing Required	Acceptable Per Product Data	Acceptable Per Product Data	Acceptable Per Product Data	Acceptable Per Product Data	Testing Required
Below Grade Sealant	No Contact (N/A)	Testing Required	No Contact (N/A)	No Contact (N/A)	No Contact (N/A)	No Contact (N/A)	Testing Required	No Contact (N/A)		No Contact (N/A)	No Contact (N/A)	No Contact (N/A)	Acceptable Per Product Data	No Contact (N/A)	No Contact (N/A)
PVC Roofing	No Contact (N/A)	Testing Required	Testing Required	No Contact (N/A)	Testing Required	Testing Required	Testing Required	Testing Required	No Contact (N/A)		Testing Required	Acceptable Per Product Data	Acceptable Per Product Data	No Contact (N/A)	No Contact (N/A)
Painted Aluminum	No Contact (N/A)	Testing Required	No Contact (N/A)	Testing Required	Testing Required	Testing Required	Testing Required	Testing Required	No Contact (N/A)	Testing Required		Testing Required	Acceptable Per Product Data	Acceptable Per Product Data	Testing Required
Stainless Steel	Testing Required	Acceptable Per Product Data	Testing Required	Testing Required	Testing Required	Testing Required	Testing Required	Testing Required	No Contact (N/A)	Acceptable Per Product Data	Testing Required		Acceptable Per Product Data	Acceptable Per Product Data	Testing Required
Concrete	No Contact (N/A)	No Contact (N/A)	No Contact (N/A)	Acceptable Per Product Data	No Contact (N/A)	No Contact (N/A)	No Contact (N/A)	No Contact (N/A)	Acceptable Per Product Data	No Contact (N/A)	No Contact (N/A)	Acceptable Per Product Data		No Contact (N/A)	No Contact (N/A)
Brick	No Contact (N/A)	No Contact (N/A)	Testing Required	Testing Required	Testing Required	Testing Required	Testing Required	Testing Required	No Contact (N/A)	Testing Required	Testing Required	Testing Required	Acceptable Per Product Data		No Contact (N/A)
Elastomeric	No Contact (N/A)	Testing Required	No Contact (N/A)	Testing Required	Testing Required	Testing Required	Testing Required	Testing Required	No Contact (N/A)	Testing Required	No Contact (N/A)	No Contact (N/A)	Acceptable Per Product Data	No Contact (N/A)	

Black out all cells that do not come into contact with each other

Highlight Cells Green for contact that is compatible per the product data

Highlight Cells Red if Testing is required