




DRAWN:	G.G.	CHECKED:	B.B.
FOUNDATION PLAN			
LEVEL P2			
SOUTHWEST GARAGE			

S-2.2



SUITE 170, 1980 BLAKE STREET
DENVER, CO 80202
TEL 303.675.0041 FAX 303.675.0062

FERTHOUSE, 225 ARIZONA AVENUE
SANTA MONICA CA 90401
TEL 310.394.0273 FAX 310.394.2424

VAN TILBURG, BANWARD & SODERBERG
ARCHITECTURE • PLANNING •

SCALE: 1/8" = 1'-0"



1. FOR TOP OF CONCRETE SLAB ELEVATION. SEE ARCH'L DRAWINGS. VERIFY ALL DIMENSIONS AND ELEV. WITH ARCH'L DWGS.
2.  DENOTES FOOTING TYPE, FOR SIZE AND REINFORCING SEE FOOTING SCHEDULE.
3. TOP OF FOOTING ELEVATION IS 24" MINIMUM BELOW FINISH GRADE UNLESS NOTED OTHERWISE ON PLAN.
4.  DENOTES COLUMNS TYPE, FOR SIZE AND REINF. SEE 3/S-3.
5. FOR SLAB ON GRADE DETAILS SEE 1/S-1.3
6. FOR STEP FOOTING DETAILS SEE 2/S-1.3
7. FOR STEPS ON GRADE DETAILS SEE 3/S-1.3
8. VERIFY LOCATION AND DEPTH OF ALL SLAB DEPRESSIONS WITH ARCHITECTURAL DRAWINGS.
9. FOR STAIR DETAILS SEE S-3.3

SPREAD		FOOTING		SCHEDULE	
FOOTING TYPE	FIG. SIZE	THICK (in)	REINFORCING EA. WAY BOTTOM		
(1)	$10'-6" \times 10'-6"$	30"	14-#7		
(2)	$10'-0" \times 10'-0"$	30"	12-#7		
(3)	$9'-6" \times 9'-6"$	28"	12-#7		
(4)	$9'-0" \times 9'-0"$	26"	10-#7		
(5)	$8'-6" \times 8'-6"$	25"	9-#7		
(6)	$8'-0" \times 8'-0"$	24"	8-#7		
(7)	$7'-6" \times 7'-6"$	23"	10-#6		
(8)	$7'-0" \times 7'-0"$	21"	9-#6		