

				<table><thead><tr><th>LEVEL</th><th>TYPE</th><th>SHEAR DEMAND (K/IN)</th><th>FLEXURAL STRENGTHENING</th><th>COMMENTS</th></tr></thead><tbody><tr><td rowspan="5">SECOND FLOOR</td><td>FRP-01</td><td>1.55</td><td>N/A</td><td rowspan="5">SEE NOTE 1.</td></tr><tr><td>FRP-02</td><td>1.55</td><td>1 - #5 AT EACH END OF EACH PIER</td></tr><tr><td>FRP-03</td><td>1.55</td><td>1 - #5 AT EACH END OF EACH PIER</td></tr><tr><td>FRP-04</td><td>1.55</td><td>N/A</td></tr><tr><td>FRP-05</td><td>1.55</td><td>1 - #5 AT EACH END OF EACH PIER</td></tr><tr><td rowspan="5">THIRD FLOOR</td><td>FRP-06</td><td>1.55</td><td>N/A</td><td rowspan="5">SEE NOTE 1.</td></tr><tr><td>FRP-07</td><td>1.55</td><td>1 - #5 AT EACH END OF EACH PIER</td></tr><tr><td>FRP-08</td><td>1.55</td><td>1 - #5 AT EACH END OF EACH PIER</td></tr><tr><td>FRP-09</td><td>1.55</td><td>N/A</td></tr><tr><td>FRP-10</td><td>1.55</td><td>1 - #5 AT EACH END OF EACH PIER</td></tr><tr><td rowspan="5">FOURTH FLOOR</td><td>FRP-11</td><td>1.55</td><td>N/A</td><td rowspan="5">SEE NOTE 1.</td></tr><tr><td>FRP-12</td><td>1.55</td><td>1 - #5 AT EACH END OF EACH PIER</td></tr><tr><td>FRP-13</td><td>1.55</td><td>1 - #5 AT EACH END OF EACH PIER</td></tr><tr><td>FRP-14</td><td>1.55</td><td>N/A</td></tr><tr><td>FRP-15</td><td>1.55</td><td>1 - #5 AT EACH END OF EACH PIER</td></tr><tr><td rowspan="3">FIFTH FLOOR</td><td>FRP-16</td><td>1.55</td><td>N/A</td><td rowspan="3">SEE NOTE 1.</td></tr><tr><td>FRP-17</td><td>1.55</td><td>N/A</td></tr><tr><td>FRP-18</td><td>1.55</td><td>1 - #5 AT EACH END OF EACH PIER</td></tr><tr><td rowspan="3">SIXTH FLOOR</td><td>FRP-19</td><td>1.55</td><td>1 - #5 AT EACH END OF EACH PIER</td><td rowspan="3">SEE NOTE 1.</td></tr><tr><td>FRP-20</td><td>1.55</td><td>1 - #5 AT EACH END OF EACH PIER</td></tr><tr><td>FRP-21</td><td>1.55</td><td>1 - #5 AT EACH END OF EACH PIER</td></tr></tbody></table> <div>NOTES: 1. FRP REINFORCING TO BE PROVIDED AT PIERS BETWEEN WINDOW OPENINGS AND AT WALL ENDS FROM T.O. FLOOR SLAB BELOW TO B.O. FLOOR SLAB ABOVE. 2. DEMANDS PROVIDED IN TABLE ARE ULTIMATE LEVEL AND APPROPRIATE PHI FACTORS SHALL BE USED FOR FRP DESIGN. 3. FOR FLEXURAL STRENGTHENING MINIMUM REQUIRED EQUIVALENT VERTICAL STEEL REINFORCING BAR IS SPECIFIED. 4. DESIGN OF FRP SHALL MEET ACI 125 DESIGN REQUIREMENTS. 5. REFER TO LM-S-803 FOR FRP DETAILS. 6. REFER TO DETAIL 4/LM-S-803 FOR FIRE PROOFING DETAIL.</div> <div>6FRP WALL STRENGTHENING N.T.S.</div>	LEVEL	TYPE	SHEAR DEMAND (K/IN)	FLEXURAL STRENGTHENING	COMMENTS	SECOND FLOOR	FRP-01	1.55	N/A	SEE NOTE 1.	FRP-02	1.55	1 - #5 AT EACH END OF EACH PIER	FRP-03	1.55	1 - #5 AT EACH END OF EACH PIER	FRP-04	1.55	N/A	FRP-05	1.55	1 - #5 AT EACH END OF EACH PIER	THIRD FLOOR	FRP-06	1.55	N/A	SEE NOTE 1.	FRP-07	1.55	1 - #5 AT EACH END OF EACH PIER	FRP-08	1.55	1 - #5 AT EACH END OF EACH PIER	FRP-09	1.55	N/A	FRP-10	1.55	1 - #5 AT EACH END OF EACH PIER	FOURTH FLOOR	FRP-11	1.55	N/A	SEE NOTE 1.	FRP-12	1.55	1 - #5 AT EACH END OF EACH PIER	FRP-13	1.55	1 - #5 AT EACH END OF EACH PIER	FRP-14	1.55	N/A	FRP-15	1.55	1 - #5 AT EACH END OF EACH PIER	FIFTH FLOOR	FRP-16	1.55	N/A	SEE NOTE 1.	FRP-17	1.55	N/A	FRP-18	1.55	1 - #5 AT EACH END OF EACH PIER	SIXTH FLOOR	FRP-19	1.55	1 - #5 AT EACH END OF EACH PIER	SEE NOTE 1.	FRP-20	1.55	1 - #5 AT EACH END OF EACH PIER	FRP-21	1.55	1 - #5 AT EACH END OF EACH PIER
LEVEL	TYPE	SHEAR DEMAND (K/IN)	FLEXURAL STRENGTHENING	COMMENTS																																																																														
SECOND FLOOR	FRP-01	1.55	N/A	SEE NOTE 1.																																																																														
	FRP-02	1.55	1 - #5 AT EACH END OF EACH PIER																																																																															
	FRP-03	1.55	1 - #5 AT EACH END OF EACH PIER																																																																															
	FRP-04	1.55	N/A																																																																															
	FRP-05	1.55	1 - #5 AT EACH END OF EACH PIER																																																																															
THIRD FLOOR	FRP-06	1.55	N/A	SEE NOTE 1.																																																																														
	FRP-07	1.55	1 - #5 AT EACH END OF EACH PIER																																																																															
	FRP-08	1.55	1 - #5 AT EACH END OF EACH PIER																																																																															
	FRP-09	1.55	N/A																																																																															
	FRP-10	1.55	1 - #5 AT EACH END OF EACH PIER																																																																															
FOURTH FLOOR	FRP-11	1.55	N/A	SEE NOTE 1.																																																																														
	FRP-12	1.55	1 - #5 AT EACH END OF EACH PIER																																																																															
	FRP-13	1.55	1 - #5 AT EACH END OF EACH PIER																																																																															
	FRP-14	1.55	N/A																																																																															
	FRP-15	1.55	1 - #5 AT EACH END OF EACH PIER																																																																															
FIFTH FLOOR	FRP-16	1.55	N/A	SEE NOTE 1.																																																																														
	FRP-17	1.55	N/A																																																																															
	FRP-18	1.55	1 - #5 AT EACH END OF EACH PIER																																																																															
SIXTH FLOOR	FRP-19	1.55	1 - #5 AT EACH END OF EACH PIER	SEE NOTE 1.																																																																														
	FRP-20	1.55	1 - #5 AT EACH END OF EACH PIER																																																																															
	FRP-21	1.55	1 - #5 AT EACH END OF EACH PIER																																																																															
				<div>NOTES: 1. REFER TO LM-S-803 FOR FRP DETAILS. 2. REFER TO DETAIL 4/LM-S-803 FOR FIRE PROOFING DETAIL.</div> <div>7NOT USED</div>																																																																														
			<table><thead><tr><th rowspan="2">TYPE</th><th colspan="2">FLEXURAL STRENGTHENING</th><th rowspan="2">SHEAR STRENGTHENING</th></tr><tr><th>LONGITUDINAL BOTTOM REINFORCING</th><th>LONGITUDINAL TOP REINFORCING</th></tr></thead><tbody><tr><td>FRP-B1</td><td>4-#5</td><td>2-#5</td><td>#4 @ 9" O.C.</td></tr></tbody></table> <div>NOTES: 1. REFER TO LM-S-803 FOR FRP DETAILS. 2. REFER TO DETAIL 4/LM-S-803 FOR FIRE PROOFING DETAIL.</div> <div>8BEAM FRP STRENGTHENING N.T.S.</div>	TYPE	FLEXURAL STRENGTHENING		SHEAR STRENGTHENING	LONGITUDINAL BOTTOM REINFORCING	LONGITUDINAL TOP REINFORCING	FRP-B1	4-#5	2-#5	#4 @ 9" O.C.	<table><thead><tr><th>FRP TYPE</th><th>EQUIVALENT STEEL SHEAR REINFORCING</th></tr></thead><tbody><tr><td>FRP-C13</td><td>#4 CLOSED HOOPS @ 4" O.C.</td></tr><tr><td>FRP-C14</td><td>#4 CLOSED HOOPS @ 4" O.C.</td></tr><tr><td>FRP-C15</td><td>#4 CLOSED HOOPS @ 4" O.C.</td></tr><tr><td>FRP-C16</td><td>#4 CLOSED HOOPS @ 4" O.C.</td></tr><tr><td>FRP-C20</td><td>#4 CLOSED HOOPS @ 4" O.C.</td></tr><tr><td>FRP-C21</td><td>#4 CLOSED HOOPS @ 4" O.C.</td></tr><tr><td>FRP-C22</td><td>#4 CLOSED HOOPS @ 4" O.C.</td></tr><tr><td>FRP-C23</td><td>#4 CLOSED HOOPS @ 4" O.C.</td></tr><tr><td>FRP-C24</td><td>#4 CLOSED HOOPS @ 4" O.C.</td></tr><tr><td>FRP-C28</td><td>#4 CLOSED HOOPS @ 4" O.C.</td></tr><tr><td>FRP-C29</td><td>#4 CLOSED HOOPS @ 4" O.C.</td></tr><tr><td>FRP-C30</td><td>#4 CLOSED HOOPS @ 4" O.C.</td></tr><tr><td>FRP-C31</td><td>#4 CLOSED HOOPS @ 4" O.C.</td></tr><tr><td>FRP-C32</td><td>#4 CLOSED HOOPS @ 4" O.C.</td></tr><tr><td>FRP-C33</td><td>#4 CLOSED HOOPS @ 4" O.C.</td></tr><tr><td>FRP-C34</td><td>#4 CLOSED HOOPS @ 4" O.C.</td></tr><tr><td>FRP-C39</td><td>#4 CLOSED HOOPS @ 4" O.C.</td></tr><tr><td>FRP-C40</td><td>#4 CLOSED HOOPS @ 4" O.C.</td></tr><tr><td>FRP-C41</td><td>#4 CLOSED HOOPS @ 4" O.C.</td></tr><tr><td>FRP-C42</td><td>#4 CLOSED HOOPS @ 4" O.C.</td></tr><tr><td>FRP-C43</td><td>#4 CLOSED HOOPS @ 4" O.C.</td></tr><tr><td>FRP-C44</td><td>#4 CLOSED HOOPS @ 4" O.C.</td></tr><tr><td>FRP-C47</td><td>#4 CLOSED HOOPS @ 4" O.C.</td></tr><tr><td>FRP-C48</td><td>#4 CLOSED HOOPS @ 4" O.C.</td></tr><tr><td>FRP-C49</td><td>#4 CLOSED HOOPS @ 4" O.C.</td></tr><tr><td>FRP-C50</td><td>#4 CLOSED HOOPS @ 4" O.C.</td></tr><tr><td>FRP-C53</td><td>#4 CLOSED HOOPS @ 4" O.C.</td></tr><tr><td>FRP-C54</td><td>#4 CLOSED HOOPS @ 4" O.C.</td></tr><tr><td>FRP-C55</td><td>#4 CLOSED HOOPS @ 4" O.C.</td></tr><tr><td>FRP-C56</td><td>#4 CLOSED HOOPS @ 4" O.C.</td></tr></tbody></table> <div>NOTES: 1. REFER TO LM-S-803 FOR FRP DETAILS. 2. REFER TO DETAIL 4/LM-S-803 FOR FIRE PROOFING DETAIL.</div> <div>4COLUMN FRP STRENGTHENING N.T.S.</div>	FRP TYPE	EQUIVALENT STEEL SHEAR REINFORCING	FRP-C13	#4 CLOSED HOOPS @ 4" O.C.	FRP-C14	#4 CLOSED HOOPS @ 4" O.C.	FRP-C15	#4 CLOSED HOOPS @ 4" O.C.	FRP-C16	#4 CLOSED HOOPS @ 4" O.C.	FRP-C20	#4 CLOSED HOOPS @ 4" O.C.	FRP-C21	#4 CLOSED HOOPS @ 4" O.C.	FRP-C22	#4 CLOSED HOOPS @ 4" O.C.	FRP-C23	#4 CLOSED HOOPS @ 4" O.C.	FRP-C24	#4 CLOSED HOOPS @ 4" O.C.	FRP-C28	#4 CLOSED HOOPS @ 4" O.C.	FRP-C29	#4 CLOSED HOOPS @ 4" O.C.	FRP-C30	#4 CLOSED HOOPS @ 4" O.C.	FRP-C31	#4 CLOSED HOOPS @ 4" O.C.	FRP-C32	#4 CLOSED HOOPS @ 4" O.C.	FRP-C33	#4 CLOSED HOOPS @ 4" O.C.	FRP-C34	#4 CLOSED HOOPS @ 4" O.C.	FRP-C39	#4 CLOSED HOOPS @ 4" O.C.	FRP-C40	#4 CLOSED HOOPS @ 4" O.C.	FRP-C41	#4 CLOSED HOOPS @ 4" O.C.	FRP-C42	#4 CLOSED HOOPS @ 4" O.C.	FRP-C43	#4 CLOSED HOOPS @ 4" O.C.	FRP-C44	#4 CLOSED HOOPS @ 4" O.C.	FRP-C47	#4 CLOSED HOOPS @ 4" O.C.	FRP-C48	#4 CLOSED HOOPS @ 4" O.C.	FRP-C49	#4 CLOSED HOOPS @ 4" O.C.	FRP-C50	#4 CLOSED HOOPS @ 4" O.C.	FRP-C53	#4 CLOSED HOOPS @ 4" O.C.	FRP-C54	#4 CLOSED HOOPS @ 4" O.C.	FRP-C55	#4 CLOSED HOOPS @ 4" O.C.	FRP-C56	#4 CLOSED HOOPS @ 4" O.C.						
TYPE	FLEXURAL STRENGTHENING		SHEAR STRENGTHENING																																																																															
	LONGITUDINAL BOTTOM REINFORCING	LONGITUDINAL TOP REINFORCING																																																																																
FRP-B1	4-#5	2-#5	#4 @ 9" O.C.																																																																															
FRP TYPE	EQUIVALENT STEEL SHEAR REINFORCING																																																																																	
FRP-C13	#4 CLOSED HOOPS @ 4" O.C.																																																																																	
FRP-C14	#4 CLOSED HOOPS @ 4" O.C.																																																																																	
FRP-C15	#4 CLOSED HOOPS @ 4" O.C.																																																																																	
FRP-C16	#4 CLOSED HOOPS @ 4" O.C.																																																																																	
FRP-C20	#4 CLOSED HOOPS @ 4" O.C.																																																																																	
FRP-C21	#4 CLOSED HOOPS @ 4" O.C.																																																																																	
FRP-C22	#4 CLOSED HOOPS @ 4" O.C.																																																																																	
FRP-C23	#4 CLOSED HOOPS @ 4" O.C.																																																																																	
FRP-C24	#4 CLOSED HOOPS @ 4" O.C.																																																																																	
FRP-C28	#4 CLOSED HOOPS @ 4" O.C.																																																																																	
FRP-C29	#4 CLOSED HOOPS @ 4" O.C.																																																																																	
FRP-C30	#4 CLOSED HOOPS @ 4" O.C.																																																																																	
FRP-C31	#4 CLOSED HOOPS @ 4" O.C.																																																																																	
FRP-C32	#4 CLOSED HOOPS @ 4" O.C.																																																																																	
FRP-C33	#4 CLOSED HOOPS @ 4" O.C.																																																																																	
FRP-C34	#4 CLOSED HOOPS @ 4" O.C.																																																																																	
FRP-C39	#4 CLOSED HOOPS @ 4" O.C.																																																																																	
FRP-C40	#4 CLOSED HOOPS @ 4" O.C.																																																																																	
FRP-C41	#4 CLOSED HOOPS @ 4" O.C.																																																																																	
FRP-C42	#4 CLOSED HOOPS @ 4" O.C.																																																																																	
FRP-C43	#4 CLOSED HOOPS @ 4" O.C.																																																																																	
FRP-C44	#4 CLOSED HOOPS @ 4" O.C.																																																																																	
FRP-C47	#4 CLOSED HOOPS @ 4" O.C.																																																																																	
FRP-C48	#4 CLOSED HOOPS @ 4" O.C.																																																																																	
FRP-C49	#4 CLOSED HOOPS @ 4" O.C.																																																																																	
FRP-C50	#4 CLOSED HOOPS @ 4" O.C.																																																																																	
FRP-C53	#4 CLOSED HOOPS @ 4" O.C.																																																																																	
FRP-C54	#4 CLOSED HOOPS @ 4" O.C.																																																																																	
FRP-C55	#4 CLOSED HOOPS @ 4" O.C.																																																																																	
FRP-C56	#4 CLOSED HOOPS @ 4" O.C.																																																																																	